



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER		CAND NUME	DIDATE BER		

BIOLOGY

Paper 2 Core May/June 2013

1 hour 15 minutes

0610/23

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



Flowering plants are classified into two groups, the monocotyledons and the eudicotyledons 1 (dicotyledons).

For Examiner's Use

(a) Complete Table 1.1 to show differences between these two groups.

Table 1.1

	monocotyledons	eudicotyledons
number of cotyledons in seed		
pattern of veins in leaf		
number of flower parts e.g. petals		

[4]

(b)	State two	environmental	stimuli that	flowering	plants c	an detect
-----	------------------	---------------	--------------	-----------	----------	-----------

1	•••
2	2]

(c) Fig. 1.1 shows a cross section of part of a eudicotyledonous (dicotyledonous) plant as seen through a microscope.




Fig. 1.1

(i)	Name the part of a plant through which the section has been cut.						
		[1]					
/ii\	On Fig. 1.1 draw a line to label the phloem tissue and a line to label the yell	m					

Label the phloem and xylem tissues. [2]

(iii)	Describe two functions of xylem tissue.					
	1					
	2					
		[2]				
	[Total:	11]				

2

State and explain two ways in which the use of agricultural machinery and fertilisers have helped to increase food production.
agricultural machinery
1
2
fertilisers
1
2
[6]
[Total: 6]

For Examiner's Use

3	(a)	(i)	State how a human zygote is formed.	For Examiner's
				Use
			[2]	
		(ii)	Outline the early development of a human zygote before it becomes a fetus.	
			[2]	
	(b)	Fig.	3.1 shows the tissues of the mother and fetus in the placenta of humans.	
	ma	atern	al artery maternal vein placenta umbilical vein umbilical artery	
			Fig. 3.1	
		The	diagram shows that the blood systems of the mother and the fetus are separate. Suggest one reason why the two blood systems should be kept separate.	
			[1]	

	(ii)	The placenta is often described as "a small intestine, a lung and a kidney".
		Explain how the placenta functions like each of these organs.
		small intestine
		lung
		kidney
		[6]
(c)		scribe two ways in which a pregnant mother could help the healthy development of fetus.
	1	
	2	
		[2]
	•••••	
		[Total: 13]

Question 4 begins on page 8.

		For Examine
	Describe three undesirable effects of sulfur dioxide pollution.	Use
	1	
ı		
	2	
	3	
	[3]	
(b)	Sulfur dioxide in the air can affect a type of organism called a lichen.	
	Fig. 4.1 shows the numbers of three types of lichen, \mathbf{K} , \mathbf{L} and \mathbf{M} , growing near to an industrial site that releases sulfur dioxide.	
	20 lichen K 15 lichen L	
	lichen per 20 m ² 10 5 0 2 4 6 8 10	
	distance from industrial site/km	
	Fig. 4.1	
	(i) State which type of lichen grows closest to the industrial site.	
	[1]	
((ii) State which types of lichen you would expect to find growing 5 km from the industrial site.	
	[1]	

(iii)	Explain which type of lichen is most affected by the sulfur dioxide.	For Examiner's
		Use
	[2]	
(iv)	Calculate how many lichen plants you would expect to find in a $20\mathrm{m}^2$ area at $10\mathrm{km}$ from the industrial site.	
	Show your working.	
	lichen plants [2]	
	[Total: 9]	

5	(a)) An investigation was carried out by a student on the effect of temperature on the digestion of fat by an enzyme.		
		(i)	Name an enzyme that digests fats.	
			[1]	
		(ii)	One product of fat digestion is fatty acids.	
			Name the other product.	
			[1]	
			test-tubes containing the same volume of olive oil and the enzyme solution were up.	
		On	e drop of an indicator was added to each test-tube.	
			e six test-tubes were labelled and placed in separate water baths at different nperatures.	
			e indicator was blue at the start and changed to yellow when the pH fell to pH 5 or low.	
		The	e time for the contents of each test-tube to turn yellow was recorded.	
		(iii)	Suggest why the pH of the mixture would fall as digestion takes place.	
			[1]	

Question 5 continues on page 12.

(b) Table 5.1 shows the results of this investigation.

Table 5.1

 temperature / °C
 time to turn yellow / hours

 5
 23

 15
 14

 25
 8

 35
 5

 45
 15

 55
 29

(i) Plot the results on Fig. 5.1.




Fig. 5.1

For Examiner's Use

[3]


	(ii)	State the temperature at which the reaction was fastest (optimum temperature).
		[1]
(c)	And	other student repeated the investigation.
	This	s student added bile to each test-tube, as well as the enzyme.
	(i)	Explain the function of bile in the digestion of fat.
		[3]
	(ii)	Predict the results of the second investigation.
		Include in your answer a reference to rate of reaction and optimum temperature.
		[2]
		[Total: 12]

6

Complete the sentences about respiration space.	by writing the most appropriate word(s) in each	For Examiner's Use
Respiration in living cells is a series of cher	mical reactions that release energy. These	
chemical reactions are speeded up by	·	
If a yeast cell does not have enough oxyge	n it may carry out	
respiration. In this process	and carbon dioxide are	
formed. This type of respiration in yeast is	used by humans in	
In humans, when muscle cells do not have	enough oxygen during exercise,	
is broken do	wn into [6]	
	[Total: 6]	

7	(a) A	nimals such as birds and mammals can help in the dispersal of fruits and seeds.
	(i) Seeds develop from ovules.
		Name the structure from which fruits develop.
		[1]
	(ii) State three features of fruits that would help their dispersal by animals.
		1
		2
		3
		[3]
	(iii) Name one other mechanism of fruit or seed dispersal.
		[1]
	(b) D	escribe one way in which insects can help in the life cycle of a flowering plant.
		[2]
		[Total: 7]

8 Fig. 8.1 shows the energy flow through a food chain.



(a) On Fig. 8.1, write carnivore, herbivore or producer at the correct trophic level. [3]

(b) (i) Use Fig. 8.1 to calculate the quantity of energy trapped by organism A.

(ii) Name the process by which organism **A** traps energy. [1]

© UCLES 2013 0610/23/M/J/13

(iii)	State two ways by which energy is lost at each trophic level.	۱,
	1	'
	2	
	[2]	
	[Total: 7]	

9 Fig. 9.1 shows changes in the relative concentrations of four substances in the blood plasma. These changes happen when the blood flows through the renal artery, the capillaries in the kidney and the renal vein.

For Examiner's Use




Fig. 9.1

(a)	Explain the difference in the concentration of urea in the renal vein and in the renal artery.
	[3]
(b)	Explain the differences in the concentration of oxygen and carbon dioxide shown in Fig. 9.1.
	[3]

(c)	Describe and explain the changes in glucose concentration shown in Fig. 9.1.
	[3]
	[Total: 9]

20

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.