



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

CHEMISTRY

0620/31

Paper 3 Theory (Core)

May/June 2016

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials:

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 20.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 18 printed pages and 2 blank pages.

CAMBRIDGE



1 The structures of some substances containing chlorine are shown.

Α	В	С
Cl Cl Cl	Cl—Cl	Cl^{-} K^{+} Cl^{-} K^{+} Cl^{-} $Cl^$

- (a) Answer the following questions about these substances.
 - (i) Which substance is a diatomic molecule?

 (ii) Which substance represents part of an ionic structure?

 (iii) Which substance is an element?

 Explain your answer.

 [2]

 (iv) Determine the simplest formula for substance **D**.

((b)	The s	vmbols	for two	isotopes	of chl	orine are	shown
١	~	, ,,,,,,	y 1112010		lootopoo	01 0111	ornio are	

³⁵Cl ³⁷Cl

(i)	How do these two isotopes differ in their atomic structure?	
		[1]
(ii)	Determine the number of neutrons present in one atom of the isotope $^{35}_{17}\mathrm{C}\it{l}$.	[1]
(iii)	Draw the electronic structure of a chlorine atom. Show all shells and all electrons.	ι'.

[2]

[Total: 9]

A bicycle maker wants to choose a suitable material to make bicycle frames. The table shows the properties of some materials that could be used.

material	relative strength	density in g/cm ³	resistance to corrosion	cost per tonne in \$/tonne
aluminium	8	2.7	very good	1500
iron	21	7.9	poor	450
stainless steel	24	7.9	very good	600
titanium	27	4.5	very good	15000
zinc	14	7.1	good	1300

(a)	Which	material is the most suitable for making the bicycle frame?	
	Explai	n your answer using information from the table.	
			[3]
(b)	Alumir	nium is extracted from aluminium oxide by electrolysis.	
	(i)	State the name of the main ore of aluminium.	
			[1]
	(ii)	Suggest why aluminium is extracted by electrolysis and not by reduction with carb	on.
			[1]
	(iii)	Molten aluminium oxide is electrolysed using graphite electrodes.	
		Predict the products of this electrolysis at	
		the positive electrode (anode),	
		the negative electrode (cathode).	[2]

(c) The diagram shows the changes of state when zinc vapour is cooled slowly to room temperature.

zinc	condensation	molten	freezing	solid
vapour		zinc	(solidification)	zinc

Explain what happens during these changes in terms of

• the distance between the particles,

•	the type of motion shown by the particles.

.....[4]

[Total: 11]

3 The table shows some properties of the Group I metals.

metal	density in g/cm ³	melting point /°C	boiling point
lithium	0.53	181	1342
sodium		98	883
potassium	0.86	63	760
rubidium	1.53	39	686
caesium		29	669

(a)	(i)	Describe the trend in boiling points of the Group I metals.	
			[1]
	(ii)	Predict the density of caesium.	
			[1]
	(iii)	Deduce the state of caesium at 20 °C.	
		Explain your answer.	
			[2]
(b)	Comp	lete the word equation for the reaction of rubidium with water.	
	rubic	lium + water \rightarrow +	[2]

(c) The dye, indigotin, is formed when compound **F** is exposed to air. The structure of compound **F** is shown below.


Complete the table and calculate the relative molecular mass of compound **F**.

type of atom	number of atoms	atomic mass	
carbon	8	12	8×12=96
hydrogen			
nitrogen	1	14	1 × 14 = 14
oxygen	1	16	1 × 16 = 16
sodium			

relative molecular mass = [2]


(d)	Three dye mixtures, J, K and L, were spotted onto a piece of chromatography paper. Three
	pure dyes, X , Y and Z , were also spotted onto the same piece of paper.


The diagram shows the results of this chromatography.



(i)	Suggest why the base line was drawn in pencil and not in ink.	
		[1]
(ii)	Which dye mixture, J , K or L , contains a dye which did not move during this chromatography?	
		[1]
(iii)	Which dye mixture, J , K or L , contains both dye X and dye Y ?	
		[1]
(iv)	Which dye mixture, J , K or L , does not contain dye Z ?	
		[1]
	[Total:	12]

4 The structures of some organic compounds are shown.





(a) (i) Which two of these compounds are alcohols?

(ii)

Explain your answer.	
	[2]
Which two of these compounds are saturated hydrocarbons?	
	[1]

(b) Methanol and ethanol are alcohols in the same homologous series.

Complete the following sentence about a homologous series using words from the list.

alcohols	chemical	compounds	elements
functional	mixtures	physical	
A homologous series i	is a family of similar		. with similar

...... properties due to the same group.

[1]

[Total: 11]

	(C	Ethene	is	an	alkene.
--	---	---	--------	----	----	---------

,	/:\	Drowtha		~ 4 ~ 4	م مر ما	a b a a	٩IJ		ام مر ما	٩IJ	ماممام
l	L)	Draw the	structure	oi ei	nene	Snowing	all	atoms	and	all	bonas

		[1]
(ii)	Describe how aqueous bromine is used to show that ethene is an unsaturated compound.	
		[2]
(iii)	Ethene is manufactured by cracking.	
	State the conditions needed for cracking.	
		[1]
(iv)	Complete the chemical equation for the cracking of hexadecane, $C_{16}H_{34}$, to form proposed one other hydrocarbon.	ene
	$C_{16}H_{34} \rightarrow C_3H_6 + \dots$	[1]

5

The	Group	VII elements ar	e called the halogens.				
(a)	Descr	ribe the trends in					
	• th	e physical prope	rties of the halogens,				
	• th	e reactivity of ha	logens with other halid	e ions.			
	Includ	le a relevant wor	d equation in your ansv	ver.			
						[5]	
(b)	lodine	e reacts with hot	concentrated nitric acid				
			I_2 + 10HNO ₃ \rightarrow 2H	IIO ₃ + 4H ₂ O + 10N	IO ₂		
	(i)	Explain why thi fume cupboard	s reaction could have a	n adverse effect on h	ealth if not carried out	in a	
						[2]	
	(ii)	Nitric acid is str	ongly acidic.				
		Which one of th	acidic solution?				
		Put a ring arou	nd the correct answer.				
		pH 1	pH 7	рН 9	pH 13		
						[1]	

(iii) Nitric acid reacts with zinc oxide.

State the names of the products of this reaction.

and

[2]

[Total: 10]

6 Ammonia is manufactured by the reaction of nitrogen with hydrogen in the presence of a catalyst.

(a) What is the purpose of a catalyst?

(b) The reaction is reversible.

Complete the equation below by adding the sign for a reversible reaction.


$$N_2 + 3H_2$$
 $2NH_3$

[1]


(c) The energy level diagram for this reaction is shown.

Is this reaction exothermic or endothermic?

Give a reason for your answer.



(d) The graph shows how the percentage yield of ammonia changes with temperature when the pressure is kept constant.



	(i)	Describe how the	percentage yield	of ammonia	changes with	n temperature.
--	-----	------------------	------------------	------------	--------------	----------------

.....[1]

(ii) Determine the percentage yield of ammonia at 350 °C.

.....[1]

(e) Describe a test for ammonia.

test......

(f)) A	mmonia	is a	a w	/eak	base
-------------	-----	--------	------	-----	------	------

Describe how you would measure the pH of an aqueous solution of a weak base using Universal Indicator.

[2]

(g) Complete the chemical equation for the reaction of ammonia with chlorine.

.....
$$NH_3 + 3Cl_2 \rightarrow N_2 +HCl$$
 [2]

[Total: 11]

7 Calcium carbonate reacts with dilute hydrochloric acid.


$$CaCO_3(s) \hspace{3mm} + \hspace{3mm} 2HC \textit{l}(aq) \hspace{3mm} \rightarrow \hspace{3mm} CaC\textit{l}_2(aq) \hspace{3mm} + \hspace{3mm} CO_2(g) \hspace{3mm} + \hspace{3mm} H_2O(I)$$

A student investigated this reaction by measuring the volume of carbon dioxide released every minute at constant temperature.

(a) Draw a diagram of the apparatus that the student could use to investigate this reaction.

[2]

(b) The graph shows the results of this reaction using three samples of calcium carbonate of the same mass: large pieces, medium-sized pieces and small pieces.



(i)	Which sample, large, medium or small pieces, gave the fastest initial rate of reaction?
	Use the graph to explain your answer.

[2


- (ii) The experiment was repeated using powdered calcium carbonate of the same mass.

 Draw a line **on the grid above** to show how the volume of carbon dioxide changes with time for this experiment. [2]
- (iii) At what time was the reaction just complete when small pieces of calcium carbonate were used?

F 4 7
111
 Г.1

	(c)	when	calcium carbonate is heated strongly, calcium oxide is formed.	
		(i)	Give one use of calcium oxide.	
				[1]
		(ii)	What type of oxide is calcium oxide?	
			Explain your answer.	
				[2]
			[Total:	10]
8	A te	acher	passed hydrogen gas over hot copper(II) oxide.	
			$CuO(s) + H_2(g) \rightarrow Cu(s) + H_2O(g)$	
	(a)	Which	substance is reduced in this reaction?	
		Expla	in your answer.	
				[2]

(b) The diagram shows the apparatus used.



The hydrogen was passed over the hot copper(II) oxide until the reaction was complete.

(i)	As the experiment proceeds, suggest what happens to the mass of copper(II) oxid	e.
		[1]
(ii)	Suggest why electrical heating is used in this experiment and not a Bunsen burne	r.
		[1]
(iii)	Describe the chemical test for the presence of water.	
	test	
	result	[2]
	[Tota	l: 6]

BLANK PAGE

BLANK PAGE

The Periodic Table of Elements

	III/	2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon				
				6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	-	iodine 127	82	At	astatine -				
	5			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>Б</u>	tellurium 128	84	Ъо	polonium	116		livermorium	
	>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	<u>.</u>	bismuth 209				
	2			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	8	lead 207	114	Εl	flerovium	
	≡			2	Δ	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	드	indium 115	81	<i>1</i> L	thallium 204				
										30	Zu	zinc 65	48	В	cadmium 112	80	Ρ̈́	mercury 201	112	ပ်	copernicium	
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium	
Group										28	z	nickel 59	46	Pd	palladium 106	78	₹	platinum 195	110	Ds	darmstadtium -	
Gro										27	ပိ	cobalt 59	45	R	rhodium 103	11	<u>-</u>	iridium 192	109	Μţ	meitnerium -	
		- I	hydrogen 1							26	Pe	iron 56	4	Ru	ruthenium 101	9/	SO	osmium 190	108	Η̈́	hassium	
										25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	듐	bohrium	
					loc	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium	
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>Б</u>	tantalum 181	105	СP	dubnium	
					ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium	
										21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids		
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ва	barium 137	88	Ra	radium	
	_			3	:=	lithium 7	£	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	S	caesium 133	87	ь́	francium	

71	3	lutetium	175	103	۲	lawrencium	ı
70	Υp	ytterbium	173	102	8	nobelium	ı
69	T	thulium	169	101	Md	mendelevium	ı
89	ш	erbinm	167	100	Fn	fermium	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	۵	dysprosium	163	86	₽	californium	ı
65	Д	terbium	159	26	Ř	berkelium	ı
64	9 G	gadolinium	157	96	Cm	curium	ı
63	Eu	europium	152	92	Am	americium	ı
62	Sm	samarium	150	96	Pu	plutonium	ı
61	Pm	promethium	ļ	93	ď	neptunium	ı
09	PR	neodymium	144	92	\supset	uranium	238
69	Ā	praseodymium	141	91	Pa	protactinium	231
58	Ce	oerium	140	06	Ч	thorium	232
22	Га	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.)

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.