Centre Number			Candidate Number		
Surname					
Other Names					
Candidate Signature					

	1	1	Δ	1
<i> </i> -) /		A	
_	7/	-K		•

General Certificate of Education Advanced Subsidiary Examination January 2011

Mathematics

Unit Statistics 1B

MS/SS1B

Statistics

Unit Statistics 1B

Friday 14 January 2011 1.30 pm to 3.00 pm

For this paper you must have:

• the blue AQA booklet of formulae and statistical tables. You may use a graphics calculator.

Time allowed

• 1 hour 30 minutes

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer the questions in the spaces provided. Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.
- The final answer to questions requiring the use of tables or calculators should normally be given to three significant figures.

Information

- The marks for guestions are shown in brackets.
- The maximum mark for this paper is 75.
- Unit Statistics 1B has a written paper only.


Advice

 Unless stated otherwise, you may quote formulae, without proof, from the booklet.



Answer all questions in the spaces provided.

1 (a) Estimate, **without undertaking any calculations**, the value of the product moment correlation coefficient between the variables x and y for each of the two scatter diagrams.



(b) The table gives the circumference, x centimetres, and the weight, y grams, of each of 12 new cricket balls.

x	22.5	22.7	22.6	22.4	22.5	22.8	22.6	22.7	22.8	22.4	22.9	22.6
у	160.3	159.4	157.8	158.0	157.3	159.8	158.3	159.6	161.3	156.4	162.5	161.2

- (i) Calculate the value of the product moment correlation coefficient between x and y.

 (3 marks)
- (ii) Assuming that the 12 balls may be considered to be a random sample, interpret your value in context. (2 marks)

QUESTION PART REFERENCE	



QUESTION PART REFERENCE	
•••••	
••••••	
••••••	
•••••	
••••••	
••••••	
•••••	
••••••	



4

The number of MPs in the House of Commons was 645 at the beginning of August 2009. The genders of these MPs and the political parties to which they belonged are shown in the table.

			Political Party						
		Labour	Conservative	Liberal Democrat	Other	Total			
Gender	Male	255	175	54	35	519			
Gender	Female	94	18	9	5	126			
	Total	349	193	63	40	645			

- One MP was selected at random for an interview. Calculate, to three decimal places, the probability that the MP was:
 - (i) a male Conservative; (1 mark)
 - (ii) a male; (1 mark)
 - (iii) a Liberal Democrat; (1 mark)
 - (iv) Labour, given that the MP was female; (2 marks)
 - (v) male, given that the MP was **not** Labour. (3 marks)
- (b) Two female MPs were selected at random for an enquiry. Calculate, to three decimal places, the probability that both MPs were Labour. (2 marks)
- (c) Three MPs were selected at random for a committee. Calculate, to three decimal places, the probability that exactly one MP was Labour and exactly one MP was Conservative. (4 marks)

PART REFERENCE	



QUESTION PART REFERENCE	
REFERENCE	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
•••••	
•••••	
•••••	
•••••	



QUESTION PART REFERENCE	
REFERENCE	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
•••••	
•••••	
•••••	
•••••	



QUESTION PART REFERENCE	
••••••	
•••••	
••••••	
••••••	
••••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	



The volume, X litres, of orange juice in a 1-litre carton may be modelled by a normal distribution with unknown mean μ .

The volumes, x litres, recorded to the nearest 0.01 litre, in a random sample of 100 cartons are shown in the table.

Volume (x litres)	Number of cartons (f)
0.95 - 0.97	2
0.98 - 1.00	7
1.01 – 1.03	15
1.04-1.06	32
1.07 – 1.09	22
1.10-1.12	14
1.13 – 1.15	7
1.16-1.18	1
Total	100

- (a) For the group '0.98 1.00':
 - (i) show that it has a mid-point of 0.99 litres;
 - (ii) state the minimum and the maximum values of x that could be included in this group.

 (2 marks)
- (b) Calculate, to three decimal places, estimates of the mean and the standard deviation of these 100 volumes. (3 marks)
- (c) (i) Construct an approximate 99% confidence interval for μ . (4 marks)
 - (ii) State why use of the Central Limit Theorem was **not** required when calculating this confidence interval. (1 mark)
 - (iii) Give a reason why the confidence interval is approximate rather than exact.

(1 mark)

- (d) Give a reason in support of the claim that:
 - (i) $\mu > 1$;
 - (ii) P(0.94 < X < 1.16) is approximately 1. (2 marks)



QUESTION PART REFERENCE	
•••••	
••••••	
••••••	
•••••	
••••••	
••••••	
•••••	
••••••	



QUESTION PART REFERENCE	
REFERENCE	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
•••••	
•••••	
•••••	



QUESTION PART REFERENCE	
REFERENCE	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
•••••	
•••••	
••••••	
•••••	



4		Clay pigeon shooting is the sport of shooting at special flying clay targets v shotgun.	vith a
(а)	Rhys, a novice, uses a single-barrelled shotgun. The probability that he hits is 0.45, and may be assumed to be independent from target to target.	a target
		Determine the probability that, in a series of shots at 15 targets, he hits:	
	(i)	at most 5 targets;	(1 mark)
	(ii)	more than 10 targets;	(2 marks)
	(iii)	exactly 6 targets;	(2 marks)
	(iv)	at least 5 but at most 10 targets.	(3 marks)
(b)	Sasha, an expert, uses a double-barrelled shotgun. She shoots at each target gun's first barrel and, only if she misses, does she then shoot at the target v gun's second barrel.	
		The probability that she hits a target with a shot using her gun's first barrel. The conditional probability that she hits a target with a shot using her gun's barrel, given that she has missed the target with a shot using her gun's first is 0.80. Assume that Sasha's shooting is independent from target to target.	second
	(i)	Show that the probability that Sasha hits a target is 0.97.	(2 marks)
	(ii)	Determine the probability that, in a series of shots at 50 targets, Sasha hits a 48 targets.	at least (3 marks)
	(iii)	In a series of shots at 80 targets, calculate the mean number of times that S shoots at targets with her gun's second barrel.	asha (2 marks)
QUESTION PART REFERENCE			
	•••••		
	•••••		
	•••••		



QUESTION PART REFERENCE	
REFERENCE	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
•••••	
•••••	
••••••	
•••••	



Do not write outside the box

QUESTION PART REFERENCE	
REFERENCE	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
•••••	
•••••	
••••••	
•••••	



QUESTION PART REFERENCE	
REFERENCE	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
•••••	
•••••	
••••••	
•••••	



5 Craig uses his car to travel regularly from his home to the area hospital for treatment. He leaves home at x minutes after 7.30 am and then takes y minutes to arrive at the hospital's reception desk.

His results for 11 mornings are shown in the table.

x	0	5	10	15	20	25	30	35	40	45	50
у	31	42	32	58	47	56	79	68	89	95	85

- (a) Explain why the time taken by Craig between leaving home and arriving at the hospital's reception desk is the response variable. (1 mark)
- (b) Calculate the equation of the least squares regression line of y on x, writing your answer in the form y = a + bx. (5 marks)
- On a particular day, Craig needs to arrive at the hospital's reception desk no later than 9.00 am. He leaves home at 7.45 am.

Estimate the number of minutes **before** 9.00 am that Craig will arrive at the hospital's reception desk. Give your answer to the nearest minute. (5 marks)

- (d) (i) Use your equation to estimate y when x = 85. (1 mark)
 - (ii) Give one statistical reason and one reason based on the context of this question as to why your estimate in part (d)(i) is unlikely to be realistic. (2 marks)

QUESTION	
PART	
REFERENCE	





The volume of shampoo, V millilitres, delivered by a machine into bottles may be modelled by a normal random variable with mean μ and standard deviation σ .

18

- (a) Given that $\mu = 412$ and $\sigma = 8$, determine:
 - (i) P(V < 400); (3 marks)
 - (ii) P(V > 420); (2 marks)
 - (iii) P(V = 410). (1 mark)
- (b) A new quality control specification requires that the values of μ and σ are changed so that

$$P(V < 400) = 0.05$$
 and $P(V > 420) = 0.01$

(i) Show, with the aid of a suitable sketch, or otherwise, that

$$400 - \mu = -1.6449\sigma$$
 and $420 - \mu = 2.3263\sigma$ (3 marks)

(ii) Hence calculate values for μ and σ . (3 marks)

QUESTION PART REFERENCE	
PART	
REFERENCE	



QUESTION PART REFERENCE	
REFERENCE	
•••••	
•••••	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
• • • • • • • • • • • • • • • • • • • •	
•••••	
•••••	
•••••	
••••••	
•••••	



QUESTION PART REFERENCE	
•••••	
••••••	
••••••	
•••••	
	END OF QUESTIONS
Copyrig	ht © 2011 AQA and its licensors. All rights reserved.

