UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

MARK SCHEME for the May/June 2012 question paper

for the guidance of teachers

0625 PHYSICS

0625/52

Paper 5 (Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

	Page 2		Mark Scheme: Teachers' version	Syllabus	Paper
			IGCSE – May/June 2012	0625	52
1 (a	- () 	⁼ values ⁼ values	values 70.0, 60.0, 50.0, 40.0, 30.0, 20.0, 10.0 all less than 4N decreasing all to at least 0.2N		[1] [1] [1] [1] [1]
(b) ((i) <i>d</i> ag	ainst F (or F against d)		[1]
	(i		ght line ugh origin		[1] [1]
(0	c) Would change forcemeter reading/change mass on rule/disturb balance/wtt			urb balance/wtte	[1]
(0	Ĺ	_ine up b	stance from bench is the same at two points/ by eye with windowsill (or suitable horizontal reference use of set-square	ce)/	[1] [Total: 10]
2 (a	a) S	Sensible	room temperature value in °C		[1]
(I	•		imes 0, 30, 60, 90, 120, 150 tures falling		[1] [1]
(4	, S A (Suitable All plots o Good line	rectly labelled scales correct to ½ small square e judgement ntinuous line		[1] [1] [1] [1] [1]
(4	, F C	Draughts	mperature		[2] [Total: 10]

Page 3		Mark Scheme: Teachers' version	Syllabus	Paper			
		IGCSE – May/June 2012	0625	52			
3	• •	(a) V_1 to at least 1 d.p. and < 3V and I_1 to at least 2 d.p. and < 2A R_P and $4R_P$ values correct					
		I_2 present with $I_2 < I_1$ $R_P \pm 10\%$		[1] [1]			
	(c) Correct s matching	n al accuracy)	[1]				
		cuit: rect symbols for ammeter, voltmeter and lamp rect series circuit		[1] [1]			
	(ii) V ₃ a	and I_3 present with L_8 to 2 or 3 significant figures		[1]			
	(e) Units V,		[1]				
	(f) Filament	t glows/lamp gets hot		[1] [Total: 10]			
4	Trace: Normal at 90 Angle of incid All lines pres First emerge First P ₃ P ₄ dis	[1] [1] [1] [1] [1]					
	(c) <i>a</i> value o	correct to $\pm 1 \text{ mm}$		[1]			
	(i) <i>b</i> value o	correct to $\pm 1 \text{mm}$		[1]			
		correct (ecf allowed) significant figures and no unit		[1] [1]			
	(k) <i>a</i> and <i>b</i>	present, both <i>n</i> values 1.4–1.6		[1] [Total: 10]			
				- •			