CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2013 series

0625 PHYSICS

0625/62

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2		ge 2	Mark Scheme	Syllabus	Paper
			IGCSE – May/June 2013	0625	62
1	(a)	(i)(ii)	M values 112.3, 113.5 (to 3 or 4 sig. figs only) g at least once, not contradicted (symbols or words))	[1] [1]
	((iii) 113	or 112.9 or correct average of candidate's values (ig	gnore sig. figs)	[1]
	(b)	114 (g) (c.a.o.		[1]
	(c)	mass X referenc mass of	f mass of rule not at 50.0 cm not uniform / of varying density e to difficulty in obtaining balance implied o.w.t.t.e.		[2]
	(d)		n: e through the centre of the mass (can award from dia ition of edges of mass on rule	agram)	.
					[1]
					[Total: 7]
2	(a)	$\theta_{\rm C}$ = 19	(°C)		[1]
	(b)	s, °C, sy	mbols or words		[1]
	(c)	12 cm ³ (ι	unit needed)		[1]
	(d)		cm ³), (expect 42 cm ³ e.c.f. (c)) e given to nearest 1 cm ³ only and sensible method		[1] [1]
	(e)	initial ho initial co	n: urrounding temperature / other environmental condit t water temperature ld water temperature / mass / amount of hot water	tion	
			ay on adding cold water / same time for cooling		[2]
					[Total: 7]

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0625	62

3 (a) (i) $V_1 = 0.7 \text{ (V)}$ [1] I = 0.45 (A)[1] (ii) $R_1 = 1.56$ or 1.6 (Ω) e.c.f. (i) [1] **(b)** $V_2 = 0.6$ (V) and $V_3 = 0.5$ (V) c.a.o. [1] (c) 1.8 (V) e.c.f. V_1 , V_2 , V_3 [1] (d) correct symbols for ammeter, lamp, voltmeter [1] correct parallel circuit with ammeter and voltmeter correctly connected [1] (e) statement matches candidate's results and idea of within/beyond limits of experimental accuracy or that values are too far apart / too different [1] (f) brighter [1] [Total: 9] (a) 1.925, 1.800, 1.670, 1.570, 1.410, 1.275 (2 or more sig. figs.) [1] all T values consistently to 2 or 3 significant figures [1] (b) any one from: gives a more accurate value of T gives an average value (of T) reduces (effect of) human reaction error reaction time less significant T too small / oscillations are too quick / bob swings too fast [1] (c) avoidance of parallax error explained [1] (d) blocks arranged parallel either side of bob and touching bob [1] rule correctly placed, touching the blocks and spanning the gap [1] [Total: 6] 5 (a) axes correctly labelled [1] suitable scales (at least half the grid used) [1] all plots correct to ½ small square [1] good line judgement [1] thin continuous line and fine plots [1]

[1]

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0625	62

using at least half of line [1]

(c) f = 14.0 - 16.0 (cm) [1] f to 2 or 3 significant figures with unit [1]

(d) any two from:

(b) triangle method used and shown

darkened room / brighter lamp / no other lights (centre of) lens and object same vertical height from bench mark block at centre of lens clamp rule or place on bench lens, object and screen are vertical / perpendicular to bench repeat the measurements move the screen backwards and forwards (to get sharpest image)

[Total: 11]

[2]