Examiner's use only

Team Leader's use only

Question Number

1

2

3 4 5

6 7

Centre No.					Pape	er Refer	ence			Surname	Initial(s)
Candidate No.			6	1	0	2	/	0	1	Signature	

6102/01 **Edexcel GCE Biology**

Advanced Subsidiary

Unit Test 2B

Thursday 8 January 2009 – Morning

Time: 1 hour

Materials required for examination

Items included with question papers

Ruler

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initial(s) and signature.

The paper reference is shown above.

Check that you have the correct question paper.

Answer ALL EIGHT questions in the spaces provided in this booklet.

Show all the steps in any calculations and state the units. Calculators may be used.

Include diagrams in your answers where these are helpful.

Information for Candidates

The marks for individual questions and parts of questions are shown in round brackets: e.g. (2). The total mark for this paper is 60.

Advice to Candidates

You will be assessed on your ability to organise and present information, ideas, descriptions and arguments clearly and logically, taking account of your use of grammar, punctuation and spelling.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy ©2009 Edexcel Limited





8 Total Turn over






		Leav
	Answer ALL questions in the spaces provided.	blan
1.	Read through the following account of meiosis and fertilisation, then write the most appropriate word or words on the dotted lines to complete the account.	
	During spermatogenesis, a diploid cell called a	
	divides in meiosis I to form two	
	Each of these then divides in meiosis II, forming four haploid	
	, which mature into spermatozoa.	
	The random fusion of gametes during fertilisation is one way in which	
	variation is increased.	Q1
	(Total 4 marks)	



2. (a) The graph below shows the oxygen dissociation curve for adult human haemoglobin.



Using the graph, find the partial pressure of oxygen at which the haemoglobin is 90% saturated with oxygen.

.....kPa

(b) Give **three** ways in which carbon dioxide is transported in the blood.

1

2

3(3)



(3) Q2 (Total 7 marks)		Lea bla
(3)		
(3)		
(3)		
(3)		
$(3) \qquad \boxed{\mathbf{Q}^2}$		
(Total / Marks)		Q2
	otal 7 marks)	



		Leav
) Des	scribe the roles of each of the following hormones.	
(i)	Oestrogen	
	(2)	
(ii)	Prolactin	
	(4)	
	(2)	
	(i)	(2) (ii) Prolactin



Time / weeks	Concentration of progesterone
0	in the blood / arbitrary units
4	8
8	9
 16	11
24	15
32	30
first 32 weeks of pregnar	changes in the concentration of progesterone during acy.
first 32 weeks of pregnar	
first 32 weeks of pregnar	
 first 32 weeks of pregnar	ncy.
 first 32 weeks of pregnar	(2)
 first 32 weeks of pregnar	(2)



4.	(a)	When food is chewed, it is mixed with saliva. Saliva contains amylase, water and mucus. Describe the functions of water and mucus in saliva.
		(2)

(b) The table below refers to the digestion of three carbohydrate substrates: starch, sucrose and lactose. Complete the table by writing the most appropriate word or words in the empty boxes.

Carbohydrate substrate	Enzyme	Product(s)
Starch	Amylase	
Sucrose	Sucrase	
Lactose		

(4)




	Describe how the structure of the ileum is adapted for the absorption of monosaccharides.	
	(3)	
(d)	Suggest why disaccharides, such as sucrose and lactose, are not absorbed in the ileum.	
	(1)	-
	(Total 10 marks)	



(2)

5. (a) The graph below shows changes in the concentration of dissolved oxygen, over a period of 24 hours, in the surface water of a lake.



(i) Using the graph, describe the changes in the concentration of dissolved oxygen in the lake.

|--|

.....


		Leave
(ii)	Suggest an explanation for the change in the concentration of dissolved oxygen between the hours of 0600 and 1800.	
	(2)	
a lo	ironomus larvae live in the silt at the bottom of ponds and lakes, where there is ow concentration of oxygen. Suggest how each of the following features enables ironomus larvae to live in conditions of low oxygen concentration.	
(i)	Presence of external gills	
	(2)	
(ii)	Presence of a respiratory pigment	
	(2)	Q5
	(Total 8 marks)	
	(*************************************	$\overline{}$



	explain how each of the following features of a wind-pollinated flower is an adaptation o wind pollination.
(Production of large quantities of light pollen grains
	(2)
(ii) Presence of branched and feathery stigmas
	(2)
	(2)
	(2)
	(2)
	(2)
	(2)
	(2)
	(2)
	(2)



(b) The photograph below shows pollen grains, as seen using an electron microscope.



Magnification × 1000

Suggest whether these pollen grains are from an insect-pollinated flower or a wind-pollinated flower, giving an explanation for your answer.
(3)

Q6

(Total 7 marks)

Describe a method to epidermis of a leaf.	determine the mean number	r of stomata per unit area in t	he lower
	vs the mean numbers of stor	mata per mm ² in the upper e different species of plants.	(4) pidermis
and in the lower epid	ermis of leaves from three		
	ermis of leaves from three	different species of plants.	
and in the lower epid	ermis of leaves from three Mean number of	stomata per mm ²	
Type of plant	Mean number of Upper epidermis	stomata per mm ² Lower epidermis	
Type of plant Sunflower Tobacco Castor oil	Mean number of Upper epidermis 120 50 182	stomata per mm² Lower epidermis 175 190 270	pidermis
Type of plant Sunflower Tobacco Castor oil (i) Compare the merplants.	Mean number of Upper epidermis 120 50 182 ean numbers of stomata in	stomata per mm² Lower epidermis 175 190 270 the upper epidermis of the	pidermis
Type of plant Sunflower Tobacco Castor oil (i) Compare the maplants.	Mean number of Upper epidermis 120 50 182 ean numbers of stomata in	stomata per mm² Lower epidermis 175 190 270 the upper epidermis of the	pidermis



Leav blan		
1	Using the data in the table, suggest which type of plant is least well-adapted to	(ii)
	growing in dry conditions. Give an explanation for your answer.	()
Q7	(3)	
	(Total 9 marks)	



(a)	Explain what is meant by the term implantation .	
	(2)	
b)	Describe the roles of the placenta.	
	•	
	(4)	



(c)	The table below shows changes in the permeability of the placenta during pregnancy
	Permeability is expressed as a percentage of the maximum permeability.

Duration of pregnancy / weeks	Permeability of placenta as percentage of maximum (%)
8	2
12	10
20	25
24	50
28	75
32	90

 (2)

TOTAL FOR PAPER: 60 MARKS

(Total 8 marks)

END



Q8





