

Mark Scheme (Results)

Summer 2014

GCE Biology (6BI05)
Paper 01R

Unit 5: Energy, exercise and coordination

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson.

Their contact details can be found on this link:

www.edexcel.com/teachingservices.

You can also use our online Ask the Expert service at www.edexcel.com/ask. You will need an Edexcel username and password to access this service.

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2014

Publications Code UA038138

All the material in this publication is copyright

© Pearson Education Ltd 2014

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- Mark schemes will indicate within the table where, and which strands of QWC, are being assessed. The strands are as follows:
 - i) ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear
 - ii) select and use a form and style of writing appropriate to purpose and to complex subject matter
 - iii) organise information clearly and coherently, using specialist vocabulary when appropriate.

Using the Mark Scheme

Examiners should look for qualities to reward rather than faults to penalise. This does NOT mean giving credit for incorrect or inadequate answers, but it does mean allowing candidates to be rewarded for answers showing correct application of principles and knowledge. Examiners should therefore read carefully and consider every response: even if it is not what is expected it may be worthy of credit.

The mark scheme gives examiners:

- an idea of the types of response expected
- how individual marks are to be awarded
- the total mark for each question
- examples of responses that should NOT receive credit.

/ means that the responses are alternatives and either answer should receive full credit.

() means that a phrase/word is not essential for the award of the mark, but helps the examiner to get the sense of the expected answer.

Phrases/words in **bold** indicate that the meaning of the phrase or the actual word is **essential** to the answer.

ecf/TE/cq (error carried forward) means that a wrong answer given in an earlier part of a question is used correctly in answer to a later part of the same question.

Candidates must make their meaning clear to the examiner to gain the mark. Make sure that the answer makes sense. Do not give credit for correct words/phrases which are put together in a meaningless manner. Answers must be in the correct context.

Quality of Written Communication

Questions which involve the writing of continuous prose will expect candidates to:

- write legibly, with accurate use of spelling, grammar and punctuation in order to make the meaning clear
- select and use a form and style of writing appropriate to purpose and to complex subject matter
- organise information clearly and coherently, using specialist vocabulary when appropriate.

Full marks will be awarded if the candidate has demonstrated the above abilities.

Questions where QWC is likely to be particularly important are indicated (QWC) in the mark scheme, but this does not preclude others.

Question Number	Answer	Mark
1 (a) (i)	D ;	(1)

Question Number	Answer	Mark
1 (a) (ii)	B ;	(1)

Question Number	Answer	Mark
1 (a) (iii)	D ;	(1)

Question Number	Answer	Additional guidance	Mark
1 (b) (i)	<ol style="list-style-type: none"> 1. Attaches bone to bone / eq 2. Allows (some) movement / eq ; 3. Idea that this gives added stability ; 	<ol style="list-style-type: none"> 1. ACCEPT correctly named bones 2. ACCEPT ligaments limit movement 3. ACCEPT X-shaped / 2 ligaments 	(3)

Question Number	Answer	Additional guidance	Mark
1 (b) (ii)	<p>Any one from</p> <ol style="list-style-type: none"> 1. Small incision / wound 2. so reduced likelihood of {pathogen / eq} entry 3. Shorter recovery time 4. Reduced blood loss 5. Idea of less anaesthesia ; 	1. ACCEPT less tissue damage	(1)

Question Number	Answer	Additional guidance	Mark									
2 (a)	<table border="1"> <thead> <tr> <th>Labelled structure</th> <th>Name of structure</th> <th>One function of labelled structure</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>cerebellum ;</td> <td>Coordinates movement / balance / posture / fine motor control ;</td> </tr> <tr> <td>D ;</td> <td>Hypothalamus ;</td> <td>thermoregulation</td> </tr> </tbody> </table>	Labelled structure	Name of structure	One function of labelled structure	A	cerebellum ;	Coordinates movement / balance / posture / fine motor control ;	D ;	Hypothalamus ;	thermoregulation		(4)
Labelled structure	Name of structure	One function of labelled structure										
A	cerebellum ;	Coordinates movement / balance / posture / fine motor control ;										
D ;	Hypothalamus ;	thermoregulation										

Question Number	Answer	Additional guidance	Mark
2(b)	<ol style="list-style-type: none"> 1. Heat (energy) from blood in capillaries / eq ; 2. Absorbed by sweat ; 3. Used to break H bonds in water ; 4. Ref to latent heat ; 5. (So) water evaporates ; 6. Taking heat from the body / eq ; 		(3)

Question Number	Answer	Additional guidance	Mark
2(c)(i)	<ol style="list-style-type: none"> 1. Ref to arrival of { impulse / action potential / eq } ; 2. Calcium ion {channels / eq } open in { pre-synaptic membrane / brain cell membrane / eq } ; 3. Calcium ions enter (brain cell) through {diffusion / down concentration gradient } ; 4. Causes (glutamate-rich) vesicles to {move towards / fuse with} pre-synaptic membrane / eq ; 5. {Neurotransmitter / glutamate} release through exocytosis ; 		(4)

Question Number	Answer	Additional guidance	Mark
2 (c) (ii)	<ol style="list-style-type: none">1. Idea that the damaged areas can be identified on MRI scan ;2. Idea that these damaged areas are known to be areas associated with the release of glutamate ;3. Comparison with and without domoic acid ;	<ol style="list-style-type: none">3. ACCEPT in terms of brain regions or sea lions	(2)

Question Number	Answer	Additional guidance	Mark
3(a)	<ol style="list-style-type: none"> 1. Mean time for group A much longer (compared with B) / eq ; 2. No overlap of data / eq ; 3. Idea that means for {B and C / eq} very close together ; 4. Range of data both overlap (for B and C) ; 5. Manipulated data used e.g. lowest time for group A is 154 sec and still higher than longest time for group B (@ 134 sec) or C (@ 133 sec) ; 		(4)

Question Number	Answer	Additional guidance	Mark
3 (b) (i)	<ol style="list-style-type: none"> 4. Increases / eq ; 5. by {50% / 0.6 / 1.5x} ; 		(2)

Question Number	Answer	Additional guidance	Mark
* 3 (b) (ii)	<p>(QWC – spelling of technical terms must be correct and the answer must be organised in a logical sequence)</p> <ol style="list-style-type: none"> 1. Idea that fatigue maybe due to less ATP ; 2. more <i>capillaries</i> supplies more <i>blood</i> / eq ; 3. idea of more <i>capillaries</i> gives greater surface area for exchange ; 4. this supplies { <i>oxygen</i> / <i>glucose</i> / eq } ; 5. for <i>aerobic</i> respiration / eq ; 6. Detail of <i>aerobic</i> respiration ; 7. (so) more ATP <i>made</i> / eq ; 8. (so) delays onset of fatigue / eq ; 9. By 34 seconds in {group A / those fed on epicatechin} ; 	<p>QWC emphasis is spelling</p> <ol style="list-style-type: none"> 1. ACCEPT running out /running short 6. ACCEPT a description e.g. of oxidative phosphorylation 7. ACCEPT idea that more ATP present/available 8. ACCEPT ref to muscles can contract for longer 8. gains mp7 as well if states comparison e.g. 34s longer to fatigue 	(5)

Question Number	Answer	Additional guidance	Mark
4 (a) (i)	<ol style="list-style-type: none"> 1. An ethical comment ; 2. Idea that no embryo used (as somatic cells are body cells) ; 3. Limited supply of embryos /eq ; 4. iPS cells can be used in the same individual that provided the somatic cells ; 5. no immune response with iPS cells ; 	<p>All converse as appropriate</p> <p>5. ACCEPT no rejection of cells/tissues/construct</p>	(2)

Question Number	Answer	Additional guidance	Mark
4 (a) (ii)	<ol style="list-style-type: none"> 1. Binds to another substance e.g. forming a transcription initiation complex, deactivating inhibitors ; 2. Bind to promoter region(s) (on DNA) ; 3. So no genes switched off / eq ; 4. Ref to RNA polymerase activity ; 5. (m)RNA production ; 6. {protein / eq} produced; 7. That allow cells to divide / undifferentiate / unspecialise ; 		(4)

Question Number	Answer	Additional guidance	Mark
4 (b)	<ol style="list-style-type: none">1. Idea of same source of somatic cells used ;2. Example of measuring outcome offered e.g. percentage conversion to iPS, amount of mRNA or protein product made ;3. Use same time (for study) / eq ;4. Run at same temperature / eq ;5. Run at { same / optimum } pH ;	3 ACCEPT as time taken to produce iPS	(3)

Question Number	Answer	Additional guidance	Mark
5 (a)	<ol style="list-style-type: none">1. reference to phytochrome ;2. idea that day length is the environmental cue ;3. ref to critical period / photoperiod ;4. this is more than 12 hours light / less than 12 hours darkness / eq ;5. idea that different wavelengths of light are involved <p style="text-align: center;">OR</p> <p>Reference to interconversion of phytochromes e.g. because light supplies red light which converts P_R converted to P_{FR} ;</p> <ol style="list-style-type: none">6. Ref to florigen ;		(3)

Question Number	Answer	Additional guidance	Mark
5 (b) (i)	Both 1. chemicals ; 2. produced in cells / eq ; 3. idea that they move away from site of production ; 4. effect may be distant from production site / eq ; 5. long-term / permanent effect / example quoted / eq ; 6. involved in gene activation /eq ;	5. ACCEPT both can control growth 6. ACCEPT: Both can have an effect on gene inhibition	(3)

Question Number	Answer	Additional guidance	Mark
5 (b) (ii)	1. idea that weeds affected because e.g. more sensitive, take up more ; 2. idea that (auxin / IAA) causes cell elongation ;		(2)

Question Number	Answer	Additional guidance	Mark																							
6 (a)	<table border="1"> <thead> <tr> <th data-bbox="434 371 810 512" rowspan="2">Feature</th> <th colspan="3" data-bbox="810 371 1321 440">Type of neurone</th> </tr> <tr> <th data-bbox="810 440 981 512">Sensory</th> <th data-bbox="981 440 1151 512">Relay</th> <th data-bbox="1151 440 1321 512">Motor</th> </tr> </thead> <tbody> <tr> <td data-bbox="434 512 810 616">Found only in the central nervous system</td> <td data-bbox="810 512 981 616" style="text-align: center;">☒</td> <td data-bbox="981 512 1151 616" style="text-align: center;">☒</td> <td data-bbox="1151 512 1321 616" style="text-align: center;">☒ ;</td> </tr> <tr> <td data-bbox="434 616 810 719">Cell terminates at the effector</td> <td data-bbox="810 616 981 719" style="text-align: center;">☒</td> <td data-bbox="981 616 1151 719" style="text-align: center;">☒</td> <td data-bbox="1151 616 1321 719" style="text-align: center;">☒ ;</td> </tr> <tr> <td data-bbox="434 719 810 863">Pre-synaptic membrane not found in the central nervous system</td> <td data-bbox="810 719 981 863" style="text-align: center;">☒</td> <td data-bbox="981 719 1151 863" style="text-align: center;">☒</td> <td data-bbox="1151 719 1321 863" style="text-align: center;">☒ ;</td> </tr> <tr> <td data-bbox="434 863 810 981">impulse moves away from the receptor</td> <td data-bbox="810 863 981 981" style="text-align: center;">☒ ;</td> <td data-bbox="981 863 1151 981" style="text-align: center;">☒</td> <td data-bbox="1151 863 1321 981" style="text-align: center;">☒</td> </tr> </tbody> </table>	Feature	Type of neurone			Sensory	Relay	Motor	Found only in the central nervous system	☒	☒	☒ ;	Cell terminates at the effector	☒	☒	☒ ;	Pre-synaptic membrane not found in the central nervous system	☒	☒	☒ ;	impulse moves away from the receptor	☒ ;	☒	☒		(4)
Feature	Type of neurone																									
	Sensory	Relay	Motor																							
Found only in the central nervous system	☒	☒	☒ ;																							
Cell terminates at the effector	☒	☒	☒ ;																							
Pre-synaptic membrane not found in the central nervous system	☒	☒	☒ ;																							
impulse moves away from the receptor	☒ ;	☒	☒																							

Question Number	Answer	Additional guidance	Mark
6 (b) (i)	Hydrolysis / eq ;		(1)

Question Number	Answer	Additional guidance	Mark
6 (b) (ii)	<ol style="list-style-type: none">1. Supplies energy to allow opsin <u>and</u> retinal to combine ;2. To (re)form rhodopsin ;3. Use in the transport of ions e.g. to allow Na⁺ to be pumped out of cell ;	<ol style="list-style-type: none">3. ACCEPT role of ATP in calcium ion uptake	(2)

Question Number	Answer	Additional guidance	Mark
6 (b) (iii)	<ol style="list-style-type: none">1. Reference to actin and myosin interacting ;2. ATP binds to myosin head causing {bond / cross-bridge / eq} between actin and myosin to break / eq ;3. ATP {breaks / hydrolyses} into ADP and P_i {releasing energy that is stored in myosin head / causing myosin head to reset / eq} ;4. Myosin head binds to actin / {bond / cross-bridge forms} between actin and myosin / eq ;5. P_i is released from myosin head / eq ;6. Energy in myosin head causes it to move / eq ;7. Idea that actin slides along ;8. ADP is released at this time / eq ;9. Role of ATP in transport of calcium ions back to sarcoplasm / eq ;		(5)

Question Number	Answer	Additional guidance	Mark
7(a)	<ol style="list-style-type: none"> 1. Chromosomes / eq (continue to) condense ; 2. Nuclear envelope breaks down ; 3. Spindles (fibres) form ; 4. Nucleolus breaks down / eq ; 	1 IGNORE become visible	(3)

Question Number	Answer	Additional guidance	Mark
7(b)	<ol style="list-style-type: none"> 1. (pH sensitive cells) detect a change in blood pH / eq ; 2. These are in the {carotid body / carotid artery / aortic body / aorta / medulla } ; 3. Alter impulse rate to brain / eq ; 4. Ref to cardiac centre ; 5. in medulla ; 6. Change impulse rate of SAN ; 		(4)

Question Number	Answer	Additional guidance	Mark
7(c)	<ol style="list-style-type: none">1. Idea that reproduce rapidly / {robust/hardy} so many can be formed rapidly ;2. Easy to culture / eq ;3. (HeLa cells) susceptible to disease / HPV / eq ;4. Genome known / eq ;5. Idea that they have no Hayflick limit ;	<ol style="list-style-type: none">2. ACCEPT cheaper (as continual supply)3. ACCEPT other named disease4 ACCEPT ref to (HeLa) cells are human	(3)

Question Number	Answer	Additional guidance	Mark
* 7(d)	<p>(QWC – spelling of technical terms must be correct and the answer must be organised in a logical sequence)</p> <ol style="list-style-type: none"> 1. Phospholipid bilayer ; 2. Idea of its hydrophobic properties inhibit movement of ions across membrane ; 3. Na⁺ gated channel present ; 4. To allow Na⁺ to enter during depolarisation / to open when local currents occur ; 5. K⁺ channels ; 6. To allow K⁺ to diffuse ; 7. Sodium–potassium pump / eq ; 8. To {export Na⁺/ import K⁺} ; 9. Role of pump in neurone membrane ; 10. Idea that only parts of the membrane may be involved e.g. nodes of Ranvier ; 	<p>QWC emphasis is logical sequence IGNORE myelin sheath comments?</p> <p>3. ACCEPT voltage-gated / protein channels</p> <p>9 ACCEPT role with regard to the resting potential ; 10. ACCEPT salutatory condition ;</p>	(6)

Question Number	Answer	Additional guidance	Mark
7(e)	<ol style="list-style-type: none"> 1. Idea of double stranded only in HeLa ; 2. Idea of too many H bonds in HeLa / {complementary bases / base pairs} ; 3. Thymine only found in HeLa genetic material / uracil only in poliovirus ; 4. Sugar present in HeLa is deoxyribose / ribose in poliovirus / eq ; 	1 ACCEPT double helix in HeLa only	(3)

Question Number	Answer	Additional guidance	Mark
7(f)	<ol style="list-style-type: none"> 1. brown shown as dominant / white shown as recessive e.g. use of upper and lower case; <p>Parental generation:</p> <ol style="list-style-type: none"> 2. both types shown as homozygous ; <p>F1:</p> <ol style="list-style-type: none"> 3. All shown as heterozygous ; <p>F2:</p> <ol style="list-style-type: none"> 4. Genetic diagram to show that 75% are brown / 25% are white ; 	<p>This could be gleaned from gametes</p> <p>4. Diagram should show genotypes</p>	(4)

Question Number	Answer	Additional guidance	Mark
7(g)	<ol style="list-style-type: none"> 1. Allow continual division (of hybrid) ; 2. Idea of continual production of (monoclonal) antibodies ; 	1. ACCEPT division is rapid / eq;	(2)

Question Number	Answer	Additional guidance	Mark
7(h)	<ol style="list-style-type: none"> 1. Modification of {genome / DNA / eq} ; 2. Ref to the addition of {genetic material / eq} from another {organism / species / eq} / eq ; 		(2)

Question Number	Answer	Mark
7(i)	D (2^{50}) ;	(1)

Question Number	Answer	Additional guidance	Mark
7(j)	<p>Any two for 1 mark:</p> <p>Carbon/hydrogen/oxygen/nitrogen ; ;</p>	ACCEPT as chemical symbols	(2)

Ofqual



Llywodraeth Cynulliad Cymru
Welsh Assembly Government



Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UA038138

For more information on Edexcel qualifications, please visit our website
www.edexcel.com

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE