Questions are for both separate science and combined science students unless indicated in the question

This ques	tion is about halogens and halides.	
(a) At roo	m temperature bromine is	(4)
		(1)
₩ A	a brown gas	
	a red-brown liquid	
⊠ C	a colourless liquid	
⊠ D	a grey solid	
(b) Sodiu	m reacts with bromine to form sodium bromide.	
Baland	ce the equation for this reaction.	
		(1)
	Br, →Na +NaBr	
	IVA 1IVADI	

(c) A student carries out some experiments to investigate displacement reactions.

She adds some halogen solutions to halide solutions and observes whether a reaction occurs.

The table shows her results.

	Halogen solution added			
Halide solution	bromine	chlorine	iodine	
lithium chloride	no reaction	(not done)	no reaction	
sodium bromide	(not done)	reaction occurs	no reaction	
potassium iodide	reaction occurs	reaction occurs	(not done)	

(i)	The table shows that she did not do three experiments.	
	Suggest why she did not do these experiments.	(1)
(ii)	The table shows that there was no reaction in three experiments.	
	Why was there no reaction in these experiments?	(1)

(Total for Question 1= 10 m	arks)
Explain which species is oxidised in this reaction.	(2)
$\mathrm{Br_2} + \mathrm{2I^-} \rightarrow \mathrm{2Br^-} + \mathrm{I_2}$	
(vi) The ionic equation for another reaction is	
	(1)
State the meaning of the term redox .	(1)
(v) All displacement reactions are examples of redox reactions.	
CI_2 + + +	
Complete the chemical equation for this reaction.	(2)
(iv) A reaction occurs when the student adds chlorine solution to potassium iodide solution.	
Write the correct name of this substance.	(1)
The name of one of the substances is incorrect.	
bromine $+$ potassium iodide \rightarrow potassium bromine $+$ iodine	
reaction occurs.	

Bron	nine and iodine are halogens					
(a) Complete the table by giving the colour and physical state of each of these halogens at room temperature.						
)
	Halogen	(Colour		Physical state	
	bromine	re	d-brow	/n		
	iodine				solid	
	Fromine reacts with phospho Praw a dot and cross diagram Phosphorus tribromide.				ompound phosphorus tribromns in a molecule of	
			Br			
(c) Phosphorus tribromide reacts with water to form a mixture of two acids, HBr and H ₃ PO ₃						
V	Vrite a chemical equation for	this reaction	on.		(2))

(Total for Question 2 = 6 marks)

2

	•	iodine	
	•	potassium bromide	
	•	potassium chloride	
	•	potassium iodide	
		ibe two experiments the student could perform, using some of the solutions, ow the order of reactivity of bromine, chlorine and iodine.	
		answer should include the observations that the student would expect to make, chemical equation for one of the reactions.	
			(5)
		(Total for Question 3 = 5 ma	rks)
_		(lotal for Question 3 – 3 illa	1137

3 A student is supplied with aqueous solutions of these substances.

bromine

chlorine

4 B	romine, chior	The, fluorine and lodine are elements in Group 7 of the Periodic Table.	
(;	a) Which two	of these elements have the darkest colours?	(1)
		andand	
(o) The equation	on for the reaction between hydrogen and chlorine is	
		$H_2 + Cl_2 \rightarrow 2HCl$	
	Different na	ames are used for the product, depending on its state symbol.	
	(i) What a	re the names used for HCI(g) and HCI(aq)?	(2)
HCI(j)		
HCI(a	q)		
	(ii) The pre	esence of HCl(g) can be confirmed by adding ammonia (NH ₃) gas.	
		ne observation in the reaction between HCl(g) and ammonia gas and chemical equation for the reaction.	
	write a	chemical equation for the reaction.	(2)
obse	rvation		
chen	nical equation	1	
	•	esence of chloride ions in HCl(aq) can be shown by mixing it with silve solution and dilute nitric acid.	r
		ne result of this test and complete the chemical equation for the reactiing the state symbols.	on
	•		(3)
resul	t		
		$AqNO.() + HCI(aq) \rightarrow AqCI() + HNO.()$	

(c) Solution X is made by dissolving HCl(g) in water.

Solution Y is made by dissolving HCl(g) in methylbenzene.

A student added magnesium ribbon and blue litmus paper to separate samples of each solution.

The table shows her results.

Test	Solution X	Solution Y
magnesium ribbon added	bubbles	no change
blue litmus paper added	goes red	stays blue

	(Total for Question 4 = 12 ma	rks)
(iv)	Why does the litmus paper stay blue in solution Y?	(1)
 (iii)	What does the colour change of the litmus paper show about solution X?	(1)
(ii)	State one change to the magnesium ribbon that could be seen after adding it to solution X.	(1)
 (1)	What substance is responsible for the bubbles?	(1)
(*)		

Sodium (Na) and sodium chloride (NaCl) both have lattice structures. Their melting points are shown in the table. Melting point in °C Type of lattice structure sodium 98 giant metallic sodium chloride 801 (a) Complete the table by stating the type of lattice structure in sodium chloride. (1) (b) Explain why sodium and sodium chloride have different melting points. In your answer you should refer to the types of particle the types of forces between the particles in each substance (separate only) (5)

(c)	The equation shows the reaction of sodium with water.		
	$2Na(s) + 2H_2O(l) \rightarrow 2NaOH(aq) + H_2(g)$		
	A sample of sodium of mass 0.138 g reacts with excess water.		
	Calculate the volume of hydrogen, in cm³, produced at room temperature and pressure (rtp).		
	[The volume of one mole of a gas at rtp is 24 000 cm ³] (separate only)	(3)	
	Volume of gas produced =		cm ³
	volume of gas produced =		CIII

			hydrochloric acid. The mixture fizzed as the solid reacted.	
		Step 2	She filtered the mixture produced to remove the excess solid X. The filtrate was a colourless liquid.	
		Step 3	She evaporated the colourless liquid. A white solid remained.	
	(i)		a chemical test that the student could do to show that the colourless contained chloride ions, Cl ⁻ .	liquid
		0.00		(3)
Test				
Result				
riesare			ent concluded that solid X was sodium hydroxide.	
	(11)		e reason why this conclusion was not correct.	
			a possible identity of solid X.	
		Suggest	a possible identity of solid A.	(2)
Reasor	۱			
Calid V	′	uld bo		
JUIIU X		uiu be		

(d) Sodium chloride can be made by many different reactions.

Step 1

A student prepared a sample of sodium chloride using the following method.

She added an excess of a solid sodium compound, X, to dilute

(e)	Sodium chloride can also be made by reacting sodium with chlorine gas.	
	Draw a dot and cross diagram to show the arrangement of the electrons in each of the ions in sodium chloride. Show the charge on each ion.	
	Show only the outer electrons.	(3)
(f)	Potassium bromide can be made by reacting potassium with bromine gas.	
	Explain why it is difficult to be sure whether the reaction between potassium and bromine gas would be more vigorous than the reaction between sodium and chlorine gas.	
		(2)
	(Total for Question 5 = 19 ma	rks)