1	Tests o	s can be carried out on salts to identify the ions present in the salts.			
	(a) (i)	(i) A flame test on a salt produces an orange-red colour.			
	Which ion is responsible for the orange-red colour?				
	Put a cross (⊠) in the box next to your answer.			(1)	
	×	A	calcium ion, Ca ²⁺	(1)	
	×	В	copper ion, Cu ²⁺		
	×	C	potassium ion, K ⁺		
	×	D	sodium ion, Na ⁺		
(ii) A solution of a chloride salt is acidified with dilute nitric acid. Silver nitrate solution is added to the mixture.					
		De	escribe what is seen when the silver nitrate solution is added.	(2)	
	(b) Wł	nich	of these salts is insoluble in water?		
	Pu	t a c	cross (⊠) in the box next to your answer.	(4)	
	A sodium carbonate		sodium carbonate	(1)	
	\times	В	lead chloride		
	\times	C	magnesium nitrate		
	\times	D	potassium sulfate		

Αp	orecipitat	fate solution and ba te of barium sulfate oduct is formed in s	is formed.	ution are mixed.		
(i)	Comple	te the word equation	on for the reactior	1.		
	Include	state symbols.				(2)
sodium sulfate	(aq) +	$_{\text{chloride}}^{\text{barium}} \rightarrow$		() +	()
(ii)	Before s	salts are toxic. some X-rays, patient as a 'barium meal'.	ts have to swallow	a suspension of b	parium sulfate,	
	Explain	why it is safe for the	ese patients to sw	allow the barium	sulfate.	(0)
						(2)
				(Total for Qu	estion 1 = 8 maı	rks)

2		A technician had two bottles containing solid salts. One bottle contained a potassium salt and the other contained a sodium salt. Unfortunately the labels had fallen off the bottles. The technician tested the salts to find the ions present.			
		(i)	Co	mplete the sentence by putting a cross (\boxtimes) in the box next to your answer.	
			Bot	th salts contained the same anion.	
			Dro	olution of one salt was made and some dilute nitric acid was added. ops of silver nitrate solution were added. rellow precipitate formed.	
			Thi	is test shows the anion in the salt is	(4)
	E	X	Α	bromide, Br ⁻	(1)
	E	X	В	chloride, Cl⁻	
		×	C	iodide, l⁻	
	E	X	D	sulfate, SO ₄ ²⁻	
		(ii)		e technician wanted to find out which bottle contained the sodium salt and ich bottle contained the potassium salt.	
			Exp	plain how the technician should do this.	(2)
•••••					

	(Total for Question 2 = 8 marks)		rks)
			(3)
	(ii)	Write the ionic equation for this reaction.	
			(-/
	(i)	Describe what you would see when these solutions are mixed.	(2)
(b		nen sodium hydroxide solution is mixed with a solution containing copper ions, opper hydroxide, $Cu(OH)_2$, is formed.	Cu ²⁺ ,

3	(a)	Thi	ree solids, A , B , and C , are analysed.	
		(i)	Solid A is potassium iodide.	
			A small amount of solid A is dissolved in water to form a solution.	
			Describe the test to show that the solution of A contains iodide ions.	(2)
				(2)
		(ii)	Solid B is ammonium chloride.	
			Describe the test to show that solid B contains ammonium ions.	(3)
		(iii)	Solid C is dissolved in water.	
			When sodium hydroxide solution is added to the solution of ${\bf C}$, a red-brown precipitate is formed.	
			Complete the sentence by putting a cross (\boxtimes) in the box next to your answer.	
			This test shows that the ion present in solid ${\bf C}$ is	(4)
	[×	A copper, Cu ²⁺	(1)
	[×	B iron(II), Fe ²⁺	
	[X	C iron(III), Fe ³⁺	
	[X	D sodium, Na ⁺	

(Total for Question 3 = 9	marks)
Describe the results of these tests for aluminium ions and for calcium ions, explaining how the results distinguish between the two ions.	(3)
(b) Sodium hydroxide solution can be used to test for aluminium ions and for calci ions in solution.	um

4	Qu	alitative tests are used to identify ions.	ions.		
	(a)	A student carries out a flame test on an unknown solid.			
		A red flame is seen. The student concludes that the solid is lithium carbonate.			
		Explain why this conclusion is not justified.			
			(2)		
	(b)	The following tests were carried out on a substance containing two ions.			
		1. A flame test on the solid substance produced a yellow colour.			
	 Dilute hydrochloric acid was added to a solution of the substance followed a few drops of barium chloride solution. A white precipitate formed. 				
		Give the name and formula of the substance.			
			(2)		
Na	me	of substance			
Foi	rmu	la of substance			
	(c)	The test for chloride ions was carried out on a solution. Dilute nitric acid was added to the solution, followed by a few drops of silver nitrate solution. A white precipitate formed.			
		Why is it necessary to add dilute nitric acid in this test?	(1)		
	×	A To neutralise the solution			
	×	B Nitrate ions are needed for the test to work			
	X	C To make sure that no carbonate ions are present			
	X	D The test only works in alkaline conditions			

	Complete the ionic equation for this reaction. $Fe^{3+} + 3OH^{-} \rightarrow \dots$	(1)
	(iii) Iron(III) ions, Fe³+, react with hydroxide ions in solution to form iron(III) hydroxide.	
	Describe what is seen when sodium hydroxide solution is added to each these solutions.	of (2)
	You are given a solution containing iron(II) ions and another solution containing iron(III) ions.	
	(ii) Sodium hydroxide solution is also used to distinguish between iron(II) io and iron(III) ions, Fe ³⁺ , in solution.	ns, Fe ²⁺
	Describe the test to show the gas is ammonia.	(2)
	(i) Sodium hydroxide solution is warmed with a solution of ammonium ion Ammonia gas is given off.	S.
(5.)	Sodium hydroxide solution is used to identify some cations present in compounds.	

5 Sodium carbonate and copper chloride are both ionic solids.

They are both soluble in water.

(a) Which row of the table shows the most likely melting points of these two salts?Put a cross (⋈) in the box next to your answer.

(1)

	melting point / °C		
	sodium carbonate	copper chloride	
A 🗵	17	498	
В	851	9	
C 🗵	851	498	
D 🗵	9	17	

(b) Copper chloride contains copper ions, Cu^{2+} , and chloride ions, Cl^- . Give the formula of copper chloride.

(1)

(c) Complete the sentence by putting a cross (☒) in the box next to your answer.

If a flame test is carried out on copper chloride, the colour in the flame is

(1)

- A red-brown
- B yellow
- C lilac
- **D** green-blue

(d) Describe how this apparatus can be used to show that sodium carbonate reacts with dilute acid to form carbon dioxide.	
with dilute acid to form carbon dioxide.	(3)
conical flask	
(e) Copper carbonate is an insoluble salt. Describe how you would use sodium carbonate and copper chloride to produce a pure, dry sample of copper carbonate.	(3)
(Total for Question 5 = 9 ma	arks)