

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International General Certificate of Secondary Education

**MARK SCHEME for the October/November 2015 series****0580 MATHEMATICS****0580/12**

Paper 1 (Core), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2015</b>	<b>0580</b>	<b>12</b>

### Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part marks
<b>1</b>	17	<b>1</b>	
<b>2</b>	Parallelogram	<b>1</b>	
<b>3</b>	$\sqrt{3}$	<b>1</b>	
<b>4</b>	$[0.3=]\frac{3}{10}$ and $[\frac{1}{3}=]\frac{3}{9}$ or $\frac{1}{3} = 0.33[3\dots]$	<b>1</b>	
<b>5 (a)</b>	1426.31 cao	<b>1</b>	
<b>(b)</b>	1400 cao	<b>1</b>	
<b>6</b>	520 final answer	<b>2</b>	<b>M1</b> for $2600 \times 5 \times \frac{4}{100}$ oe
<b>7</b>	694 or 694.4[4...]	<b>2</b>	<b>M1</b> for $950 \div 1.368$
<b>8</b>	12	<b>2</b>	<b>M1</b> for $\frac{7.2}{x} = \frac{15}{25}$ oe or better eg $7.2 \times \frac{25}{15}$
<b>9</b>	$4n - 5$ oe	<b>2</b>	<b>M1</b> for $4n + k$ or for $jn - 5$ ( $j \neq 0$ )
<b>10</b>	48.7 or 48.70....	<b>2</b>	<b>M1</b> for $\sin[=]\frac{14.5}{19.3}$ oe
<b>11 (a)</b>	6 cao	<b>1</b>	
<b>(b)</b>	12 final answer	<b>1</b>	
<b>12 (a)</b>	$\begin{pmatrix} 6 \\ -3 \end{pmatrix}$	<b>1</b>	
<b>(b)</b>	$\begin{pmatrix} -5 \\ 7 \end{pmatrix}$	<b>1</b>	

<b>Page 3</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2015</b>	<b>0580</b>	<b>12</b>

Question	Answer	Mark	Part marks
13	$[y =] \frac{4R}{t}$	2	<b>M1</b> for a correct first step: $4R = ty$ or $\frac{R}{t} = \frac{1}{4}y$
14 (a)	62.5[%]	1	
(b)	130.35 cao	1	
15	correct triangle with correct arcs	2	<b>B1</b> for correct triangle without arcs or 1 correct side with arcs
16	10.96 cao	3	<b>M2</b> for $4 \times 1.27 + 3.5 \times 1.68$ or <b>M1</b> for $4 \times 1.27$ or $3.5 \times 1.68$
17	54	3	<b>M2</b> for $14.4 \times \frac{15}{4}$ oe or <b>M1</b> for $14.4 \div 4$ or $\frac{4}{15}$ associated with 14.4  If zero scored <b>SC1</b> for final answer 19.6[4]
18	3.5 nfw	3	<b>M1</b> for $\Sigma fx$ soi  <b>M1</b> (dep) for $\div 24$
19	6.24 or 6.244 to 6.245	3	<b>M2</b> for $\sqrt{8^2 - 5^2}$ or <b>M1</b> for $8^2 = 5^2 + x^2$ or better
20	$2\frac{3}{12}$ or $1\frac{15}{12}$ or $\frac{27}{12}$ or $\frac{9 \times 3}{4 \times 3}$  <i>their</i> $(\frac{27}{12} - \frac{11}{12} = \frac{16}{12})$ oe  $1\frac{1}{3}$ or $\frac{4}{3}$ cao	<b>M1</b>  <b>M1</b>  <b>A1</b>	Accept any correct conversion with common denominator $12k$  Correct resolving of <i>their</i> subtraction with denominator $12k$ showing full working  Working and then simplified answer must both be seen
21	3, 3, 6, 7, 8	3	<b>B2</b> for <b>two</b> of: 5 numbers with mode 3 5 numbers with median 6 5 numbers with range 5 or <b>B1</b> for <b>one</b> of them
22 (a)	44 to 48	1	
(b)	507 or 506.7 to 506.8	2	<b>M1</b> for $\pi \times 12.7^2$

<b>Page 4</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2015</b>	<b>0580</b>	<b>12</b>

<b>Question</b>	<b>Answer</b>	<b>Mark</b>	<b>Part marks</b>
<b>23 (a)</b>	$-8w + 20$ final answer	<b>1</b>	
<b>(b)</b>	$x(6x - 1)$	<b>1</b>	
<b>(c)</b>	28	<b>2</b>	<b>M1</b> for $2 \times 7 \times 5 + 3 \times 7 \times (-2)$ or for 70 or $-42$ seen
<b>24 (a)</b>	111 to 115	<b>1</b>	
<b>(b)</b>	304 to 320	<b>2</b>	<b>B1</b> for 7.6 to 8.0
<b>(c)</b>	[0]56 cao	<b>2</b>	<b>M1</b> for 236–180 oe