



GCE Biology

S21-A400U10-1

Assessment Resource 5

Energy for Life Resource E

1. Glycolysis is the initial stage of respiration and involves hycrolysis of glucose and the production of ATP. The diagram below shows part of glycolysis. Glucose stored as Glucose 6-Phosphate Hexose bisphosphate Triose phosphate Control of glycolysis is largely by end-product inhibition: High levels of ATP allosterically inhibit the enzyme PFK in the liver thus lowering its affinity for its substrate. PFK is the main regulatory enzyme in glycolysis, but it is not the only one. HK, the enzyme catalysing the first step of glycolysis, is inhibited by its product, glucose 6-phosphate. (a) Explain the term allosteric inhibition. [2]

	rather than using the inhibition of HK.
	PA is a chemical which is an inhibitor of HK. It appears to add a small chemical gr
to tri	e enzyme thus changing its shape.
	Glucose
	HK × 3-BrPA
	♥ Glucose-6-Phosphate
	Giddoe-o-Filospilate
3-Br ATP.	PA has been shown to stop ATP production and cause severe depletion of cel
ATP. 3-Br trials	PA has been shown to stop ATP production and cause severe depletion of cel PA exhibits potent cytotoxic activity against cancer cells. It is currently underg as an anti-cancer agent, particularly in cancer cell types which rely heavily on
ATP. 3-Br trials	PA has been shown to stop ATP production and cause severe depletion of cell PA exhibits potent cytotoxic activity against cancer cells. It is currently undergo
3-Br trials from	PA has been shown to stop ATP production and cause severe depletion of cells. PA exhibits potent cytotoxic activity against cancer cells. It is currently undergonal as an anti-cancer agent, particularly in cancer cell types which rely heavily on a glycolysis.
3-Br trials from	PA has been shown to stop ATP production and cause severe depletion of cells. PA exhibits potent cytotoxic activity against cancer cells. It is currently undergonal as an anti-cancer agent, particularly in cancer cell types which rely heavily on a glycolysis.
3-Br trials from	PA has been shown to stop ATP production and cause severe depletion of cells. PA exhibits potent cytotoxic activity against cancer cells. It is currently undergonal as an anti-cancer agent, particularly in cancer cell types which rely heavily on a glycolysis.
3-Br trials from	PA has been shown to stop ATP production and cause severe depletion of cells. PA exhibits potent cytotoxic activity against cancer cells. It is currently undergonal as as an anti-cancer agent, particularly in cancer cell types which rely heavily on a glycolysis.
3-Br trials from	PA has been shown to stop ATP production and cause severe depletion of cells. PA exhibits potent cytotoxic activity against cancer cells. It is currently undergonal as as an anti-cancer agent, particularly in cancer cell types which rely heavily on a glycolysis.
3-Br trials from	PA has been shown to stop ATP production and cause severe depletion of cells. PA exhibits potent cytotoxic activity against cancer cells. It is currently undergonal as an anti-cancer agent, particularly in cancer cell types which rely heavily on a glycolysis.
3-Br trials from	PA has been shown to stop ATP production and cause severe depletion of cells. PA exhibits potent cytotoxic activity against cancer cells. It is currently undergonal as an anti-cancer agent, particularly in cancer cell types which rely heavily on a glycolysis.

(c)	NAD is a hydrogen acceptor used in many stages of respiration. Methylene blue can be used as an artificial hydrogen acceptor. It decolourises when reduced and can be used to give an indication of the rate of respiration.
	An experiment was set up using isolated liver mitochondria extracted in ice-cold, isotonic buffer. The same volume and concentration of pyruvate, mitochondrial suspension and methylene blue was added to each experiment. The temperature was changed for each experiment and the experiment repeated three times. Thermostatic water baths were used throughout.
	(i) Explain why the mitochondria were initially suspended in ice cold, isotonic buffer. [3]
	(ii) Explain why pyruvate was used as the respiratory substrate and not glucose. [2]


The results of the experiment are shown in the table below.

Time taken for methylene blue to decolourise / seconds

Temperature /°C	Trial 1	Trial 2	Trial 3	Mean	Standard deviation
10	320	290	385	332	±48.6
20	280	275	282	279	±3.6
30	165	172	159	165	±6.5
40	102	105	98	102	±3.5
50	156	162	148	155	±7.0
60	330	355	342	342	±12.5

(III)	reliability of the results in the table shown. [3]

2. The sea rises and falls twice a day, this is called tidal movement. In river estuaries there is still tidal movement but little wave action. As the seawater on a rising tide moves across bare rock it brings sand, muc particles and detritus. The lack of wave action in estuaries results in this material settling out when the tide stops moving. These materials build-up and in time raise the level of mud and eventually form soil. This habitat is called a saltmarsh where rooted plants grow. Higher land, frequently used for agriculture, drains through the saltmarsh into the river.




(a) State the term used to describe the

I.	process by which the saltmarsh community is formed.	[1]
II.	first organisms to colonise the mud.	[1]
III.	the final group of organisms which inhabit the area which was once mud.	[1]

(b)	A saltmarsh is an extreme environment for organisms trying to survive.
	Using the information given, identify three abiotic factors which cause this to be an extreme environment for plant survival. Explain each of your answers. [6]
	I
	II

Denitrification is a biotic factor which affects saltmarsh ecology. The results of an investigation into rates of denitrification are shown in the chart below. Further investigations also showed that denitrification varied through the year. It was higher in the summer than the winter months.



(c)	(i)	State why denitrification is classed as a biotic factor.	[1]

	(ii)	Using the information given and your own knowledge, identify two factors affecting denitrification. Explain each of your answers.
	2000000	
7.20		
(d)	chai	cribe a practical method which you could carry out on the saltmarsh to investigate to nge in vegetation over time.
50=08650	-9-2000-0	