

A level Biology A H420/03 Unified biology

Question Set 1

- 1 Fig. 1.1 shows the structure of the amino acid leucine.
 - (a) (i) On Fig. 1.1, draw a circle around the R group of leucine.




Fig. 1.1

[1]

(ii) Students used thin layer chromatography to separate leucine from other amino acids. The chromatogram they produced is shown in Fig. 1.2.




Fig. 1.2

What can you conclude about the chemical properties of leucine and amino acid X?

[1]

(iii) Amino acid Z was in the mixture analysed by the students. It is not shown on the chromatogram in Fig. 1.2. Amino acid Z has an R_f value that is 0.20 lower than that of amino acid Y.

Place a dot on the chromatogram in Fig. 1.2 to show the distance moved by amino acid Z.

Show your working.

(b) Thin layer chromatography can also be used to separate photosynthetic pigments.
(i) State a material that can be used as the stationary phase in thin layer chromatography.
[1]
(ii) State the precise location of photosynthetic pigments in a chloroplast.
[2]
(c) When sequencing DNA, fragments of DNA are separated by electrophoresis.
Describe three differences between the process of thin layer chromatography and the form of electrophoresis used to sequence DNA.

[3]

Total Mark for Questions Set 1: 11



If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

opportunity.

of the University of Cambridge