

## **GCSE Chemistry A (Gateway Science)**

J248/01 Chemistry A C1-C3 and C7 (Foundation Tier)

**Question Set 9** 

1 Look at the data about some hydrocarbons.

Hydrocarbon	Number of carbon atoms in molecule	Molecular formula	Boiling point (°C)
ethane	2	C <sub>2</sub> H <sub>6</sub>	-88
propane	3	$C_3H_8$	-42
pentane	5	C <sub>5</sub> H <sub>12</sub>	36
hexane	6	C <sub>6</sub> H <sub>14</sub>	69


(a) Butane contains 4 carbon atoms.

Use the table to suggest the molecular formula of butane.

- **(b)** The boiling points of ethane and propane have been plotted on the graph.
  - (i) Plot the boiling points for pentane and hexane on the graph.

Draw the line of best fit.

[2]



boiling point (°C)

(ii) Use your graph to estimate the boiling point of butane.

Answer: ..... °C [1]

(iii) Describe the relationship between the number of carbon atoms in a molecule and its boiling point.

Use ideas about forces between molecules to explain your answer.

[2]

(c) Propane burns in oxygen,  $O_2$ .

Carbon dioxide and water are made.

Write a **balanced symbol** equation for this reaction.

[2]

- (d) Propane gives out 50 000 J/g when it reacts with oxygen.
  - A propane burner is used to boil water to make a cup of tea.
  - 63 000 J of energy are needed to boil the water.
  - There is only 3 g of propane in the burner.

Do a calculation to find out if there is enough propane in the burner to boil the water.

[3]

## **Total Marks for Question Set 9: 11**



OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of

Cambridge