

GCSE Chemistry A (Gateway Science) J248/03 C1-C3 and C7 Higher (Higher Tier)

Question Set 17

1	Copper oxide can be reduced to copper by reaction with hydrogen.											
	$CuO + H_2 \rightarrow Cu + H_2$											
	A reaction mixture contains 1.59g of copper oxide and 0.20g of hydrogen.											
	1.27g of copper and 0.36g of water are made.											
Calculate the number of moles of each substance to determine the limiting re in this reaction.												
	Explain your choice.											
	The relative atomic mass of Cu is 63.5, of O is 16 and of H is 1.											
	Number of moles of CuO =											
	Number of moles of H ₂ =											
	Number of moles of Cu =											
	Number of moles of H ₂ O =											
	The limiting reactant is because	[4]										

Total Marks for Question Set 17: 4

The Periodic Table of the Elements

(0)	18	2 He	4.0	10	Ne	neon 20.2	18	Ar	argon 39.9	36	꿏	33.8	54	Xe	31.3	86	R	adon			
				Н			H														\dashv
(7)			17	6	ш	fluori 19.	17	Ö	chlorine 35.5	38	ā	prom 79.	23	_	126	88	Ā				
(9)			16	80	0	oxygen 16.0	16	တ	32.1	34	Se	selenium 79.0	52	Te	tellurium 127.6	84	Po	polonium	116	۲	livermorium
(2)			15	7	z	nitrogen 14.0	15	۵	phosphorus 31.0	33	As	arsenic 74.9	51	Sb	antimony 121.8	83	ö	bismuth 209.0			
(4)			14	9	ပ	carbon 12.0	14	Si	slicon 28.1	32	Ge	germanium 72.6	20	Sn	th 118.7	82	Рр	lead 207.2	114	F1	flerovium
(3)			13	2	В	boron 10.8	13	Αl	aluminium 27.0	31	Ga	gallium 69.7	49	드	indium 114.8	81	11	thallium 204.4			
			•						12	30	Zu	zine 65.4	48	ၓ	cadmium 112.4	80	Нg	mercury 200.6	112	ပ်	copernicium
									11	29	చె	ооррег 63.5	47	Ag	silver 107.9	79	Αu	gold 197.0	111	Rg	roentgenium
									10	28	Z	nickel 58.7	46	Pd	palladium 106.4	78	ፚ	platinum 195.1	110	Ds	darmsta dfium
									6	27	ပိ	oobalt 58.9	45	R	thodium 102.9	77	=	iridium 192.2	109	Ä	meitnerium
									8	26	Fe	lron 55.8	44	Ru	ruthenium 101.1	9/	SO	08mium 190.2	108	Hs	hassium
									7	25	Mn	manganese 54.9	43	ည	technetium	75	Re	rhenium 186.2	107	临	pohrium
		Jec	mass						9	24	ပ်	chromium 52.0	42	W	molybdenum 95.9	74	>	tungsten 183.8	106	Sg	seaborgium
	Key	atomic number	relative atomic mass						2	23	>	vanadium 50.9	41	q	nioblum 92.9	73	Та	tantalum 180.9	105	음	dubnium
		ato	relativ						4	22	j	thanium 47.9	40	Zr	arconium 91.2	72	Ξ	hafinium 178.5	104	₩	rufherfordium
'									3	21	သွ	scandium 45.0	39	>	yttrium 88.9	i	57-71	lanthanolds	3	89-103	actinoids
(2)			2	4	Be	beryllium 9.0	12	Mg	magnesium 24.3	20	င္မ	calcium 40.1	38	s	strontium 87.6	26	Ba	barium 137.3	88	Ra	radium
Ð	-	← I	hydrogen 1.0	3	:=	lithium 6.9	11	Na	sodium 23.0	19	¥	potassium 39.1	37	S S	rubidium 85.5	22	S	caesium 132.9	87	ŗ	francium



OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge