


## AS Level Mathematics A

H230/01 Pure Mathematics and Statistics

**Question Set 6** 

1 The histogram shows information about the lengths, *l* centimetres, of a sample of worms of a certain species.



The number of worms in the sample with lengths in the class  $3 \le l \le 4$  is 30.

- (a) Find the number of worms in the sample with lengths in the class  $0 \le l \le 2$ . [2]
- (b) Find an estimate of the number of worms in the sample with lengths in the range  $4.5 \le l < 5.5$ . [3]

2 A researcher is studying changes in behaviour in travelling to work by people who live outside London, between 2001 and 2011.

He chooses the 15 Local Authorities (LAs) outside London with the largest decreases in the percentage of people driving to work, and arranges these in descending order.

The table shows the changes in percentages from 2001 to 2011 in various travel cate	egories, for
these Local Authorities.	

Local Authority	Work mainly at or from home	Underground, metro, light rail, tram	Train	Bus, minibus or coach	Driving a car or van	Passenger in a car or van	Bicycle	On foot
Brighton and Hove	3.2	0.1	1.5	0.8	-8.2	-1.5	2.1	2.3
Cambridge	2.2	0.0	1.6	1.2	-7.4	-1.0	3.1	0.6
Elmbridge	2.9	0.4	4.1	0.2	-6.6	-0.7	0.3	-0.3
Oxford	2.0	0.0	0.6	-0.4	-5.2	-1.1	2.2	2.1
Epsom and Ewell	1.6	0.4	3.9	1.1	-5.2	-0.9	0.0	-0.6
Watford	0.7	2.0	3.1	0.4	-4.5	-1.2	0.0	-0.1
Tandridge	3.3	0.2	4.0	-0.1	-4.5	-1.1	0.0	-1.3
Mole Valley	3.3	0.1	1.9	0.3	-4.4	-0.7	0.2	-0.3
St Albans	2.3	0.3	3.4	-0.3	-4.3	-1.2	0.3	-0.2
Chiltern	2.9	1.4	1.4	0.1	-4.2	-0.6	-0.2	-0.8
Exeter	0.7	0.0	1.0	-0.6	-4.2	-1.5	1.7	3.4
Woking	2.1	0.1	3.7	0.0	-4.2	-1.3	-0.1	0.0
Reigate and Banstead	1.8	0.1	3.2	0.6	-4.1	-1.0	0.1	-0.2
Waverley	4.3	0.1	2.5	-0.5	-3.9	-0.9	-0.3	-0.9
Guildford	2.7	0.1	2.4	0.2	-3.6	-1.2	0.0	-0.3

- (a) Explain why these LAs are not necessarily the 15 LAs with the largest decreases in the percentage of people driving to work. [1]
- (b) The researcher wants to talk to those LAs outside London which have been most successful in encouraging people to change to cycling or walking to work. Suggest four LAs that he should talk to and why. [2]
- (c) The researcher claims that Waverley is the LA outside London which has had the largest increase in the number of people working mainly at or from home. Does the data support his claim? Explain your answer. [1]

- (d) Which two categories have replaced driving to work for the highest percentages of workers in these LAs? Support your answer with evidence from the table. [3]
- (e) The researcher suggested that there would be strong correlation between the decrease in the percentage driving to work and the increase in percentage working mainly at or from home. Without calculation, use data from the table to comment briefly on this suggestion. [1]
- 3 Some packets of a certain kind of biscuit contain a free gift. The manufacturer claims that the proportion of packets containing a free gift is 1 in 4. Marisa suspects that this claim is not true, and that the true proportion is less than 1 in 4. She chooses 20 packets at random and finds that exactly 1 contains the free gift.
  - (a) Use a binomial model to test the manufacturer's claim, at the 2.5% significance level. [7]

The packets are packed in boxes, with each box containing 40 packets. Marisa chooses three boxes at random and finds that one box contains 19 packets with the free gift and the other two boxes contain no packets with the free gift.

(b) Give a reason why this suggests that the binomial model used in part (a) may not be appropriate. [1]

## 4 In this question you must show detailed reasoning.

A biased four-sided spinner has edges numbered 1, 2, 3, 4. When the spinner is spun, the probability that it will land on the edge numbered X is given by

$$P(X = x) = \begin{cases} \frac{1}{2} - \frac{1}{10}x & x = 1, 2, 3, 4, \\ 0 & \text{otherwise.} \end{cases}$$

(a) Draw a table showing the probability distribution of X. [1]

The spinner is spun three times and the value of X is noted each time.

(b) Find the probability that the third value of X is greater than the sum of the first two values of X.
[3]

## **Total Marks for Question Set 6: 25**



## **Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge