

Additional Assessment Materials Summer 2021

Pearson Edexcel GCSE in Physics (1PH0) Higher

Resource Set Topic D: Radioactivity

Questions

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Additional Assessment Materials, Summer 2021 All the material in this publication is copyright © Pearson Education Ltd 2021 General guidance to Additional Assessment Materials for use in 2021 Context

- Additional Assessment Materials are being produced for GCSE, AS and A levels (with the exception of Art and Design).
- The Additional Assessment materials presented in this booklet are an optional part of the range of evidence you may use when deciding on a candidate's grade.
- 2021 Additional Assessment Materials have been drawn from previous examination materials, namely past papers.
- Additional Assessment Materials have come from past papers both published (those materials available publicly) and unpublished (those currently under padlock to our centres) presented in a different format to allow you to adapt them to use with your candidates.


Purpose

- The purpose of this resource to provide qualification-specific sets/groups of questions covering the knowledge, skills and understanding relevant to this Pearson qualification.
- This document should be used in conjunction with the mapping guidance which will map content and/or skills covered within each set of questions. The mapping guidance will also highlight where the question originally came from to allow you to access further support materials (mark schemes, examiner reports).
- Use of these assessment materials will assist you in assessing candidates' current performance in areas not assessed elsewhere. Their use will also provide an extra opportunity for candidates to demonstrate their performance at the end of their course of study.

These materials are only intended to support the summer 2021 series.

Summer 2018 Paper 1 Higher

3 Figure 4 shows a Geiger-Müller (GM) tube used for measuring radioactivity.



© Andrew Lambert Science Photo Library

Figure 4

 (a) Describe now a teacher should use a Geiger-Muller (GM) tube to compare the count-rates from two different radioactive rocks. 	e
	(4)

(b) A hospital uses a radioactive isotope with a half-life of 6 hours.

A technician measures a count rate of 80 counts per minute (cpm) from this isotope.




Figure 5

Complete the graph on Figure 5, as accurately as possible, to show how the count-rate from this isotope will change from the time of the first measurement.

The first point is already drawn in Figure 5.

(3)

(c) One radioactive source used in hospitals is technetium (Tc).

Technetium is produced from the radioactive decay of molybdenum (Mo).

Complete the following nuclear equation.

(1)

$$^{99}_{42}\text{Mo} \rightarrow \text{Tc} + {}^{0}_{-1}\beta$$

10	Fusion	and fission are nuclear reactions in which large amounts of energy are released	
	(a) (i)	In a fusion reaction, two hydrogen nuclei are forced together to form a helium nucleus.	
		Explain why a very high temperature is needed for this reaction to happen.	(3)
			(=)
	(ii)	In a fusion reaction, the combined mass of the two small nuclei is greater than the mass of the resulting nucleus.	
		This decrease in mass, m, appears as energy, E, according to the equation.	
		$E = mc^2$	
		c is the speed of light = 3.0×10^8 m/s.	
		The energy released in one fusion reaction is $4.5\times10^{-12}\text{J}.$	
		Calculate the decrease in mass.	
			(3)
			l
		decrease in mass =	kg

*(b) Nuclear fission is used in nuclear reactors in some power stations.

In the reactor, a fission chain reaction is maintained and controlled to produce a supply of energy to generate electricity.

Figure 14 is a diagram of a nuclear reactor.




Figure 14

control the chain reaction.	(6)

Explain how the graphite core and the movable rods are used to maintain and

Summer 2019 Paper 1 Higher

3	(a)	Car	bon-13 and carl	bon-14 are isotopes of carbon.		
	(0)			3 and carbon-14 can be represen	ted by these symbols	
		Cor	nplete the table	13 C and 1		(2)
				number of neutrons in the nucleus	number of electrons in orbit around the nucleus	(2)
			carbon-13			
			carbon-14			
	(b)	(i)	State the name	of an instrument that can be use	ed to measure radioactivity.	(1)
1				ces of background radiation.		(2)
2				active and has a half-life of 5700		
				ioactive carbon-14 atoms in a ve from 1000000 to 125000.	ry old piece of wood is found	
		Det	ermine the age	of the piece of wood.		(2)
				ā	age of wood =	years

	(d)	Cai	bon-14 decays into nitrogen-14.	
		The	e symbol for nitrogen-14 is 14N	
		Exp	plain what happens in a carbon-14 nucleus when it decays to a nitrogen-14 nucl	eus. (2)
8	(a)	En	ergy from the nuclei of atoms can be used in medical diagnosis and treatment.	
		(i)	Fluorine-18 is a radioactive isotope used in PET scanners for medical diagnosis.	
			Explain why fluorine-18 must be produced close to the hospital where it is used	d. (2)
		(ii)	Some tumours inside the body can be treated by using either alpha radiation or gamma radiation.	
			Explain why the source of alpha radiation is usually inside the body but the source of gamma radiation can be outside the body.	(4)
				(4)

		ura	anium-235 nucleus to undergo fission?	(1)	
	×	Α	an alpha particle	(-/	
	\times	В	a beta particle		
	\boxtimes	c	a neutron		
	\bowtie	D	a proton		
	(ii)	Th	e kinetic energy of one of the particles released in a fission reaction is 1.2 \times	10 ⁻¹¹ J.	
		Th	e mass of the particle is 1.4×10^{-25} kg.		
		Ca	lculate the velocity of the particle.	(2)	
				(3)	
			and after aftile another		
			velocity of the particle =		. m/s
Αu	ıtumn	20	velocity of the particle =		m/s
Αu	ıtumn	20			m/s
					m/s
	(a) Ra	dioa	20 Paper 1 Higher		m/s
	(a) Ra	dioa	20 Paper 1 Higher active substances are used in the generation of electricity.	(2)	m/s
1	(a) Ra Sta	dioa ate t	20 Paper 1 Higher active substances are used in the generation of electricity.		m/s
1	(a) Ra	dioa ate t	20 Paper 1 Higher active substances are used in the generation of electricity. wo other uses of radioactive substances.	(2)	
1	(a) Ra	dioa	20 Paper 1 Higher active substances are used in the generation of electricity. wo other uses of radioactive substances.	(2)	
1	(a) Ra	dioate t	20 Paper 1 Higher active substances are used in the generation of electricity. Two other uses of radioactive substances.	(2)	
1	(a) Ra	dioate t	20 Paper 1 Higher active substances are used in the generation of electricity. wo other uses of radioactive substances.	(2)	

(b) (i) In a controlled chain reaction of uranium-235, which of these could cause a

(b) Figure 1 is a diagram of a nuclear reactor, used in the generation of electricity.




Figure 1

P may be used to shut down the reactor when necessary. **Q** slows down neutrons to enable a chain reaction to take place.

State the name of the two parts labelled **P** and **Q**.

P	(2)
Q	
(c) Explain how neutrons enable a nuclear chain reaction to take place.	(2)

(1)

7 (a) Which of these describes isotopes of an element?

⊠ A	same atomic number	different number of neutrons
	same atomic number	different number of protons
⊠ C	same mass number	different number of neutrons
	same mass number	different number of protons

(b) Figure 9 represents a decay that can happen inside the nucleus of an atom.




Figure 9	
Which decay is represented in Figure 9?	(4)
☑ A alpha	(1)
■ B beta minus	
□ C beta plus	
☑ D gamma	
(c) The half-life of cobalt-60 is 5 years.	
A school cobalt source had an activity of 38.5 kBq in the year 2000.	
Estimate the activity of this source in the year 2020.	(3)
activity =	kBq
(d) Explain what can happen to the body if a person has a prolonged exposure	e to gamma rays. (2)

(e) A G-M tube is connected to a counter.

A teacher places the G-M tube near to a radioactive source.

A student starts the counter and clock at the same time and writes down the readings shown on the counter every 15 s.

The student plots the readings with a line of best fit, as shown in Figure 10.




Figure 10

(i) Calculate the average count rate, in counts / s, from the graph.Show your working on the graph.

(2)

average count rate = _____counts/s

(ii) The student says that the experiment must have been done carelessly because the data seemed quite scattered away from the best fit line.

The teacher claims such results should be expected in radioactivity experiments.

Justify the teacher's claim.

(2)

There is a debate about whether nuclear power generation should or should not contribute to meeting this increasing demand.		
Discuss the arguments for and against using nuclear power to meet the increasing global demand for electricity.		
	(6)	

*(c) The global demand for electricity is increasing.

TOTAL FOR PAPER IS 62 MARKS