

Additional Assessment Materials
Summer 2021

Pearson Edexcel GCSE in Physics (1PH0) Higher

Resource Set Topic F: Electricity and circuits, Magnetism and the motor effect

Questions

(Public release version)

## Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

Additional Assessment Materials, Summer 2021 All the material in this publication is copyright © Pearson Education Ltd 2021

## General guidance to Additional Assessment Materials for use in 2021

## Context

- Additional Assessment Materials are being produced for GCSE, AS and A levels (with the exception of Art and Design).
- The Additional Assessment Materials presented in this booklet are an **optional** part of the range of evidence teachers may use when deciding on a candidate's grade.
- 2021 Additional Assessment Materials have been drawn from previous examination materials, namely past papers.
- Additional Assessment Materials have come from past papers both published (those materials available publicly) and unpublished (those currently under padlock to our centres) presented in a different format to allow teachers to adapt them for use with candidate.

## Purpose

- The purpose of this resource to provide qualification-specific sets/groups of questions covering the knowledge, skills and understanding relevant to this Pearson qualification.
- This document should be used in conjunction with the mapping guidance which will map content and/or skills covered within each set of questions.
- These materials are only intended to support the summer 2021 series.

5 (a) A student has a bar magnet, a piece of iron the same size as the magnet, and some paper clips.				
		Describe how the student could use these items to demonstrate temporary induced magnetism.	(2)	
			(3)	
•				

(b) A student sets up the apparatus shown in Figure 9.




Figure 9

(i) When the current in the solenoid is switched on, the solenoid attracts the iron nail.

Describe how the student could use this apparatus to investigate how the size of the current in the solenoid affects the force of attraction between the solenoid and the iron nail.

(4)

The spring is extended from its unstretched length by 12 cm.						
Calculate the energy transferred in extending the spring by 12 cm.						
Use an equation selected from the list of equations at the end of this paper.						
	(2)					
energy transferred =						
energy dansiened –						

(ii) The spring constant of a different spring is 24 N/m.

(a)	(a) A resistor is connected to a power supply.						
The potential difference across the resistor is 6.0V.							
(i) Which of these corresponds to a potential difference of 6.0 V?					(4)		
	×	^	60 igulas par ahm		(1)		
			6.0 joules per ohm				
	×		6.0 amps per coulomb				
	×		6.0 joules per coulomb				
	×	D	6.0 amps per ohm				
	(ii)	The	e resistor remains connected for a period of time.				
		The	e current in the resistor is 200 mA.				
		A t	otal charge of 42C flows through the resistor.				
		Cal	Iculate, in minutes, the time taken for this amount of cough the resistor.	charge to flow			
			ough the resiston		(3)		
				time =	minutes		
	(iii)	Cal	culate the total energy transferred by the 6.0V power	supply when a			
			arge of 42 C flows through the resistor.		(2)		
					(2)		
				energy =	J		
				3,	-		

(b) The resistor becomes warm while there is a current in it.	
Explain why the resistor becomes warm.	
	(2)
 (c) Figure 16 shows a cardboard tube with a wire coming out from each end.	
P Q	
Figure 16	
There are two 10 ohm resistors inside the cardboard tube.	
A potential difference of 6.0V is connected between P and Q.	
There is a current of 1.2 A in the wires.	
Deduce how the resistors have been arranged inside the cardboard tube.	(0)
	(3)

10 (a) Figure 18 shows identical filament lamps connected together to a 12V power supply. to 12V power supply Figure 18 (i) Calculate the potential difference across each lamp. (1) potential difference = .....V (ii) The power output of each lamp is 0.75W Calculate the resistance of each lamp. (4)

resistance = .....

*(b) Explain, with the aid of a circuit diagram, the method a student could use to investigate how the resistance of a single lamp changes with the potential difference across the lamp.			
	,	(6)	

3 (a) Which of these symbols is used to represent a thermistor in an electrical circuit?

(1)



(b) A student investigates how the current in a lamp changes with the potential difference across the lamp.

The student uses the results to calculate the resistance of the lamp.

The results are shown in the table in Figure 5.

potential difference in V	current in A	resistance in $\Omega$
1.0	0.09	11
2.0	0.14	14
3.0	0.18	17
4.0	0.22	18
5.0	0.26	
6.0	0.30	20

Figure 5

(i) One value of resistance is missing from the table in Figure 5.

Calculate the value of resistance that is missing from the table.

(3)

(ii)	The student writes this conclusion:	
	'The resistance of the lamp is directly proportional to the potential d	ifference.
	Comment on the student's conclusion. Use information from Figure 5 in your answer.	(3)
(iii)	The student used a power supply that had fixed output voltage settings.  Each of these outputs was a whole number of volts.  Describe how the student could add a component to the circuit that would	
	provide a continuously variable voltage across the lamp.	(2)

5 (a) A student uses a plotting compass to investigate the magnetic field around a wire.
Figure 10 shows the wire going straight through a card.





Figure 10

Figure 10 shows the compass needle when there is no current in the wire.

(i) Which of these shows a possible direction of the compass needle when there is a current in the wire going from P to Q?

(1)



(ii) Describe how the student could develop the investigation to find the shape of the magnetic field produced by the current.



(b) Figure 11 shows a copper wire between two magnetic poles.




Figure 11

The current in the wire is in the direction shown by the arrow.

The wire experiences a force due to the magnetic field.

(i)	The	e direction of the force due to the magnetic field is	(1
×	A	down	( .
×	В	up	
×	c	towards the north pole of the magnet	
×	D	towards the south pole of the magnet	

(ii) The interaction between the magnetic fields produced by the magnet and the current in the wire produces forces on the magnet and the wire.

Compare these two forces.

(1)

(iii) Figure 12 shows a different wire inside a uniform magnetic field.




Figure 12

The magnetic flux density of the magnetic field is 0.72 N/A m.

The length of the wire inside the field is 30 mm.

The size of the force due to the magnetic field on the wire is 0.045 N.

Calculate the size of the current in the wire.

Use an equation selected from the list of equations at the end of this paper.

(3)

current in	the	wire:	=	Α

10 (a) Figure 19 shows two electrical devices for heating water.




Figure 19

(i)	The current in the element of the immersion heater is 14 A.			
	The power of the immersion heater is 130W.			
	Calculate the resistance of the immersion heater.			

Give your answer to two significant figures.

(3)

\*(b) Figure 20 shows the three-pin plug used to connect the kettle to the mains.




Figure 20

A fault occurs in the kettle causing the live wire to touch the metal case of the kettle.

Explain how the safety features of the plug operate when this fault occurs.

(6)

5 Figure 11 shows the magnetic field of a magnet.




Figure 11

(1)

- (a) At which point is the magnetic field strongest?
- ⊠ A
- ⊠ B
- ⊠ D

(b) Figure 12 shows a wire carrying a current.




Figure 12

Draw, on the card in Figure 12, the magnetic field that is produced by the current.

(2)

(c) Figure 13 shows two metal rods carrying a current.

A metal roller touches both rods and completes the circuit. The roller is in the magnetic field produced by a magnet.




Figure 13

(i) The magnetic flux density of the magnetic field at the roller is 1.2T.

The current in the roller is 2.5 A.

The length of the roller carrying the current is 0.060 m.

Calculate the force on the roller.

Use the equation

$$F = B \times I \times l$$

(2)

force on the roller = .......N

(ii)	Describe how Fleming's left-hand rule can be used to determine the direction of the force acting on the roller.	
	You may draw a diagram to help your answer.	(3)
(iii)	Draw an arrow on Figure 13 to show the direction of the force acting on the roller.	
		(1)

8 (a) A student investigates resistors connected in parallel using a number of resistors. Each resistor has the same resistance.

Figure 19 shows a circuit diagram with one resistor, R.




Figure 19

- (i) Add to Figure 19:
  - a voltmeter to find the potential difference across resistor R
  - another resistor in parallel with resistor R.

(2)(ii) State the measurements that the student must take to find the overall resistance of the resistors in parallel. (2) (iii) The student investigates how the overall resistance of the circuit changes when additional resistors are added in parallel to R.

Each resistor has the same resistance.

Figure 20 shows the results of the student's investigation.




Figure 20

State the resistance of a single resistor.

(1)

resistance =	Ω
(iv) Comment on the relationship between the overall resistance of the circuit and the number of resistors in parallel.	
Use information from Figure 20 to support your answer.	(3)

(b) A d	ifferent circuit is then set up with two resistors as shown in Figure 21.	
		_
	Figure 21	
(i)	Calculate the potential difference across the 15 $\Omega$ resistor.	(2)
	potential difference =	V
(ii)	Calculate the total power dissipated when there is a current of 0.20 A in the two resistors.	
	Use the equation	
	$P = I^2 \times R$	
		(2)
	power produced	W
	TOTAL FOR PAPER IS	56 MARKS