OCR
Oxford Cambridge and RSA

GCSE Physics B (Twenty First Century Science)

J259/01 Breadth in Physics (Foundation Tier)

Question Set 25

1 Amir investigates melting ice.

He puts ice cubes on different materials. He then measures the time taken for each ice cube to completely melt.



Amir's results are shown in the table.

Material	Time (min)
Metal foil	86
Paper	105
Carpet	162

(a) Calculate the thermal energy needed to melt 20 g of ice.

The specific latent heat of melting for ice is 334 000 J / kg.

E= m L = 0.02 x 334000

= 6680J

Thermal energy = 6680 J

[3]

(b) Explain why the ice cubes take different times to melt on different materials.

Some materials are better insulators than others **[2]**

(c) Amir discusses the experiment with Nina, another student.



(i) Suggest improvements to the experiment to solve each of these problems. **[2]**

Put ice in container and measure temp of ice cubes beforehand

(ii) Amir wants to speed up the experiment so it can be repeated more quickly.
Suggest **one** way he can change the experiment so that the ice melts more quickly, without making the experiment invalid. **[1]**

Put ice cubes in a warmer place

Total Marks for Question Set 25: 8

Resource Materials

Question Set No: 25

Equations in Physics

change in internal energy = mass × specific heat capacity × change in temperature

energy to cause a change in state = mass × specific latent heat

for gases: pressure × volume = constant
(for a given mass of gas and at a constant temperature)

$(\text{final speed})^2 - (\text{initial speed})^2 = 2 \times \text{acceleration} \times \text{distance}$

energy stored in a stretched spring = ½ × spring constant × $(\text{extension})^2$

potential difference across primary coil × current in primary coil =
potential difference across secondary coil × current in secondary coil