

CAIE Biology A-level

Topic 18: Biodiversity and classification

Notes

This work by PMT Education is licensed under CC BY-NC-ND 4.0










Biodiversity is the variety of living organisms, over time the variety of life on Earth has become more extensive but now it is being threatened by human activity such as deforestation. Biodiversity can be measured in terms of:

- Species richness is the number of different species in a community and can be measured by simply counting the number of species present via methods such as random sampling.
- Genetic diversity is a measure of the genetic variation found in a particular species, in other words it is the number of alleles in a gene pool. It can be determined by calculating the heterozygosity index (H), the higher the heterozygosity index (H), the more genetically diverse the species.

H= number of heterozygotes / number of individuals in the population


Biodiversity can also be measured using the index of diversity (D) which can be calculated as following:



D = **Diversity index** $\frac{N(N-1)}{\sum n(n-1)} = \text{total number of organisms} \\ n = \text{total number of organisms of each species} \\ \Sigma = \text{the sum of}$

Endemism is the state of a species being unique to a particular geographic location such as an island and are not found anywhere else.

Species and taxonomy



Animals Organisms able to move on their

Chordates Animals with a backbone.

Mammals Chordates with fur or hair and milk glands. Primates

Mammals with collar bones and grasping fingers.

Hominids Primates with relatively flat faces and three-dimensional vision.

Homo Hominids with upright posture and large brains.

Homo sapiens Members of the genus Homo with a hightforehead and thin skull bones

Classification is the process of **naming** and organising organisms into groups based on their characteristics. Organisms can be grouped into one of the five kingdoms: animals, plants, fungi, prokaryotes and protoctista. They can then be grouped further into phylum, class, order, family, genus and species. Each species is named according to the **binomial system**, the first part of the name is the genus and the second part of the name is the species.

Figure SEQ Figure * ARABIC 1 Wikipedia





The analysis of molecular differences in different organisms to determine the extent of their revolutionary relatedness is known as **molecular phylogeny**. The data obtained by molecular phylogeny has been accepted by scientists and this gave rise to new taxonomic groupings – all organisms can be separated into one of the **three domains: Bacteria**, **Archaea and Eukarya**. Archaea are prokaryotic cells; they often live in extreme conditions as they have strong membranes that are able to stand high temperatures and low pHs. Eukarya includes the plant, animal, fungi and protista kingdoms.

Viruses are not included in the three domains as they are non-living and are not classed as cells. In taxonomy, they are instead classified by the disease which the virus causes and the type and structure of their nucleic acid.

The scientific community evaluates the data in the following ways:

- The findings are published in scientific journals and presented scientific conferences.
- Scientists then study the evidence in a process called peer review
- Scientists start collecting evidence to either support or reject the suggestion

Conservation

- There are many threats to biodiversity in aquatic and terrestrial ecosystems. The threats include loss of habitat and environment degradation, climate change, excessive use of fertilisers which leads to pollution, overexploitation and unsustainable use of resources as well as invasion of alien species.
 Alien species might outcompete the native organisms or introduce diseases therefore they need to be controlled.
- There are many ecological, aesthetic, social and commercial reasons to maintain biodiversity. For instance, microorganisms are a source of useful products such as antibiotics.
- Zoos use various methods to conserve endangered species and their genetic diversity, some of the methods used include: captive breeding programmes in which endangered species are carefully bred to increase genetic diversity and population size and reintroduction programmes which aim to release animals bred in captivity into their natural habitat as well as to restore lost habitats.
- Seed banks store a large number of seeds in order to conserve genetic diversity and prevent plant species from going extinct. Storing seeds instead of plants means that a large variety of species can be conserved, it's also cheaper than storing whole plants as it takes up less space. The seeds are stored in cool, dry conditions as this maximises the amount of time they can be stored for and they are periodically tested for viability.

▶
 O
 O

 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 Image: O
 <td





- Other means of conserving endangered mammals include assisted reproduction in the form of IVF, embryo transfer and surrogacy.
- **Culling and contraceptive methods** are used to prevent overpopulation of protected and non-protected species.
- Non-governmental organisations such as World Wide Fund for Nature (WWF) and Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) play an important role in local and global conservation. For instance, WWF funds conservation projects and publicises environmental issues whereas CITES controls the trade of endangered species and their products.
- Degraded habitats can be restored on a small scale by planting new trees on land that is no longer needed for food production and on a large scale by replanting forests.

▶ **Image of the set o**

