

OCR B Biology A-level

PAG 09 - Qualitative Tests

Flashcards

This work by [PMT Education](https://www.pmt.education) is licensed under [CC BY-NC-ND 4.0](https://creativecommons.org/licenses/by-nc-nd/4.0/)



What is Biuret's test for?



What is Biuret's test for?

Protein.



Outline the procedure to a Biuret test.



Outline the procedure to a Biuret test.

1. Add sodium hydroxide solution.
2. Add copper (II) sulphate solution.
3. If the colour changes from blue to purple, protein is present.



What does iodine test for?



What does iodine test for?

Starch.



What is the colour change for a positive iodine test?



What is the colour change for a positive iodine test?

Brown to blue-black.



Outline the procedure to the emulsion test.



Outline the procedure to the emulsion test.

1. Add ethanol.
2. Pour solution into water.
3. A white emulsion forms.



What does Benedict's reagent test for?



What does Benedict's reagent test for?

Reducing sugars.



Outline the test for reducing sugars.



Outline the test for reducing sugars.

1. Add equal volume or excess Benedict's reagent to a sample and boil.
2. If positive, colour changes from blue to red, with a brick-red precipitate.



Outline the test procedure for
non-reducing sugars.



Outline the test procedure for non-reducing sugars.

1. Add dilute HCl and boil.
2. Neutralise with sodium hydrogen carbonate.
3. Add Benedict's reagent and boil.
4. If positive, colour changes from blue to red, with brick-red precipitate.



What is a method to test for glucose specifically?



What is a method to test for glucose specifically?

Dip the pad of a glucose test strip into the sample. Colour change will occur if glucose is present.

Concentration can be found by comparing colour to a colour standard chart.



What is a serial dilution?



What is a serial dilution?

A dilution in which each successive concentration decreases in a logarithmic fashion.

