

# WJEC England Biology A-level

## SP C1 03 - Respiration in Yeast

### Flashcards

This work by [PMT Education](https://www.pmt.education) is licensed under [CC BY-NC-ND 4.0](https://creativecommons.org/licenses/by-nc-nd/4.0/)



State the factor affecting the rate of respiration that is measured.



State the factor affecting the rate of respiration that is measured.

Temperature.



# How is the rate of respiration measured?



## How is the rate of respiration measured?

By counting the number of carbon dioxide bubbles released in a given time  
eg. one minute.



Why must the yeast suspension be placed in the water bath for 2 minutes before starting?



Why must the yeast suspension be placed in the water bath for 2 minutes before starting?

To allow the temperature of the yeast suspension to equilibrate.



Why is the rate of bubble formation proportional to the rate of respiration?





Why is the rate of bubble formation proportional to the rate of respiration?

Carbon dioxide is released as a product of respiration. The more carbon dioxide bubbles formed within a given time, the higher the rate of respiration.



What are the controlled variables of this practical?



# What are the controlled variables of this practical?

Volume and concentration of sucrose solution

Volume of yeast suspension

Time allowed for counting bubbles



What is  $Q_{10}$ ?



# What is $Q_{10}$ ?

The change in rate of reaction caused by a 10 degree increase in temperature

Formula: rate at  $T+10$  / rate at  $T$



State a source of error in this practical.



State a source of error in this practical.

The rate of bubble formation may be too fast to be counted accurately.



How is the apparatus set up for this practical?





How is the apparatus set up for this practical?

Place a syringe of yeast suspension horizontally into a water bath, and place a weight on top the syringe.

