

Please write clearly in	າ block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

A-level **BIOLOGY**

Paper 1

Thursday 4 June 2020

Morning

Time allowed: 2 hours

Materials

For this paper you must have:

- · a ruler with millimetre measurements
- a scientific calculator.

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Show all your working.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for the questions are shown in brackets.
- The maximum mark for this paper is 91.

For Examiner's Use				
Question	Mark			
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
TOTAL				




	An	swer all d	questions i	n the spaces	provided.		
_							

0 1 Figure 1 shows a cell from the lining of the ileum specialised for absorption of products of digestion.

SGLT1 is a carrier protein found in the cell-surface membrane of this cell, it transports glucose and sodium ions (Na^+) into the cell.

Figure 1



0 1. 1 The action of the carrier protein **X** in **Figure 1** is linked to a membrane-bound ATP hydrolase enzyme.

Explain the function of this ATP hydrolase.	[2 marks]
The movement of Na ⁺ out of the cell allows the absorption of glucose into the cell lining the ileum.	he
Explain how.	[2 marks]
	The movement of Na ⁺ out of the cell allows the absorption of glucose into the cell lining the ileum.




0 1.3	Describe and explain two features you would expect to find in a cell specialised for absorption.	
	[2 ma	arks]
	1	
	2	
	Question 1 continues on the next page	



Figure 2 is a diagram of one SGLT1 carrier protein.

Figure 2



0 1 . 4 Draw phospholipids on **Figure 2** to show how the carrier protein, SGLT1, would fit into the cell-surface membrane.

Do **not** draw more than eight phospholipids.

[2 marks]



0 1 . 5	Figure 2 shows the SGLT1 polypeptide with NH ₂ at one end and COOH at the other end.	
	Describe how amino acids join to form a polypeptide so there is always NH_2 at one end and COOH at the other end.	
	You may use a diagram in your answer. [2 marks]	
	Space for diagram:	

10

Turn over for the next question



0 2

To study lipid digestion, a scientist placed a tube into the gut of a healthy 20-year-old man. The end of the tube passed through the stomach but did not reach as far as the ileum.

The scientist fed the man a meal containing triglycerides through the tube. The scientist also used the tube to remove samples from the man's gut at intervals after the meal.

The scientist measured the type of lipid found in the samples. Some of her results are shown in **Table 1**.

Table 1

Sample	Time of collection after meal / min	Concentration of fatty acids / mg cm ⁻³	Concentration of triglycerides / mg cm ⁻³
Α	45	2.7	0.6
В	75	3.3	0.0

0 2 . 1	Use your knowledge of lipid digestion to explain the differences in the results for samples A and B shown in Table 1 .		
	You should assume that no absorption had occurred. [3 marks]		




0 2.2	After collecting the samples, the scientist immediately heated them to 70 °C for 10 minutes.	
	Explain why.	arks]
0 2.3	Describe the role of micelles in the absorption of fats into the cells lining the ileum [3 m	า. arks]



0 3 Figure 3 shows pressure and blood flow during the cardiac cycle in a dog.





0 3.1 At P on Figure 3, the pressure in the left ventricle is increasing. At this time, the rate of blood flow has not yet started to increase in the aorta.

Use evidence from **Figure 3** to explain why. [2 marks]

0 3.2	At Q on Figure 3 there is a small increase in pressure and in rate of blaorta.	ood flow in the	outs.
	Explain how this happens and its importance.	[2 marks]	
0 3 3	A student correctly platted the right ventrials proceure on the same grid	Las the left	
0 3 . 3	A student correctly plotted the right ventricle pressure on the same grid ventricle pressure in Figure 3 . Describe one way in which the student's curve would be similar to and would be different from the curve shown in Figure 3 .	one way it	
	Similarity	[2 marks]	
	Difference		
0 3.4	Use information from Figure 3 to calculate the heart rate of this dog.	[1 mark]	
	Heart rate	oeats minute⁻¹	7



0 4	Anthocyanins are coloured pigments found in the cell vacuole of some plant cells. Anthocyanins cannot move across undamaged cell membranes.		
	A student investigated how to extract anthocyanins from blueberries.		
	She mixed 10 g of crushed, fresh blueberries with 100 cm ³ of extraction solvent for 1 hour.		
	She investigated three different extraction solvents:		
	 E – Ethanol, water and acid F – Ethanol and water G – Water 		
0 4.1	When making up extraction solvent E , the student used a volume ratio of 70:30:1 ethanol:water:acid.		
	Tick (✓) one box that shows the most appropriate volumes she would use to make up 100 cm³ of extraction solvent E .		
	[1 mark]		
	63.6 cm³ ethanol, 27.3 cm³ water, 9.1 cm³ acid		
	69.3 cm³ ethanol, 29.7 cm³ water, 1.0 cm³ acid		
	70.0 cm³ ethanol, 30.0 cm³ water, 1.0 cm³ acid		
	70.7 cm³ ethanol, 30.3 cm³ water, 1.0 cm³ acid		
0 4 . 2	The student kept constant:		
	 the mass of fresh blueberries the volume of extraction solvent the time for the mixture to stand. 		
	Name two other variables the student should have kept constant during this		
	investigation. [2 marks]		
	1		
	2		



0 4. 3 After 1 hour, the student filtered the samples.

She placed the filtrate in a colorimeter and measured the light absorbance.

Her results are shown in Figure 4.

Absorbance / arbitrary units 4.0.

E F G Extraction solvent


Use your knowledge of membrane structure to explain the results in Figu	ıre 4. [4 marks]





0 4.4	A different student did this investigation. He did not have a colorimeter.	0
	Describe a method this student could use to prepare colour standards and use them to give data for the total anthocyanin extracted. [3 marks]	
		 -








0 5.1	Describe the role of DNA polymerase in the semi-conservative replication of DNA. [2 mar	rks]

Figure 5 shows the percentage of rat cells undergoing DNA replication. Some cells contained a protein called cyclin D and some cells did not contain cyclin D. All cells were in early interphase at time 0





0 5.2	It took less time for 25% of cells with cyclin D to be undergoing DNA replication that for 25% of cells without cyclin D.	n
	Use Figure 5 to calculate this time difference as a percentage decrease.	
	Show your working. [2 mar	ks]
	Answer %	6
0 5 . 3	Cyclin D stimulates the phosphorylation of DNA polymerase, which activates the DNA polymerase.	
	Describe how an enzyme can be phosphorylated. [2 mar	ks]
0 5 . 4	Some tumour cells contain higher than normal concentrations of cyclin D.	
	Use Figure 5 to suggest why higher than normal concentrations of cyclin D could result in a tumour.	
	[2 mar	ks]






0 6.1	Particulate matter is solid particles and liquid particles suspended in air. Polluted air contains more particulate matter than clean air.
	A high concentration of particulate matter results in the death of some alveolar epithelium cells. If alveolar epithelium cells die inside the human body they are replaced by non-specialised, thickened tissue.
	Explain why death of alveolar epithelium cells reduces gas exchange in human lungs. [3 marks]



Do not write outside the box

Scientists grew alveolar epithelium cells and exposed the epithelium cells to different concentrations of particulate matter. They calculated the percentage of these alveolar epithelium cells that died after 24 hours of exposure to particulate matter. Their results are shown in **Figure 6**.

Figure 6



0 6 . 2	Do the data in Figure 6 show a linear relationship between concentration of
	particulate matter and percentage of dead cells?

Space for your calculations:

Use suitable calculations to justify your answer.

[2	m	ar	ks]
----	---	----	-----

5



0 7.1	Alpha-gal is a disaccharide found in red meat.
	Alpha-gal is made of two galactose molecules. Galactose has the chemical formula $C_6H_{12}O_6$
	Give the chemical formula for the disaccharide, alpha-gal, and describe how it is formed from two galactose molecules.
	Formula
	Description
0 7 . 2	Some people eat red meat for many years without having any reaction, then have an allergic reaction to the alpha-gal in red meat.
	An allergic reaction is caused by an immune response.
	Draw a labelled diagram of an antibody and identify the specific alpha-gal binding site.
	[3 marks]



0 7.3	A tick is a small animal that bites humans and feeds on their blood. This re proteins from the tick saliva entering the human body. Scientists have suggested one hypothesis for the allergic reaction to alpha-	
	red meat. They think that an earlier immune response to a tick bite can cauperson to have an allergic reaction to alpha-gal in red meat.	ise a
	Suggest how one antibody can be specific to tick protein and to alpha-gal.	[2 marks]
	Question 7 continues on the next page	



0 7.4	Scientists took blood samples from one man over several weeks and measured the concentration of antibody in the man's blood. During this time, the man had two tick bites and had an allergic reaction to alpha-gal in red meat.	out
	The scientists' results are shown in Figure 7 .	
	Figure 7	
	This figure has been removed due to third-party copyright restrictions.	
	The scientists' hypothesis was that an earlier immune response to tick protein causes the allergic reaction.	
	Consider whether Figure 7 supports this hypothesis. [3 marks]	
		1



Do not write outside the box

0 8.1	Complete Table 2 to show three differences plant cell and DNA in a prokaryotic cell.	between DNA in the nucleus of a [3 marks]
	Toble	
	Table	9.2
	DNA in the nucleus of a plant cell	DNA in a prokaryotic cell
	1	
	2	
	3	
0 8 . 2	Scientists investigated the genetic diversity be They studied non-coding multiple repeats of I	base sequences.
	Define 'non-coding base sequences' and des repeats are positioned in the genome.	
		[2 marks]

Question 8 continues on the next page





The percentage similarities in the non-coding multiple repeats of base sequences of four species of sweet potato are shown in **Table 3**.

Table 3


Species of sweet potato	Percentage similarity between non-coding multiple repeat base sequences			
potato	С	L	R	Т
С		53.5	25.7	59.7
L	53.5		33.4	53.7
R	25.7	33.4		36.6
Т	59.7	53.7	36.6	

0 8 . 3 Use the information in **Table 3** to complete the phylogenetic tree shown in **Figure 8**.

Write the letter that represents the correct species into each box.

[1 mark]

Figure 8



Key


☆ Common ancestor of the species to the right



0 8.4	The scientists studied five individuals from each species. Within the five individuals of species T they found a percentage similarity of 66%.	outside t
	Use Table 3 to evaluate how this information affects the validity of the phylogenetic tree. [2 marks]	
		8

Turn over for the next question








0 9

Scientists investigated stomatal density on leaves of one species of tree.

Figure 9 shows three examples of the square fields of view the scientists used to calculate a mean stomatal density.

Figure 9







Key



Stomata



White lines show the counting field for stomata (each edge of white square = 250 μ m)

0 9. 1 Calculate the mean stomatal density in the three fields of view in **Figure 9**.

Give your answer as number of stomata per mm²

Show your working.

[2 marks]


Stomatal density per mm²

Question 9 continues on the next page



The scientists used leaves from individual trees that had grown in different areas of the world in different years. Each tree had grown in an area and year with known carbon dioxide concentration.

Their results are shown in Figure 10.



Key

Each plotted point represents mean stomatal density from 10 leaves from one tree

Line shows line of best fit, which shows a statistically significant change

0 9.2	Give a null hypothesis for this investigation and name a statistical test that would be
	appropriate to test your null hypothesis. [2 marks]
	Null hypothesis
	Statistical test



0 9 . 3	From 1910 to 2000, the carbon dioxide concentration in the atmosphere incr from 300 parts per million to 365 parts per million.	eased
	Use Figure 10 to calculate the mean rate of change in stomatal density from 1910 to 2000.	
	Give your answer as number of stomata per mm² per 10-year period.	
	Show your working.	[2 marks]
	Number of stomata per mm² per 10-year period	
0 9 . 4	A journalist saw Figure 10 and suggested that future increases in atmosphe carbon dioxide concentration could result in less transpiration.	ric
	Evaluate his suggestion.	[4 marks]
		L



Do not write outside the box

1 0 . 1	Describe how mRNA is formed by transcription in eukaryotes.	[5 marks]



Do not write outside the box

1 0 . 2	Describe how a polypeptide is formed by translation of mRNA.	[6 marks]
	Question 10 continues on the next page	






			_
1 0 . 3	Define 'gene mutation' and explain how a gene mutation can have:		Do not v outside box
	no effect on an individual a positive effect on an individual		
	a positive effect on an individual.	[4 marks]	
			15

END OF QUESTIONS







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



36 Do not write There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.





IB/M/Jun20/7402/1

outside the