

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
GCE Advanced Subsidiary Level and GCE Advanced Level

**MARK SCHEME for the May/June 2010 question paper
for the guidance of teachers**

9700 BIOLOGY

9700/31

Paper 31 (Advanced Practical Skills 1), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2010	9700	31

Question	Expected Answers	Additional Guidance	Marks
1 (a) (i) Decide how often you will take samples. You should not sample for longer than 20 minutes.			
MMO decisions 2	4 or more numbers; Ignore units. even range of times;	Range: longest time must be 10 or more minutes	[1] [1]
(ii) Prepare the space below to record: time you remove sample, time at which end-point is reached and time taken to reach the end-point.			
PDO recording 2	1 table with all cells drawn no outer boundary needed. 2 (heading for one <u>other</u> column or row) <u>time</u> with units;	(heading top or left) AND <u>sampling</u> or <u>sample</u> time or time removed;	[1] [1]
MMO collection 2	3 (ignore headings on results columns) sample time plus result column = other result column; 4 (trend correct) figure for last sample less than figure for first sample;	Must be clear units Reject 1.24	[1] [1]
MMO decision 1	5 (end-point result column) whole seconds or whole minutes for at least three results;		[1]
(b) (i) Describe a suitable control for this investigation.			
ACE interpretation 1	1 boil and cooled enzyme OR 2 no enzyme and replace with water;		[1]

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2010	9700	31

Question	Expected Answers	Additional Guidance	Marks
(c) (i) Identify two significant sources of error in this investigation ACE interpretation 2	1 timing with reason why causes an error e.g. removal of samples AND adding to potassium permanganate OR timing end-point OR two lots of timing;		[max 2]
	2 judging or detecting end-point or colour change;		
	3 idea of volume of reaction mixture or AW decreasing with each sample;	Reject temperature Reject pH Reject evaporation	
(ii) State one variable which was not controlled in this investigation and how it could be controlled.			
ACE improvement 1	temperature	AND use thermostatically-controlled water-bath or water-bath at constant temperature;	[max 1]
	pH	AND use buffer;	

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2010	9700	31

Question	Expected Answers	Additional Guidance	Marks										
(d) (i) Plot a graph to show the results in Table 1.1.													
PDO layout 4													
	<table border="1"> <tr><td>60</td><td>0.32</td></tr> <tr><td>120</td><td>0.64</td></tr> <tr><td>180</td><td>0.95</td></tr> <tr><td>300</td><td>1.55</td></tr> <tr><td>400</td><td>2.05</td></tr> </table>	60	0.32	120	0.64	180	0.95	300	1.55	400	2.05		
60	0.32												
120	0.64												
180	0.95												
300	1.55												
400	2.05												
O	x-axis time (/) s or sec(ond)s	y-axis AND mass of (reducing) sugars (/) mg;	Must have units [1]										
S	scale as 100 s to 2 cm ECF if no labels for O. Allow at origin 50 as long as scale 100 s to 2 cm	AND 0.5 mg to 2 cm; Allow 0.25 at origin but must label origin.	Reject if awkward scale [1]										
P	correct plotting using crosses/dots in circle only;	Intersection of cross must be clear to show plot.	Reject plotting if scale is awkward [1]										
L	straight line through points;	Quality – not thick, not feathery for the complete line. Joining plots – • <u>Ruled lines plot to plot</u> • <u>Straight line through most plots</u> • <u>Straight line extrapolated to 0</u> Extrapolation • Not beyond x- or y-axis	Reject if only blobs/dots/blobs in circles Reject if not five plots [1]										

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2010	9700	31

Question	Expected Answers	Additional Guidance	Marks
(ii)	Use the graph to find the rate of hydrolysis of the sucrose by finding the gradient of the line. Show on your graph where you took your readings.		
MMO collection 1	shows on graph at least one time and mass;		[1]
MMO decision 1	two masses and two times;		[1]
PDO display 2	shows mass up 2.05 mg AND divided by time up to 400 s; any answer rounded to <u>maximum</u> of three significant figures OR five decimal places OR standard form;		[1]
(iii)	Explain why the mass of reducing sugars increased and then remained the same.		
ACE conclusion 2	<u>enzyme:</u> (context of increase or up to 400 s) idea that non-reducing sugar or sucrose being converted (context of remaining the same or after 400 s) AND idea that all substrate hydrolysed or broken down or used up;	Reject use of enzyme in incorrect biological context Reject enzyme active sites full or enzyme used up	[1] [1]
			[Total: 21]

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2010	9700	31

Question	Expected Answers	Additional Guidance	Marks
2 TS oesophagus			
(a) (i) Draw a large plan diagram of a quarter of the tube as shown in Fig. 2.1			
PDO layout 1	1 clear, sharp, unbroken lines AND no shading	AND Allow only for 3 or more lines;	[1]
MMO collection 1	2 no cells AND Drawn detail for only correct quarter; Minimum of one layer needed.	Reject if drawn incorrect quarter	[1]
MMO decision 2	3 innermost layer is thinner (+ or – 1 mm) than outermost thick layer; 4 first two lines folded;		[1]
			[1]

Page 7	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2010	9700	31

Question	Expected Answers	Additional Guidance	Marks																
(b) (i) Calculate the actual length, shown by line X, of one of the structures. MMO collection 2	measures line X correctly in mm or cm; Reject m	<table border="1"> <thead> <tr> <th>mm</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>54.(0)</td> <td>5.4</td> </tr> <tr> <td>54.5</td> <td>5.45</td> </tr> <tr> <td>55.(0)</td> <td>5.5</td> </tr> <tr> <td>55.5</td> <td>5.55</td> </tr> <tr> <td>56.(0)</td> <td>5.6</td> </tr> <tr> <td>56.5</td> <td>5.65</td> </tr> <tr> <td>57.(0)</td> <td>5.7</td> </tr> </tbody> </table>	mm	cm	54.(0)	5.4	54.5	5.45	55.(0)	5.5	55.5	5.55	56.(0)	5.6	56.5	5.65	57.(0)	5.7	[1]
mm	cm																		
54.(0)	5.4																		
54.5	5.45																		
55.(0)	5.5																		
55.5	5.55																		
56.(0)	5.6																		
56.5	5.65																		
57.(0)	5.7																		
(ii) Explain how you would find the mean length of the structures shown in Fig. 2.2	shows their measurement divided by or / or ÷ 50 AND × 1000 or 10 ³ (mm) or 10000 or 10 ⁴ (cm) or × 10 × 1000;	Reject use or conversion to metres Reject if no units	[1]																
ACE improvements 2	measure all OR any number five or more; add together and divide by the number measured;	Reject calculate	[1]																
			[1]																

Page 8	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2010	9700	31

Question	Expected Answers			Additional Guidance	Marks
PDO recording 2 ACE interpretation 3	(organise) table/ venn diagram/ ruled connected boxes	(heading for differences) any appropriate heading e.g J1 and Fig. 2.2	all differences statements opposite each other;	J1 Fig. 2.2	[1]
	heading , similarities;				
	feature: D1. folds no. OR packing or gaps or spaces OR surface area (to volume ratio) D2. fold shape Ignore length or height D3. number of layers D4. group of folds D5. lumen/ hollow/ space Similarities/compare clear as 'both are' S1. lumen/hollow/ space S2. folds S3. layers	J1: fewer loosely packed/widely spaced or large gaps small(er) wider or thicker/flat at top or round(ed) more or larg(er) different shapes present	Fig. 2.2: more densely packed/closely packed or small gaps larg(er); thinner or pointed end; few(er); similar shapes; absent;	Must have at least 1 similarity Allow D5 or S1 not both Ticks and crosses require a key	[max 3]

Page 9	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2010	9700	31

Question	Expected Answers	Additional Guidance	Marks
(iv)	Suggest how the structures in Fig. 2.2 are adapted for absorption.		
ACE conclusion	large surface area or microvilli or brush border or good or extensive blood supply or capillary network or lacteals or lymph vessels or selectively permeable;		[1]
(c)	Make a large, labelled drawing of the complete cells shown in the sector on Fig. 2.3.		
PDO layout 1	1 clear, sharp, unbroken lines	AND no shading	[1]
MMO collection 2	2 cells drawn as a group	AND large;	Reject if overlaps text of question
	3 nucleus to right hand side goblet cell touching the membrane	AND narrower at base than top;	
MMO decision 2	4 triangular shape (goblet cell);	AND nucleus tapers;	[1]
	5 Reject if any label is biologically incorrect e.g. cell wall one correct label with label line from nucleus nuclear membrane nucleolus cytoplasm cell membrane microvilli brush border goblet cell columnar epithelium cilia;		[1]
[Total: 19]			