



Cambridge International AS & A Level

BIOLOGY**9700/33**

Paper 3 (Advanced Practical Skills 1)

May/June 2023

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **8** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

PUBLISHED**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<p><u>'List rule' guidance</u></p> <p>For questions that require <i>n</i> responses (e.g. State two reasons ...):</p> <ul style="list-style-type: none">• The response should be read as continuous prose, even when numbered answer spaces are provided.• Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>.• Incorrect responses should not be awarded credit but will still count towards <i>n</i>.• Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.• Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

PUBLISHED**Mark scheme abbreviations:**

; separates marking points

/ alternative answers for the same marking point

R reject

A accept

I ignore

AVP any valid point

AW alternative wording (where responses vary more than usual)

ecf error carried forward

underline actual word underlined must be used by candidate (grammatical variants accepted)

max indicates the maximum number of marks that can be given

ora or reverse argument

PUBLISHED

Question	Answer	Marks						
1(a)(i)	1 at least 3 additional concentrations ; 2 volumes of M and W add up to 10 ;	2						
1(a)(ii)	1 heading for percentage concentration of milk ; 2 heading for time and seconds ; 3 records result for each concentration prepared ; 4 records at least two results for each concentration prepared ; 5 results recorded as whole seconds ;	5						
1(a)(iii)	describes the trend correctly ;	1						
1(a)(iv)	medium risk and copper sulfate is an irritant ;	1						
1(a)(v)	<table border="1" data-bbox="750 679 1525 946"> <thead> <tr> <th data-bbox="750 679 1108 745">error</th> <th data-bbox="1108 679 1525 745">improvement</th> </tr> </thead> <tbody> <tr> <td data-bbox="750 745 1108 842">drops sometimes stick to the side of test-tube ;</td> <td data-bbox="1108 745 1525 842">use a wider vessel ;</td> </tr> <tr> <td data-bbox="750 842 1108 946">drops of milk remain in the milk ;</td> <td data-bbox="1108 842 1525 946">use fresh copper sulfate each time ;</td> </tr> </tbody> </table>	error	improvement	drops sometimes stick to the side of test-tube ;	use a wider vessel ;	drops of milk remain in the milk ;	use fresh copper sulfate each time ;	4
error	improvement							
drops sometimes stick to the side of test-tube ;	use a wider vessel ;							
drops of milk remain in the milk ;	use fresh copper sulfate each time ;							
1(b)(i)	1 x-axis: temperature / °C and y-axis density of milk / arbitrary units ; 2 x-axis: scale 5 to 2 cm, labelled at least every 2 cm and y-axis: scale 4 or 5 to 2 cm, labelled at least every 2 cm, 20 at origin ; 3 correct plotting of 6 points ; 4 6 plots joined with thin line passing through all points, line is either a smooth curve or joined point to point with a straight line ;	4						
1(b)(ii)	correct answer for the density of milk at 23 °C ;	1						
1(b)(iii)	1 between 10 °C and 20 °C the density of milk decreases by 2au (supports hypothesis) ; 2 between 20 °C and 30 °C the density of milk does not decrease by 2au (does not support hypothesis) ;	2						

PUBLISHED

Question	Answer	Marks															
2(a)(i)	1 uses most of the available space and draws minimum number of tissues ; 2 draws the whole root and no cells ; 3 shows two lines around stele ; 4 shows subdivision of stele ; 5 label line and label to the cortex ;	5															
2(a)(ii)	1 uses most of the available space and lines continuous, thin and sharp ; 2 each xylem vessel element touching at least two other vessel elements ; 3 draws one large xylem vessel element and three smaller vessel elements ; 4 two lines around each cell ; 5 label line and label to the cell wall ;	5															
2(a)(iii)	thick walls or large lumen ;	1															
2(b)(i)	uses only observable differences ; any three from : <table border="1" data-bbox="562 818 1711 1145"> <thead> <tr> <th data-bbox="562 818 922 882">feature</th> <th data-bbox="922 818 1339 882">L1</th> <th data-bbox="1339 818 1711 882">Fig. 2.1</th> </tr> </thead> <tbody> <tr> <td data-bbox="562 882 922 946">overall shape</td> <td data-bbox="922 882 1339 946">circular</td> <td data-bbox="1339 882 1711 946">angular ;</td> </tr> <tr> <td data-bbox="562 946 922 1010">trichomes</td> <td data-bbox="922 946 1339 1010">present</td> <td data-bbox="1339 946 1711 1010">absent ;</td> </tr> <tr> <td data-bbox="562 1010 922 1074">palisade mesophyll</td> <td data-bbox="922 1010 1339 1074">absent</td> <td data-bbox="1339 1010 1711 1074">present ;</td> </tr> <tr> <td data-bbox="562 1074 922 1137">stomata</td> <td data-bbox="922 1074 1339 1137">absent</td> <td data-bbox="1339 1074 1711 1137">present ;</td> </tr> </tbody> </table>	feature	L1	Fig. 2.1	overall shape	circular	angular ;	trichomes	present	absent ;	palisade mesophyll	absent	present ;	stomata	absent	present ;	4
feature	L1	Fig. 2.1															
overall shape	circular	angular ;															
trichomes	present	absent ;															
palisade mesophyll	absent	present ;															
stomata	absent	present ;															
2(b)(ii)	vascular bundle in centre ;	1															
2(c)	1 correct measurement of scale bar and line P – Q ; 2 shows length of scale bar divided by 150 ; 3 shows length of line P – Q divided by answer to mp 2 ; 4 correct answer and appropriate units ;	4															