



Cambridge International AS & A Level

BIOLOGY**9700/31**

Paper 3 Advanced Practical Skills 1

October/November 2023

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **7** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

PUBLISHED**GENERIC MARKING PRINCIPLE 5:**

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

PUBLISHED**6** Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same marking point
R	reject
A	accept
I	ignore
AVP	any valid point
AW	alternative wording (where responses vary more than usual)
ecf	error carried forward
<u>underline</u>	actual word underlined must be used by candidate (grammatical variants accepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument

PUBLISHED

Question	Answer	Marks
1(a)(i)	1 states at least five temperatures below 65 °C ; 2 states units as °C ;	2
1(a)(ii)	1 <i>heading for independent variable:</i> temperature / °C ; 2 <i>heading for dependent variable:</i> number of bubbles ; 3 records number of bubbles for stated temperatures in (a)(i) ; 4 correct trend ; 5 number of bubbles recorded to nearest whole number ;	5
1(a)(iii)	number of bubbles ;	1
1(a)(iv)	yellow / orange ;	1
1(a)(v)	pH falling / becoming more acidic ;	1
1(a)(vi)	<i>any two from:</i> 1 (error) using same indicator each time ; (improvement) use separate indicator each time ; 2 (error) bubble size varies ; (improvement) measure volume of gas instead of counting bubbles ; 3 (error) temperature of yeast not measured directly ; (improvement) place thermometer in test-tube ; 4 (error) difficult to identify colour of indicator ; (improvement) use a colorimeter ;	2

PUBLISHED

Question	Answer	Marks
1(b)(i)	1 label on x-axis: concentration of copper ions (/) ppm <u>and</u> label on y-axis: mass of yeast (/) g ; 2 scale on x-axis: 0.2 to 2 cm, labelled at least every 2 cm <u>and</u> scale on y-axis: 4 to 2 cm, labelled at least every 2 cm ; 3 correct plotting of all six points using small crosses or dots in circles ; 4 six plots joined with thin line passing through all points <u>and</u> line is either smooth curve or joined plot to plot ;	4
1(b)(ii)	1 shows on y-axis reading taken at 10 g ; 2 correct reading according to candidate's graph ;	2
1(b)(iii)	1 <i>ref. to changes to shape of active site ;</i> 2 <i>idea of fewer, ESCs / yeast enzymes, unable to bind to substrate ;</i>	2
1(b)(iv)	copper will, reduce growth of yeast / reduce fermentation ;	1

PUBLISHED

Question	Answer	Marks																		
2(a)(i)	1 uses most of the available space <u>and</u> no shading ; 2 draws correct region of stem <u>and</u> no cells ; 3 correct proportions of tissues ; 4 draws at least one subdivision of the vascular bundle ; 5 label line and label to the vascular bundle ;	5																		
2(a)(ii)	1 lines continuous, thin and sharp ; 2 draws one large xylem vessel element ; 3 two lines around each cell <u>and</u> three lines where cells touch ; 4 draws detailed shapes of xylem vessel elements ; 5 label line and label to cell wall ;	5																		
2(b)(i)	1 counts number of stomata in the photomicrograph in Fig. 2.2 ; 2 shows 2000 divided by 0.04 ; 3 correctly calculates number of stomata by multiplying number of stomata in section by 50 000 ;	3																		
2(b)(ii)	repeat / sample more areas ;	1																		
2(b)(iii)	describes only differences that are observable in the photomicrographs ; any three from: <table border="1" data-bbox="338 951 1632 1347" style="margin-left: 20px;"> <thead> <tr> <th data-bbox="338 951 804 1015">feature</th> <th data-bbox="804 951 1256 1015">Fig. 2.3.</th> <th data-bbox="1256 951 1632 1015">Fig. 2.4.</th> </tr> </thead> <tbody> <tr> <td data-bbox="338 1015 804 1078">location of, guard cells / stomata</td> <td data-bbox="804 1015 1256 1078">sunken</td> <td data-bbox="1256 1015 1632 1078">on surface ;</td> </tr> <tr> <td data-bbox="338 1078 804 1142">epidermal cell walls</td> <td data-bbox="804 1078 1256 1142">have thickenings</td> <td data-bbox="1256 1078 1632 1142">no thickenings ;</td> </tr> <tr> <td data-bbox="338 1142 804 1206">size of epidermal cells</td> <td data-bbox="804 1142 1256 1206">cells all similar size</td> <td data-bbox="1256 1142 1632 1206">cells vary in size ;</td> </tr> <tr> <td data-bbox="338 1206 804 1270">cuticle</td> <td data-bbox="804 1206 1256 1270">thick / present</td> <td data-bbox="1256 1206 1632 1270">thin / absent ;</td> </tr> <tr> <td data-bbox="338 1270 804 1347">AVP ;</td> <td data-bbox="804 1270 1256 1347"></td> <td data-bbox="1256 1270 1632 1347"></td> </tr> </tbody> </table>	feature	Fig. 2.3.	Fig. 2.4.	location of, guard cells / stomata	sunken	on surface ;	epidermal cell walls	have thickenings	no thickenings ;	size of epidermal cells	cells all similar size	cells vary in size ;	cuticle	thick / present	thin / absent ;	AVP ;			4
feature	Fig. 2.3.	Fig. 2.4.																		
location of, guard cells / stomata	sunken	on surface ;																		
epidermal cell walls	have thickenings	no thickenings ;																		
size of epidermal cells	cells all similar size	cells vary in size ;																		
cuticle	thick / present	thin / absent ;																		
AVP ;																				
2(b)(iv)	dry environment / AW ;	1																		