

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
GCE Advanced Subsidiary Level and GCE Advanced Level

**MARK SCHEME for the October/November 2010 question paper
for the guidance of teachers**

9700 BIOLOGY

9700/33

Paper 31 (Advanced Practical Skills 1),
maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

| | | | |
|---------------|--|-----------------|--------------|
| Page 2 | Mark Scheme: Teachers' version | Syllabus | Paper |
| | GCE A LEVEL – October/November 2010 | 9700 | 33 |

| Question | Expected Answers | Additional guidance |
|--|---|--|
| 1 (a) (i) Decide on the concentrations of copper sulfate solution you will use in your investigation. [3] | | |
| MMO decisions 3 | [1] any 4 or more (volumes/concentrations); | |
| | [1] (highest concentration) 0.3 to 0.15; | |
| | [1] any three consecutive concentrations (including 0 if present) with two intervals <ul style="list-style-type: none"> • the same • or serial dilution by half • or serial dilution by ten; | |
| (ii) State which variable you will need to control when preparing the plant tissue samples. [1] | | |
| MMO decision 1 | length or surface area or size or dimensions or volume; Allow methylene blue | |
| (iii) Describe how you will control this variable and prepare the samples of plant tissue. [2] | | |
| MMO decisions 2 | [1] (control) measure cut (methylene) rinsing/washing | the same any example of length 3 cm or less/size; excess |
| | [1] (prepare samples) use of scalpel/knife or ruler; (methylene blue) water | |

| | | |
|--|-----|--|
| (iv) Prepare the space below and record your observations. | | [5] |
| PDO recording 2 | [1] | <p>Reject</p> <ul style="list-style-type: none"> if units for % in body of table other units e.g. mol dm⁻³ <p>table with all cells drawn</p> <p>AND heading (top or left) percentage conc(entration);</p> |
| | [1] | <p>Reject</p> <ul style="list-style-type: none"> if headings/columns for method/volumes/time 5 mins or size/lengths (heading) colour or observations or description; <p>(records clear separate observations/colours) after/during 5 min/before mixing</p> <p>AND after mixing (after/at 5 min);</p> |
| MMO Collection 2 | [1] | difference in the strength of colour between the first and last test-tube observations; |
| MMO decision 1 | [1] | 5 or more concentrations or observation for water or replicate recorded; |
| (v) Suggest how copper sulfate solution affects plant cell membranes. | | [1] |
| ACE conclusion 1 | [1] | <p>In correct context of increasing or just copper sulfate</p> <p>Idea of damages or destroys</p> <p>or makes more</p> <p>denatures</p> <p>(increases copper sulfate) } increases (decreases copper sulfate) } decreases</p> <p>(increases copper sulfate) } decreases (decreases copper sulfate) } increases</p> <p>it or ((cell) membrane(s)) phospholipid(s) fluid mosaic (model/structure)</p> <p>(fully) permeable</p> <p>protein</p> <p>fluidity permeability</p> <p>selective permeability;</p> |

| | | | |
|--------|-------------------------------------|----------|-------|
| Page 4 | Mark Scheme: Teachers' version | Syllabus | Paper |
| | GCE A LEVEL – October/November 2010 | 9700 | 33 |

| | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|----------------|-------|---------------------------------|--|---------------------------------------|--|------------|--|---|---------------------------------|---|-----------|---------------------------------------|---|--------------------------------------|--|
| (vi) Identify three significant sources of error in your investigation. [3] | | | | | | | | | | | | | | | | | | | |
| ACE interpretation MAX 3 | <table border="1"> <tr> <td style="width: 50%;">Reject temperature pH evaporation any errors which affect all test-tubes equally</td> <td style="width: 50%;"></td> </tr> <tr> <td>Cause of error</td> <td>Error</td> </tr> <tr> <td>[1] (dependent) qualitative;</td> <td></td> </tr> <tr> <td>[1] colour/colour change/observations</td> <td>difficult judging seeing; qualitative;</td> </tr> <tr> <td>[1] mixing</td> <td>more difficult to judge colour/colours the same;</td> </tr> <tr> <td>[1] (standardised variables) potato or position in potato or age or storage</td> <td>not same different/variety old;</td> </tr> <tr> <td>[1] lengths/size/surface areas/volumes Allow mass</td> <td>not same;</td> </tr> <tr> <td>[1] staining/washing/handling/forceps</td> <td>not same loses stain damages potatoes ends not stained or middle more stain;</td> </tr> <tr> <td>[1] potato/samples (into test-tubes)</td> <td>time not same/delayed time/hot at same time;</td> </tr> </table> | Reject temperature pH evaporation any errors which affect all test-tubes equally | | Cause of error | Error | [1] (dependent) qualitative; | | [1] colour/colour change/observations | difficult judging seeing; qualitative; | [1] mixing | more difficult to judge colour/colours the same; | [1] (standardised variables) potato or position in potato or age or storage | not same different/variety old; | [1] lengths/size/surface areas/volumes Allow mass | not same; | [1] staining/washing/handling/forceps | not same loses stain damages potatoes ends not stained or middle more stain; | [1] potato/samples (into test-tubes) | time not same/delayed time/hot at same time; |
| | Reject temperature pH evaporation any errors which affect all test-tubes equally | | | | | | | | | | | | | | | | | | |
| | Cause of error | Error | | | | | | | | | | | | | | | | | |
| | [1] (dependent) qualitative; | | | | | | | | | | | | | | | | | | |
| | [1] colour/colour change/observations | difficult judging seeing; qualitative; | | | | | | | | | | | | | | | | | |
| | [1] mixing | more difficult to judge colour/colours the same; | | | | | | | | | | | | | | | | | |
| | [1] (standardised variables) potato or position in potato or age or storage | not same different/variety old; | | | | | | | | | | | | | | | | | |
| | [1] lengths/size/surface areas/volumes Allow mass | not same; | | | | | | | | | | | | | | | | | |
| | [1] staining/washing/handling/forceps | not same loses stain damages potatoes ends not stained or middle more stain; | | | | | | | | | | | | | | | | | |
| | [1] potato/samples (into test-tubes) | time not same/delayed time/hot at same time; | | | | | | | | | | | | | | | | | |
| max 3 | | | | | | | | | | | | | | | | | | | |

| | | | |
|--------|-------------------------------------|----------|-------|
| Page 5 | Mark Scheme: Teachers' version | Syllabus | Paper |
| | GCE A LEVEL – October/November 2010 | 9700 | 33 |

| | | |
|---|--|-------|
| (vii) Suggest how you would make <i>three</i> improvements to this investigation. | | [3] |
| ACE improvements MAX 3 | [1] same potato or position in same age or storage or fresh use micrometer/cork borer/Vernier callipers/ruler with smaller divisions; | |
| | [1] leave in methylene blue longer/stronger concentration/more than 5 minutes idea of wash more; | |
| | [1] more/wider/narrower/different/examples range of concentrations or use burette or graduated pipette or smaller syringe or with smaller divisions; | |
| | [1] stagger start or do individually or use more stop clocks or use help; | |
| | [1] colorimeter or datalogger with light sensor; Reject calorimeter | |
| | [1] repeat or replicate; | max 3 |
| [Total: 18] | | |

| | | | |
|--------|-------------------------------------|----------|-------|
| Page 6 | Mark Scheme: Teachers' version | Syllabus | Paper |
| | GCE A LEVEL – October/November 2010 | 9700 | 33 |

| | | | |
|---|-----|---|---|
| 2 (a) (i) Draw a large plan diagram of a quarter of the specimen as shown in Fig. 2.1. Label the endodermis and cortex. [5] | | | |
| PDO layout 1 | [1] | <p>Reject</p> <ul style="list-style-type: none"> if drawn over the print of question | |
| | | <p>Reject</p> <ul style="list-style-type: none"> thick lines–than grid feathery lines 3 'tails' or overlaps or gaps | <p>AND</p> <p>no shading</p> |
| | | <p>clear, sharp, unbroken lines</p> | <p>AND</p> <p>uses most of space provided;</p> |
| | | <p>no additional cells drawn</p> | <p>AND (epidermis shows) only the correct quarter;</p> |
| MMO collection 3 | [1] | epidermis drawn with two lines 3 mm or closer for most of length; | |
| | [1] | innermost line is wavy/undulating line; | |
| | [1] | | |
| MMO decision 1 | [1] | <p>Reject</p> <ul style="list-style-type: none"> if any label is biologically incorrect e.g. regions belonging to other organs or animals. label within drawn area | |
| | | correct label with label lines to cortex and endodermis ; | |

| | | | |
|--------|-------------------------------------|----------|-------|
| Page 7 | Mark Scheme: Teachers' version | Syllabus | Paper |
| | GCE A LEVEL – October/November 2010 | 9700 | 33 |

| | | | |
|---|-----|--|---|
| (ii) Make a high-power drawing of one large xylem vessel and the single layer of cells touching a quarter of the vessel's circumference. Labels are not required. [5] | | | |
| PDO layout 1 | [1] | <p>Reject</p> <ul style="list-style-type: none"> if drawn over the print of question <p>Reject</p> <ul style="list-style-type: none"> thick lines – than on grid feathery lines 4 'tails' or overlaps or gaps if double lines for all cells 1 if single line for any cell | <p>AND no shading</p> <p>AND uses most of space provided;</p> |
| | | <p>clear, sharp, unbroken lines</p> <p>one xylem vessel drawn</p> <p>Ignore band inside</p> | <p>AND only single layer of surrounding cells ;</p> |
| MMO collection 3 | [1] | <p>Reject if layer of cells all round xylem vessel</p> <p>If xylem vessel not circular/polygonal (surrounding cells)</p> <p>(single layer) three to eight cells in a layer only; Allow not touching.</p> | |
| | [1] | <p>Reject any spaces if single line for cell walls.</p> <p>any gaps between cell walls – floating cells</p> <p>(all cells including xylem vessel)</p> <p>no enclosed spaces more than 1mm between adjacent double cell walls;</p> | |
| PDO recording 1 | [1] | <p>cell walls drawn as double lines with middle lamella between three adjacent cells from surrounding cells;</p> | |

| | | | |
|--------|-------------------------------------|----------|-------|
| Page 8 | Mark Scheme: Teachers' version | Syllabus | Paper |
| | GCE A LEVEL – October/November 2010 | 9700 | 33 |

| (b) Prepare the space below so that it is suitable for you to record the observable differences between the specimens on K1 and that in Fig. 2.2. [4] | | | |
|---|-----|--|--|
| P.D.O recording | [1] | organise as a table/Venn diagram/ruled boxes | K1 Fig.2.2 |
| | | AND headed K1 and Fig.2.2 | AND first difference opposite each other; |
| ACE interpretation 3 | | feature | |
| | [1] | 1 epidermis | Fig.2.2 no hairs/trichomes; |
| | [1] | 2 cortex | thin(ner) or few(er); |
| | [1] | 3 endodermis | no(one)absent/less; |
| | [1] | 4 pericycle | no(one)/absent; |
| | [1] | 5 vascular bundles } xylem | no(one)/absent; |
| | [1] | 6 thickened cells/ sclerenchyma Allow collenchymas bundle sheath/AW | scattered/AW/towards edge/yes/present/more; |
| | [1] | 7 pith pith/centre cells | yes/present; |
| | [1] | 8 air spaces/lenticels stomata | no(one)/absent; yes/present; |
| | | | |

Ignore

- tick and cross without a key
- ref. to non-observable features
- 3D shapes

| | | | |
|--------|-------------------------------------|----------|-------|
| Page 9 | Mark Scheme: Teachers' version | Syllabus | Paper |
| | GCE A LEVEL – October/November 2010 | 9700 | 33 |

| | | | | |
|--------------|--|---|-----------------|-----|
| PDO layout 4 | | (c) (i) Plot a chart of the data shown in Table 2.1. MAX 2 for O and S if line graph drawn | | [4] |
| O | x-axis content(s) | AND y-axis conc(entrations in) phloem or sieve tube/element (/) $\mu\text{g cm}^{-3}$; | Must have units | |
| [1] | | | | |
| S | scale as even widths to 2 cm | Reject scale on y-axis any other than 20 to 2 cm. AND y-axis <u>20 to 2 cm</u> ; | | |
| [1] | | | | |
| P | Reject if y-axis scale is awkward if bars arranged differently from order of table if horizontal lines are too thick – 1mm/half square or not clear Allow bars if scale 20 to 2 cm. even if not 0 25 to 2 cm correct plotting of each bar; | horizontal top line must be clear, sharp and ruled to show plot line must be on horizontal line for sucrose line must be between two lines for all other contents | | |
| [1] | | | | |
| L | each bar separate if vertical lines only then must be at least 1 cm apart. | AND quality – vertical lines no thicker than on grid, not feathery for the complete line; bars – <ul style="list-style-type: none"> • <u>ruled lines</u> Reject <u>irregular thickness</u> • labelled clearly with contents – any clear labels e.g. chemical formulae NH_4, Ca, Mg, Na or mixture – underneath, must be directly below correct bar or inside bar or shaded with key. Reject solid shading if line shading outside a bar | | |
| [1] | | | | |

| | | | |
|---------|-------------------------------------|----------|-------|
| Page 10 | Mark Scheme: Teachers' version | Syllabus | Paper |
| | GCE A LEVEL – October/November 2010 | 9700 | 33 |

| | |
|---|--|
| (ii) Calculate the percentage difference between the concentration of calcium ions in the xylem vessels and the concentration of calcium ions in the phloem sieve tube elements. [2] | |
| PDO display 2 | [1] shows subtraction $(190 - 85)$ divided by 190 multiplied by 100; (190/190 – 85/190) × 100 or (1 – 85/190) × 100 |
| | [1] Reject if no working Allow any answer less than 100 to no more than 3 significant figures 1 decimal place AND percentage/%; |
| (d) Suggest why there is 120 µg cm⁻³ of sucrose in the phloem sieve tube elements. [2] | |
| ACE conclusions MAX 2 | [1] (phloem sieve tube elements) (sucrose) transported leaf(ves)/allow type of leaf cell/source to roots/other tissues/sink(s); (detail) <u>load</u> (ed) (in source) or (transported by) mass flow/bulk transport/translocation (sucrose) too large to move out of phloem or sieve tubes or xylem walls impermeable; |
| | [1] [Total: 22] |