CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the October/November 2012 series

9700 BIOLOGY

9700/36 Paper 3 (Advanced Practical Skills 2), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| Page 2 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9700 | 36 |

Mark scheme abbreviations:

; separates marking points

I alternative answers for the same point

R reject

A accept (for answers correctly cued by the question, or by extra guidance)

AW alternative wording (where responses vary more than usual)

<u>underline</u> actual word given must be used by candidate (grammatical variants excepted)

max indicates the maximum number of marks that can be given

ora or reverse argument

mp marking point (with relevant number)

ecf error carried forward

I ignore

ACE Analysis, Conclusions and Evaluation (skills)

MMO Manipulations, Measurement and Observation (skills)

PDO Presentation of Data and Observations (skills)

| Page 3 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9700 | 36 |

| 1 (a |) (i) | | [3] |
|--------------------|-------|--|--|
| MMO decisions 3 | [1] | cuts two blocks which are different from $10 \times 10 \times 5$ mm (400mm^2) | AND dimensions OR surface area of blocks 2 and 3 are smaller than block 1; |
| deci | [2] | each surface area column co | rrectly completed;; |
| | (ii) | I | [5] |
| 2 | mp 1 | table with all cells drawn | AND heading (top row or column to left of recorded data) surface area (/) mm ² ; |
| PDO recording 2 | | Can have no outer boundary Ignore block/additional columns (results for U) notes outside the area | Do not give mark if units mm² in cells of headed column other units e.g. cm² no heading for surface area or cm² SA two rows in one cell |
| mp 2 | | (heading for any column/row including mean) only time (with) s or sec(onds); e.g. time and observation in same heading | |
| | | Ignore • if have columns/rows for blocks or observations e.g. colour • any notes outside area • headings for blocks • t or T | Do not give mark if volume units in cells of this column/row/other notation e.g. 35' min(utes) ref. to width/length/depth or method information or in cells e.g. width, length, depth and surface area in the one cell ref. to U ref. to temperature |
| n 2 | mp 3 | | corded time) records whole numbers only for ANY three any whole number less than 360 or records > or 'more |
| MMO collection 2 | | Must have • whole numbers between 3 and 360/'more than 360' | Do not give mark if • 'less than 360' • time recorded as 0:51 |
| | mp 4 | replicates for all three surface | e areas (six times); |

| Page 4 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9700 | 36 |

| MMO decision 1 | mp 5 | calculates mean OR rate for all surfac | e areas; |
|--------------------------|-------|--|--|
| | (iii) | | [2] |
| | | cause of error | WITH idea of error |
| n max 2 | mp 1 | loss of colour/or describe | judge observe see identify determine subjective different/varies/not same; |
| ACE interpretation max 2 | mp 2 | handling e.g. using the mounted needle | gave 'hole' describes damage/ increases or changes surface area; |
| ACE inte | mp 3 | temperature | different/varies/not same drops/decreases/changes; |
| | mp 4 | blue colour/staining of blocks or orientation in test-tube/ block touches the sides of the test tube | not dark enough/uneven or blotchy/ decreases/changes the surface area; |
| | mp 5 | cutting the blocks | difficult to get correct size/accurate; |
| | (iv) | | [3] |
| ements max 3 | mp 1 | idea of using more or different or wider examples OR repeats/replicates//more readings; | narrower range of surface areas/sizes or |
| ACE improvements max | mp 2 | (method to keep surface area constant) use 'cutter'/use a machine use sharper (scalpel) use Vernier calliper use moulds; | |

| Page 5 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9700 | 36 |

| | mp 3 | (standardised variables) (how water temperature is maintained temperature maintained in thermostatior described using heating or different/'fresh' water at desired temperature. | cally(-controlled) water-bath |
|--------------|----------|--|---|
| | | | |
| | mp 4 | staining for longer/shorter/use darker/l | ighter stain; |
| | mp 5 | use a flat/shallow container/beaker and | d make sure blocks same way up; |
| | mp 6 | use spoon/forceps to prevent damage | to block; |
| (b |) (i) If | draw chart then max 1 for O. | [4] |
| PDO layout 4 | S | x-axis time (/) s(econds) AND y-axis speed of (the) bubble (/) cm s ⁻¹ or cm/s or cm per second; scale on x-axis 5 to 2cm labelled each 2 cm except origin and 30 AND y-axis 2 to 2 cm labelled each 2 cm except origin and 8; | ecf if no labels for O or if reverse O then scale must use more than half grid for both x and y Allow speed of bubble 1 to 2 cm (3 at origin) AND time 10 to 2 cm ONLY Ignore symbol for break in y-axis Must have Iabel of value of origin if zero not at origin Do not give mark if awkward scale |
| | Р | correct plotting of <u>5</u> points as small cross (lines less than 4 mm each) or dot (in circle) or cross in circle to within half a square Can have ecf if x-axis not 0 if scale 5 to 2cm even | Do not give mark if the plot for the reading-off point is the same as for the five plotting points awkward scale. ANY blobs or dots alone ANY cross too large |

| Page 6 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9700 | 36 |

| | L | five plots with ruled lines exactly point to point AND (quality) smooth line less than 1 mm thick; Can have ecf from incorrect P | Do not give mark if any feathery line any irregular thickness any extrapolation either end |
|---------------------|------|---|---|
| | (ii) | | [2] |
| n 1 | mp 1 | shows on graph where reading taken o | ff at 10 seconds; |
| MMO collection 1 | | Can have mark if same as other plotted points one or two lines on graph with x and y axes incorrectly orientated | bo not give mark if shown two lines on graph (given choice of two lines anywhere on graph) |
| | mp 2 | correct reading from graph accurate to value of half square | AND (cm s ⁻¹ or cm/s or cm per second); (Do not give cm/s ⁻¹) |
| ACE interpretation1 | | value e.g. 0.1 Iine crosses nearer right horizontal value of right horizontal | |

| Page 7 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9700 | 36 |

| | (iii) | | [3] |
|-----------------|-------|--|---------|
| | mp 1 | (between 12 and 17 seconds) | |
| | | starch is being hydrolysed/broken down by the enzyme; | |
| <u>ب</u> | mp 2 | (between 25 and 30 seconds) | |
| ACE conclusions | | hydrolysis (almost) ended/almost finished/no more starch or starch all hydrolysed/broken down or limiting (factor) or nearly zero/hardly any left; | |
| S E S | mp 3 | (either 12-17 seconds or 25-30 seconds) | |
| AC | | correct ref. to active sites used or ESCs (substrate binding); | |
| | | Do not give mark for | |
| | | [Tot | al: 22] |



| 2 (a |) (i) | | [5] |
|--------------|-------|--|-----|
| | mp 1 | quality of plan diagram with clear, sharp, unbroken lines; | |
| | | Do not give mark if | |
| | | drawn over the print of question | |
| | | any shading anywhere | |
| ut 1 | | any ruled lines | |
| ауо | | smaller than 60 mm across widest point | |
| PDO layout 1 | | (from outermost line to innermost line) | |
| Ф. | | • if less than three hand drawn lines AND at least one enclosed area (best vascular bundle) | st |
| | | if any of the three outermost lines and any one outer line of enclosed area h • any line 1mm or thicker | nas |
| | | any feathery line or broken/dashed line or gaps | |
| | | any 'tails' or overlaps | |

| Page 8 | Page 8 Mark Scheme | | Paper |
|--------|--|------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9700 | 36 |

| MMO collection 2 | mp 2 | no cells drawn AND sector plus at least one vascular bundle drawn; | | |
|---------------------|------|---|--|--|
| MO colle | | Ignore • outline being curved | | |
| M | mp 3 | the outermost line AND at least three inner lines comprising the 'epidermal layers'; | | |
| | mp 4 | (vascular bundle) drawn with at least three enclosed areas AND tapering (inner phloem narrower than outer phloem, NOT symmetrically oval); | | |
| MMO decision 2 | mp 5 | labels <u>phloem</u> with ruled line touching line around enclosed area or ending inside enclosed area in vascular bundle with at least three regions where middle region is the widest (either outer or inner region); | | |
| MMO | | Ignore any labels identifying tissues associated with plant Do not give mark if any label which is biologically incorrect e.g. from animal any label within drawn area | | |
| | (ii) | [4] | | |
| PDO layout 1 | mp 1 | quality of drawing with clear, sharp, unbroken lines; Do not give mark if drawn over the print of question enclosed in an outline (VB) any shading anywhere any ruled lines if smaller than 50mm across widest cell if less than 3 cell outlines either of the outermost lines of the two largest enclosed areas have any line 1mm or thicker (use grid) any feathery line or broken/dashed or gaps any 'tails' or overlaps | | |
| MMO collection 2 | mp 2 | only two largest enclosed areas do not give mark if enclosed areas drawn AND at least two smaller vessels; for the two largest enclosed areas do not give mark if any enclosed areas/cell structures regions of vascular bundles are drawn (see exemplar E in standardisation) | | |
| MMC | mp 3 | for both largest enclosed areas the cell walls must have double lines; | | |
| MMO decision 1 | mp 4 | labels <u>lumen</u> with ruled line inside enclosed area within xylem cell; Do not give mark if any label (apart from xylem vessels and xylem cells) other than lumen any label within drawn lines | | |

| Page 9 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9700 | 36 |

| (b) | (b) (i) [4] | | | | |
|---|---|--|--|--|--|
| MMO decision 1 | mp 1 | or o | AND the same number of smaller values all less than the large values AND draws and measures a line across at least five cells; | | |
| MMO collection 1 | mp 2 | for width and length shows at least once on raw data OR where added up units mm or cm | either whole number mm or to 0.5 mm OR whole cm or to 0.05 cm; | | |
| | mp 3 shows either for width AND length shows addition and division by number of measurer OR for width one measurement divided by the number of cells AND for length and division by number of measurements; | | | | |
| Do not give mark if use different units for width and length conversion to metres conversion to μm mp 4 any number shown to lowest common denominator either as larger whole number: or to smaller whole number | | | | | |
| PDO d | mp 4 any number shown to <u>lowest common denominator</u> either as larger whole number: or <u>to</u> smaller whole number | | | | |
| | | OR | | | |
| as a fraction, larger number over smaller number; Do not give mark if only give ratio with no working shown | | | | | |

| Page 10 | Mark Scheme | Syllabus | Paper |
|---------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2012 | 9700 | 36 |

| | (ii) | | | | [5] |
|--|---------|---|---|--------------------------------------|--|
| ng 2 | mp 1 | organise as a table with only three columns or rows separated by lines (no cells needed) Ignore number column AND headings in any order only cortex and xylem AND | | | |
| PDO recording | | third column contains features; features cortex xylem either way round and other column to left, right or in middle | | | |
| mp 2 only observable differences (at least two) recorded; Do not give mark if any similarities or function recorded living versus dead ref. to cell membrane ref. to end walls/pits/pores | | | | | |
| | [max 3] | mp | feature | cortex | xylem |
| ACE interpretation max 3 | | 1 | nuclei | visible/present (ignore more nuclei) | not visible/absent; (ignore fewer nuclei) |
| | | 3 | ratio of length to width/ length width cell wall | low(er) shorter wider thin | high(er) longer narrower; thick; |
| | | 4 | bands (of lignin)/ staining/colour | absent/brown/ different | present/red/different; |
| | | 5 | cell contents/ cytoplasm/ vacuole/lumen/hollow | present any difference | absent any difference; |
| | | 6 | number of cells/packing | more/closely packed | few(er)/loosely packed; |
| | | | | | [Total: 18] |