

Cambridge International Examinations Cambridge International Advanced Subsidiary and Advanced Level

## BIOLOGY

9700/53 May/June 2016

Paper 5 Planning, Analysis and Evaluation MARK SCHEME Maximum Mark: 30

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

 $\circledast$  IGCSE is the registered trademark of Cambridge International Examinations.

Page 2	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9700	53

Mark scheme abbreviations:

;	separates marking points
/	alternatives answers for the same point
R	reject
A AW	accept (for answers correctly cued by the question, or extra guidance) alternative wording (where responses vary more than usual)
<u>underline</u> max	actual word given must be used by candidate (grammatical variants accepted) indicates the maximum number of marks that can be given
ora	or reverse argument
ecf	error carried forward

- I ignore
- mp marking point (with relevant number)

Question	Expected answer	Extra guidance	Mark
1 (a) (i)	distance from the pond;	A position from pond I ref. to distance from starting point	
	distribution/abundance/numbers, of (different), species of plant/types of plant/sorts of plant/land plants ;	A distribution/abundance/numbers, of the plants	[2]
(ii)	any 8 from: 1 use a (named) transect ;	<ul> <li>A belt (interrupted or continuous) or line transect.</li> <li>A description in terms of a line/AW</li> </ul>	
	2 method of measuring, transect/line;	<b>A</b> <i>idea of</i> use of either one or two measuring tapes, e.g. string with measured marks	
	3 ref. to distance/length, of transect ;	<b>A</b> <i>idea of</i> until the plants no longer change <b>A</b> stated distance, 10 m minimum	
	4 <i>ref. to</i> selecting where around pond to place the transect(s) ;		
	5 <i>ref. to</i> suitable sampling technique ;	e.g. (frame) <u>quad</u> rat/point frame/point <u>quad</u> rat <b>A</b> description <b>A</b> diagram I quadrant/quadrent I a square/square shape, unqualified <b>A</b> look at/observe, what is touching the line for a line transect	
	6 <i>ref. to</i> sampling intervals (in context of transect / line) ;	<ul> <li>A continuous sampling</li> <li>A (stated) regular intervals for an interrupted transect</li> <li>I fixed intervals unless qualified</li> <li>R any random placing, e.g. throwing/use of random numbers</li> </ul>	
	7 use of, same/stated size, quadrat/frame/point frame/sample area ;	A if size of quadrat/frame/sample area is stated as between $0.25 \text{ m}^2 - 1 \text{ m}^2$ size I controlled size unqualified	

		Page 4	Mark Schei	me	Syllabus	Paper		
			Cambridge International AS/A	Level – May/June 2016	9700	53	]	
8	ref.	<i>to</i> method t	o identify (the different) species ;	e.g. photographs/(dichotomo guide/book/AW <b>A</b> species identified as A, B, 0		o/expert/n	ature	
9	ref.	<i>to</i> method o	of estimating abundance/distribution ;	counting/density/percentage (ACFOR or equivalent)/cover Blanquet)/presence or absen	-abundance			
10		<i>to</i> care take cies ;	en not to miss, low growing/AW,					
11	repl	icate transe	ect (at least once) ;	I repeat in the same transect A repeat, steps/the transect/ point (round the pond)	the experim	ient at a dif	fferent (start)	
12	sam	ple at differ	rent times of, year/seasons ;					
13	•	1 from:	y/getting lost <b>and</b> staying with a	<i>need risk plus precaution</i> I low/high risk				
		allergy to p clothing ;	lants <b>and</b> wearing gloves/protective					
		allergy to p taking med	ollen/hay fever <b>and</b> wearing mask or lication ;					
		described/	gerous environment hazardous plants/hazardous animals ng suitable shoes/protective pellent ;					[max 8]

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9700	53

(b) (i)	$\Sigma D^2 = 317$ ;	<b>A</b> 317.0/317.00	[1]
(ii)	$(6 \times \Sigma D^2 =)$ 1902 and $(n^3 - n =)$ 990 ;	<b>A</b> one mark for the formula: $r_s = \frac{1 - 1902}{990}$	
	$r_s = (1 - 1.92 =) - 0.92;$	<b>A</b> –0.9 <b>or</b> – 0.921 <b>R</b> –.90 ecf from ( <b>b</b> )( <i>i</i> ) ecf to max 1 if one or both of calculations ( $6 \times \Sigma D^2 =$ ) and ( $n^3 - n =$ ) are wrong	[2]
(iii)	there is a negative correlation/as soil water increases the number of species decreases/ora ;	ecf from (b)(i) A correct interpretation of r <sub>s</sub> value calculated A negative association/inverse relationship/inversely proportional, for correlation I significant/not significant I qualifications 'strong' or 'weak'	[1]
(c) (i)	evidence that the students used the probability table for 10 pairs of data ;	A if critical values 0.648 and 0.794 are used	
	the $r_{\rm s}$ value is greater than the critical values at 5% and at 1%/ora ;	A $r_s$ value is greater than actual critical values 0.648 and 0.794 A ecf for wrong number of pairs A $r_s$ value is greater than actual values at p/probability = 0.05 and 0.01 I <i>ref. to</i> left/right	[2]
(ii)	<i>idea that</i> Spearman's rank correlation only shows there is a relationship not a cause/effect ;	I ref. to 'not due to chance' (must have positive idea of correlation/relationship)	
	<ul> <li>any 1 from:</li> <li>sampling/transect(s), may be unrepresentative of the whole area ;</li> </ul>	I do more samples/not enough replicates were taken	
	other (named) biotic/abiotic/environmental	I other factors influence the data (factor must be qualified)	

				Page 6	Mark Sche	me	Syllabus	Paper	]	
					Cambridge International AS/A	Level – May/June 2016	9700	53	]	
				factors may be plants ;	e contributing to distribution of	A other environmental/biotic named factors : soil pH, light, moisture/water, grazing, wind salts/humus, soil organisms, I nutrients I any <i>ref. to</i> stats e.g. need to	/light intensi d, minerals/ pathogens,	ty, slope, t ions/mine effluent/h	emperature, (soil) ral salts/ erbicide	[max 2]
									Total:	[18]
2	(a)	(i)	any 1	/ 3 from: body, mass/weig	jht;	I amount <i>throughout</i> I mass/ A mass/weight of rats I biom			5	
			2	age;						
			3	number in each (	test) group ;					
			4	ref. to sex (compo	osition of the groups) ;	A all same sex or equal numl A gender	bers of each	sex		
			5	species/variety/t rat);	type/genetic strain/breed /AW (of	Agender				
			6	factor that might a	affect dopamine secretion;	A stress/diet/food/water/en	vironmental	temperatu	ire	
			7	volume of nicotine	e used ;	I body temperature				
			8	concentration of s	saline ;					
			9	volume of saline	,					
			10	volume of topiran	nate ;					
			11	each high concer same concentrati	ntration of topiramate (should be the ion) ;	A each low concentration (Gr I concentration of topiramate		ld be the s	ame for each rat	
			12	time between giv	ing the, treatments/topiramate or	A time treatments are given				

PMT

Page 7	Mark Scheme	Syllabus	Paper
	Cambridge International AS/A Level – May/June 2016	9700	53

	<ul> <li>saline, and nicotine ;</li> <li>13 time between giving, treatments / nicotine / topiramate / saline, and measuring the concentration of dopamine ;</li> <li>14 method of administration of, nicotine / topiramate / treatment ;</li> </ul>		[max 3]
(ii)	<i>control groups 1 and 5</i> to see if/show that/test that, topiramate is, causing the effect/blocking secretion of dopamine/blocking secretion of (pleasure and reward) chemicals ; <i>control group 4</i> to show any effect that topiramate has, on its own/without nicotine ;	<ul> <li>A to show that saline solution on its own does not have an effect on/block secretion of dopamine/(pleasure and reward) chemicals</li> <li>R increase in dopamine</li> <li>A to see if there is a relationship between topiramate and dopamine secretion</li> <li>A <i>idea of</i> in context of, rats never given nicotine/'normal' rats</li> </ul>	[2]
(b)	group 5 pre-treatment = 280 (% increase) and group 1 no pre-treatment = 64 (% increase) ; 35:8 ;	A figures in a formula A 8:35 <i>if clear which is which</i> A 4.375:1/4.38:1/4.4:1/4:1 A quotients 4.375/4.38/4.4/4 A fractions 35/8/4.375/1/4.38/1/4.4/1/4/1 R units or % in final ratio ecf if graph misread <i>for one mark</i>	[2]
(c)	<ul> <li>any 3 from:</li> <li>1 (topiramate / it), reduces the release of dopamine (from the brain);</li> <li>2 the higher the concentration of topiramate, the greater the reduction / the lower the secretion (of dopamine);</li> </ul>	A inhibits/blocks A reduces the (dopamine) response/AW A inhibits/blocks	

	Page 8	Mark Sche	me	Syllabus	Paper	
		Cambridge International AS/A		9700	53	
	secretion, is low nicotine (280%	e) reduction/drop, in dopamine /er in the rats pre-treated with to 120% = 57%) (than in rats not pre- ptine) (64% to 16% = 75%) ora ;	A references to addicted / no	n-addicted ra	ats	
		ed rats/group 6, (high concentration ramate reduces the response by	<b>A</b> by 57%/by approximately	half		
		out pre-treatment/group 2, (low on of) the topiramate reduces the y 40% ;	<b>A</b> by 63% / by approximately	two thirds		
		out pre-treatment/group 3, (high on of) the topiramate reduces the y 48% ;	A by 75% / by three quarters			[max 3]
(d)		<i>W</i> , so smokers, gain less from ment/become less addicted/likely to				
		affects, more than one/all/three so has a cumulative/additive effect addiction) ;	A because it has an effect of bigger/larger/further/AW, e		one chemical it has a,	[2]
					Total:	[12]