

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
GCE Advanced Subsidiary Level and GCE Advanced Level

MARK SCHEME for the May/June 2012 question paper
for the guidance of teachers

9700 BIOLOGY

9700/52

Paper 5 (Planning, Analysis and Evaluation),
maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	52

Mark scheme abbreviations:

;	separates marking points
/	alternative answers for the same point
R	reject
A	accept (for answers correctly cued by the question, or by extra guidance)
AW	alternative wording (where responses vary more than usual)
<u>underline</u>	actual word given must be used by candidate (grammatical variants excepted)
max	indicates the maximum number of marks that can be given
ora	or reverse argument
mp	marking point (with relevant number)
ecf	error carried forward
I	ignore

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	52

Question	Expected answer	Extra guidance	Mark
1 (a) (i)	<i>independent</i> : type / source of pollen ; <i>dependent</i> : number / number of chromosomes (in the embryo / seeds) ;	allow species B and C (pollen) do not allow: species unqualified do not allow amount	[2]
(ii)	idea of: the type / source of pollen on the stigma ;	allow independent variable do not allow: pollination unqualified	[1]
(b) (i)	ref. to: a suitable method of collecting pollen and transferring (to stigma) ;	<i>looking for a 'how' and a 'where'</i> . allow any method that would work e.g. brush / sticks / cotton wool buds or shaking anthers onto stigma, into bag containing the flower, into dish and then picking up on stigma. Ignore vacuum pumps and pollen traps.	[1]
(ii)	pollen or plant allergy / described allergic reaction and method of preventing pollen or plant contact ;	<i>method should relate to (b)(i) answer</i> e.g. wearing mask / doing pollen transfer in a fume cupboard / environmental chamber. wearing gloves or goggles for skin or eye irritation allow scalpels / knives if used to remove anthers and cutting on a tile / away from body / keeping blades covered	[1]

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	52

(c)	<p>max 5 of:</p> <ol style="list-style-type: none"> 1. ref. germinating / growing seeds (to cause cell division) ; 2. ref. to using a region, showing cell division / mitosis / named example ; 3. ref. to a means of separating the cells / cutting sections / squashing; 4. ref. to staining / dying / (correct) named stain; 5. ref. to using microscope at high power / high magnification / $\times 400$; 6. idea of: (counting) chromosomes at a <u>named</u> suitable stage of mitosis ; 7. ref. to (counting) several <u>different</u> embryos; 	<ol style="list-style-type: none"> 1. allow ref. to removing (whole or part of the) embryo 2. e.g. root tips / shoot tips / meristem / radicle / plumule do not allow: fruit 3. allow ref. of maceration / heating do not allow: centrifuging / grinding / scraping cells from an embryo 4. e.g. aceto-orcein, aceto-carmin, methylene blue do not allow iodine / ink / food dye / ninhydrin ignore glycerol; 5. allow any magnification from $\times 250$ to $\times 1000$ do not allow electron microscopes 6. e.g. anaphase or metaphase, allow prophase do not allow stages of meiosis 	[max 5]
(d)	<p>max 3 of:</p> <ol style="list-style-type: none"> 1. cross A \times B the chromosome <u>number</u> is a half the chromosome number of each parent ; 2. (due to) fusion of <u>gametes</u> with 6 chromosomes and gametes with 10 chromosomes ; 3. idea that, gametes / AW, are produced by meiosis OR idea that chromosome number is halved by meiosis ; 4. cross A \times C the chromosome number is double the (expected) hybrid number / is tetraploid; 5. idea that mitosis (of the zygote / embryo) has involved non-disjunction / described; 	<ol style="list-style-type: none"> 1. looking for idea hybrid has half the total number of both parents together e.g. 6 plus 10 gives 16, the haploid number of the parents is the total of the hybrid 2. allow any idea that the <u>gametes</u> each contain half the chromosome number of the parents 3. allow: pollen / embryo sac / egg / sperm / AW do not allow : ovule / ovary / anther / stigma 4. do not allow polyploidy unless qualified e.g. 2 sets of chromosomes from each parent Allow $14 + 12 = 26$ or $13 \times 2 = 26$ 5. allow if non-disjunction is in gametes. This may also subsume mp3 if the answer refers to 'abnormal meiosis forming gametes' Allow marks on a fully annotated diagram. 	[max 3]

Page 5	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	52

(e) (i)	A and B – 8 / a variable number / any number between 0 and 16 and A and C – 13 ;	look for the idea that A × B will not be consistent number or cannot be predicted from the diploid number allow they will be the same (as the pollen)	[1]								
(ii)	pollen of hybrid A × B has variable number of chromosomes ; pollen of hybrid A × C has the same (haploid) number ;	<i>ignore ref. to germination rates, although they can be a means of identifying each hybrid</i>	[2]								
(f) (i)	mean = 46; mode = 48 and median = 46;	<table border="1"> <tr> <td>hybrid from the cross</td> <td></td> </tr> <tr> <td>Mean</td> <td>46;</td> </tr> <tr> <td>Mode</td> <td>48</td> </tr> <tr> <td>Median</td> <td>46;</td> </tr> </table>	hybrid from the cross		Mean	46;	Mode	48	Median	46;	[2]
hybrid from the cross											
Mean	46;										
Mode	48										
Median	46;										
(ii)	comparing means (of two sets of data) / data is discrete / quantitative;	allow data is continuous / has a normal distribution. do not allow data is a continuous variable / continuous variation	[1]								
(iii)	idea of: there is no <u>significant</u> difference in the (percentage) germination (of the two hybrids) ;	e.g. the difference in the germination (of the two hybrids) is <u>not significant</u> do not allow 'to find the difference'	[1]								
(iv)	idea of: 11 sets of data – 1 in each group;	allow as a formula $(11 - 1) + (11 - 1) / 22 - 2 = 20$ not $(n_1 - 1) + (n_2 - 1) = 20$ unless 'n' is specified	[1]								
		Total:	21								

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	GCE AS/A LEVEL – May/June 2012	9700	52

2 (a) (i)	max 3 of: 1. same tissue surface area / mass / number / size of discs ; 2. ion / chloride content of water <u>at start</u> is zero / the same; 3. volume of water in all tubes <u>is the same</u> / 30 cm ³ ; 4. time for testing (30 min) <u>is the same</u> ; 5. same electrode;	<i>Looking for what has been done, rather than what should be done. If answer as what should be done, penalise once only.</i> 1. allow tissue from same plant / same tissue of plant. do not allow amount of tissue 3. allow if refer to water bath all having same volume	[max 3]
(ii)	idea of replicates; min of 3, to obtain a mean / identify anomalous results;	allow repeats, ignore replicated readings allow average for mean, outliers for anomalous	[2]
(b) (i)	chloride (ions) divided by time;	allow as a formula: $\frac{\text{chloride (ions) at 30 min}}{30} \text{ or } \frac{\text{chloride (ions)}}{\text{time}}$ allow concentration / amount / reading of the electrode do not allow volumes	[1]
(ii)	(rate at 50 °C =)14 (au) and (rate 60 °C =) 56 (au); increase in rate = $\frac{56}{14}$ (au) = 4 ;	allow 400%	[2]
(c)	the rate of loss would increase;	allow: all the tubes would have the same result ignore any explanations of the prediction	[1]
		Total:	9