

Mark Scheme (Results)

Summer 2021

Pearson Edexcel International Advanced Level In Biology (WB13) Paper 01 Practical Skills in Biology I

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.btec.co.uk Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2021
Question Paper Log Number 65809
Publications Code WBI13_01_2106_MS
All the material in this publication is copyright
© Pearson Education Ltd 2021

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response

Using the Mark Scheme

Examiners should look for qualities to reward rather than faults to penalise. This does NOT mean giving credit for incorrect or inadequate answers, but it does mean allowing candidates to be rewarded for answers showing correct application of principles and knowledge. Examiners should therefore read carefully and consider every response: even if it is not what is expected it may be worthy of credit.

The mark scheme gives examiners:

- an idea of the types of response expected
- · how individual marks are to be awarded
- the total mark for each question
- examples of responses that should NOT receive credit.

/ means that the responses are alternatives and either answer should receive full credit.

() means that a phrase/word is not essential for the award of the mark, but helps the examiner to get the sense of the expected answer. Phrases/words in **bold** indicate that the meaning of the phrase or the actual word is **essential** to the answer. ecf/TE/cq (error carried forward) means that a wrong answer given in an earlier part of a question is used correctly in answer to a later part of the same question.

Candidates must make their meaning clear to the examiner to gain the mark. Make sure that the answer makes sense. Do not give credit for correct words/phrases which are put together in a meaningless manner. Answers must be in the correct context.

Quality of Written Communication

Questions which involve the writing of continuous prose will expect candidates to:

• write legibly, with accurate use of spelling, grammar and punctuation in order to make the meaning clear · select and use a form and style of writing appropriate to purpose and to complex subject matter · organise information clearly and coherently, using specialist vocabulary when appropriate.

Full marks will be awarded if the candidate has demonstrated the above abilities.

Questions where QWC is likely to be particularly important are indicated (QWC) in the mark scheme, but this does not preclude others.

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---|------|
| 1a | An answer that includes five of the following points. | | |
| | description of {bacteria grown (on nutrient agar) / bacterial lawn} / bacterial broth (1) | Accept microbe | |
| | filter paper discs soaked in plant extract (placed on agar) / plant extract placed in well (cut in agar) / plant extract added to broth (1) | | |
| | control variable described (1) | e.g. disc size / extract volume / temperature | |
| | one safety aspect described (1) | e.g. flaming / dish lid / use autoclave / safe temperature quoted (<32 C) | |
| | incubate for suitable time (1) | Accept 24 hours to 1 week | |
| | clear zone around {disc / well} {measured / scored / turbidity measured (1) | Accept cloudiness | (5) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|---|------|
| 1(b)(i) | A chart with the following features. | | |
| | Y-axis correctly completed (1) | correct linear scale and title | |
| | X-axis correctly completed (1) | bacteria names | |
| | key correctly completed (1) | A,B,C,D and title | |
| | | score for each species of plant 2.5 2.0 1.5 1.0 Bacillus subtilis Protexts vulgins Staphylocorcus aureus | (3) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--|------|
| 1(b)(ii) | An answer that includes the following points: plant C has the lowest (antimicrobial) effect / affects only one bacterial species (1) | | |
| | plant B has the highest (antimicrobial) effect (1) | | |
| | {B / D} affect all 3 species (1) data manipulated to support one of the first two marking points (1) | e.g. B has a total score of 8 / C has a total score of 2 | |
| | | | (4) |

| Question | Answer | Additional Guidance | Mark |
|----------|---|-------------------------------|------|
| Number | | | |
| 2(a)(i) | An answer that includes the following three points. | | |
| | | | |
| | the water content is reduced (1) | Accept seeds dried | |
| | | | |
| | the seeds are x-rayed (1) | | |
| | | | |
| | the seeds are kept at {low temperature / dry} (1) | Accept low oxygen environment | |
| | | | (5) |
| | | | (3) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|------------------------------------|------|
| 2(a)(ii) | An answer that includes the following points. | | |
| | the {number of different / variety of} species (of living organisms) in an area / stated area (1) | Accept species richness of an area | |
| | the genetic differences within species of living organisms (1) | Accept genetic variety | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--------------------------------------|------|
| 2(b)(i) | A description that includes 4 of the following points: | | |
| | fixing root tip described (1) | e.g. heating with conc. HCI | |
| | • stain used (1) | | |
| | description of maceration / squashing (1) | | |
| | view through high power microscope (1) | Accept magnification quoted >/= 100x | |
| | count of number of dividing cells and divide by total number of cells (1) | | (4) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--|------|
| 2(b)(ii) | An answer that includes the following points. | | |
| | • read MI from graph (1) | e.g. 5(%) | |
| | rearrange equation MI = no. of cells in mitosis ÷ total number of cells to calculate total number of cells (1) | total number of cells = no. of cells in mitosis ÷ MI | |
| | substitute values in this equation and correct answer (1) | total no. of cells = 14 ÷ 0.05 = 280 / T = 1400 ÷ 5 = 280 | |
| | | correct answer with no working gains 3 accept T = 14 / 5 for 2 | (3) |

| Question Number | Answer | Additional Guidance | | Mark |
|--------------------|---|------------------------|----------------------|------|
| 2(b)(iii) | A table drawn showing: | | | |
| | suitable table (drawn) (1) | 2 columns and 6 rows | or vice versa | |
| | headings root length with units, mitotic index with units (1) | units in cells negates | this mark | |
| | data correctly entered (1) | Root Length / mm | Mitotic Index (%) | |
| | | 5(.0) | 0.0 | |
| | | 6(.0) 8(.0) | 0.4 0.8 | |
| | | 10(.0) 12(.0) | 1.4 1.8 | (3) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--|------|
| 2(b)(iv) | A description which includes the following points: | | |
| | the {treated / aged} seeds have a lower mitotic index than the untreated seeds (1) | | |
| | the longer the treatment the more the mitotic index is reduced / 14 days more than 4 days (1) | | |
| | {optimum / maximum} mitosis occurs in longer roots with greater aging (1) | Accept mitosis starts later in more aged roots | |
| | | | (3) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|---------------------|------|
| 2(b)(v) | A description which includes the following points: | | |
| | experiment repeated (1) | | |
| | under the same conditions / described (1) | | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---------------------------------|--|------|
| 3a | number of grains germinated (1) | Accept percentage germination (of pollen grains) | (1) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---------------------|------|
| 3b | An explanation that includes the following points: | | |
| | because it might affect {(pollen grain) germination / enzymes (involved in germination)} (1) | | |
| | it is (thought to be) the optimum for {(pollen grain) germination / enzymes (involved in pollen germination)} (1) | | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|---|------|
| 3ci | A graph with the following features: | | |
| | A axes correctly orientated (1) | 66 64 62 | |
| | L1 axes correctly labelled (1) | Peller a graph 28 | |
| | L2 axes with correct units (1) | 54 52 50 | |
| | P correct plotting on a suitable linear scale for both axes (1) | 0' 50 100 150 200 250 300 350 Boric acid concentration / mg dm ⁻³ | |
| | R points joined with ruled straight lines (1) | max 4 for bar chart as loses mp R | |
| | | max 4 for bar chart as loses mp K | (5) |

| Questi on Numb er | Answer | Additional Guidance | Mark |
|----------------------------|--|--|------|
| 3cii | A description that includes the following points: (all concentrations of) boric acid enhance germination (1) germination is higher in 100 mg dm⁻³ than all other concentrations / germination shows optimum value at 100 mg dm⁻³ (1) | Accept optimum between 0 and 200 Allow consequential error | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|--|--|------|
| 3di | A calculation that includes: | Accept values from 211 to 214 for 0 at 2 hrs | |
| | calculation of increase in rate | e.g. rate at 0 is 212 ÷ 2 = 106 difference = {130.5 - 106 / 24.5} | |
| | calculation of percentage increase in rate (1) | (24.5 ÷ 106) × 100 = 23 (%) ignore decimal places | |
| | | 130.5 - 106 ÷ 130.5 = 18.8 gets 1 | |
| | | alternatives | |
| | | 1. rate at 0 is 211 ÷ 2 = 105.5 = {130.5 - 105.5 / 25} | |
| | | (25 ÷ 105.5) × 100 = 23 (%) ignore decimal places | |
| | | 2. rate at 0 is 213 ÷ 2 = 106.5 = {130.5 - 106.5 / 24} | |
| | | (24 ÷ 106.5) × 100 = 22 (%) ignore decimal places | |
| | | 3. rate at 0 is 214 ÷ 2 = 107 = {130.5 - 107 / 23.5} | |
| | | (23.5 ÷ 107) × 100 = 22 (%) ignore decimal places | |
| | | 130.5 - 106 ÷ 130.5 = 18.8 gets 1 | |
| | | 130.5 - 105.5 ÷ 130.5 = 19.2 gets 1 | |
| | | 130.5 - 106.5 ÷ 130.5 = 18.3 gets 1 | |
| | | 130.5 - 107 ÷ 130.5 = 18 gets 1 | |
| | | Correct answer with no working gains 2 marks (2) | (2) |

| Question Number | Answer | Additional Guidance | Mark |
|--------------------|---|--|------|
| 3dii | An answer that includes five of the following points: | | |
| | make (100, 200, 300 mg dm⁻³) boric acid solutions from 500 mg dm⁻³ solution by dilution (1) | Ignore serial | |
| | control variable identified (1) | e.g. pH, sucrose concentration, temperature, light | |
| | view through high power of microscope (1) | Accept magnification quoted >/= 100x | |
| | suitable method for measuring pollen tube length described (1) | e.g. stage micrometer and graticule | |
| | record results every hour for 4 hours (1) | | (4) |

| Question | Answer | Additional Guidance | Mark |
|----------|--|---------------------|------|
| Number | | | |
| 3(e) | An answer that includes the following: | | |
| | • {both / germination and growth} show optimum at 100 mg dm ⁻³ (1) | | |
| | for growth boric acid concentrations above 100 mg dm⁻³ are inhibitory whereas for germination all concentrations above 100 mg dm⁻³ are stimulatory (1) | | (2) |