

Mark Scheme (Results)

January 2024

Pearson Edexcel International Advanced Level In Biology (WBI16)

Paper 01: Practical Skills in Biology II

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.edexcel.com, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2024

Question Paper Log Number P73454A

Publications Code WBI16_01_2401_MS

All the material in this publication is copyright

© Pearson Education Ltd 2024

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Additional Guidance	Mark
1(a)	A description that includes six of the following points:		
	 use of any two of root, stem, leaves, flowers (1) 		
	 {same / standardised} extraction method used (1) 	e.g. same volume of solvent/grinding time/mass/concentration	
	 preparation of {agar (plate) / broth} with bacteria (1) description of aseptic technique (1) 	allow description allow culture medium for agar e.g. flaming/sterilising loop/forceps/petri dish autoclaving/sterilise work surface/near a	
		Bunsen flame allow wells	
	 preparation of discs soaked in extract / addition of extract to broth (1) 	allow one stated time	
	 incubate for stated time and stated temperature (1) 	and temperature in the range 24-72hrs and 20-30°C	
	 measure the diameter/area of {zone of inhibition / turbidity} (1) 		(6)

Question Number	Answer	Additional Guidance	Mark
1(b)(i)	 bacteriostatic prevents increase in bacterial{numbers/ population} (1) bacteriocidal kills bacteria (1) 	Allow inhibits/slows/stops growth/numbers remain constant	(2)

Question Number	Answer	Additional Guidance	Mark
1(b)(ii)	 (prescribe) only for bacterial infections / do not use for viral infections/do not use for minor infections/finish the course (1) 		
	 to reduce creating bacterial resistance (1) 	allow creates selection pressure	(2)
Question Number	Answer	Additional Guidance	Mark
2(a)	• correct answer (1)	20.0 µm hour ⁻¹	
	• correct units (1)	Allow /h /hr /hour per hour (allow any of these to -1 instead of the solidus)	(2)

Question Number	Answer	Additional Guidance	Mark
2(b)	 higher temperatures {increase enzyme activity / results in more ES complexes} (1) increase respiration/metabolic rate so increased growth 	ora allow more cell wall made/molecules released lgnore increase in cell numbers	
	 Very high temperatures denature enzymes stopping growth (1) 		(2)

Question Number	Answer	Additional Guidance	Mark
2 ©	An answer that includes two of the following points:	Ignore nutrients/oxygen/carbon dioxide	
	Abiotic • (concentration of) minerals in growth medium (1)	Allow boron/sucrose concentration	
	• pH (1)		
	light (intensity) (1)		(2)
	• humidity (1)		

Question Number	Answer	Additional Guidance	Mark
2(c)(ii)	 suitable method of control of identified variable (1) 	Candidates can express this in a variety of ways.	
			(1)

Question Number	Answer	Additional Guidance	Mark
2(c)(iii)	 results are not valid / description of expected effect on the dependent variable (1) 	Candidates can express this in a variety of ways. The answer must be directional	(1)

Question Number	Answer	Additional Guidance	Mark
2(d)	 store pollen for different time intervals (before use) (1) 	allow same species/source	
	 keep a relevant named variable/condition the same (1) 	allow all variables the same	(2)

Question Number	Answer	Additional Guidance	Mark
3(a)	There is no (significant) difference between the surface area of toepads before and after the hurricane	Candidates can express this in different ways A and B must be qualified	(1)

Question Number	Answer	Addition	al Guidance	Mark
-	 suitable table format with correct column headings and units (1) all data correctly entered (1) 	Example table area of t sample A 0.9 1.3 1.1 1.2 1.3 1.5 1.6 0.8	Sample B 0.8 1.3 1.5 1.8 1.3 1.5 1.9	Mark
	 means correctly calculated (1) 	0.7 Mean 1.16	1.8 Mean 1.50	
			1.2 and 1.5 mn negates MP1	(3)

Question Number	Answer	Additional Guidance	Mark
3(c)	bar graph with linear scale starting at zero and axes labelled (1)	ALLOW ECF from 3bi mean (surface) area (of toepads) /mm ² A B	
	 means plotted correctly (1) range bars plotted correctly (1) 		(3)

Question Number	Answer	Additional Guidance	Mark
3(d)(i)	• correct numerator (1)	ECF for any mean values allow use of 1.16 - 1.50 numerator = 0.1527	
	 correct substitution of given (S_A)² and (S_B)² divided by 9/denominator (1) 	If $(S_A)^2$ and $(S_B)^2$ squared again then use denominator 0.0497 only MP1 and 3	
		t = 1.96 Correct answer gains 3 marks Ignore minus sign	
	• correct answer (1)	t = 2.225/2.23 if 1.16 mean used	(3)

Question Number	Answer	Additional Guidance	Mark
3(d)(ii)	• the calculated value of t (1.96) is less than the critical value of 2.12 (1)	Ignore negative t values so do not award MP1 Allow ECF from 3di if t value more than 2.12 allow converse statements/ref to 16 D of Fonly	
	 therefore accept the null hypothesis there is no difference between the surface area (of toepads) before and after the hurricane (1) 	Allow sample A and sample B	(2)

Question Number	Answer	Additional Guidance	Mark
3(e)	An answer that includes two of the following points:	ignore repeat the expt	
	• repeat after each hurricane (1)		
	 measure hind limb toepads (1) 		
	repeat in other {locations/areas}(1)		
	• other species (of lizard) (1)		(2)

(Total for question 3 = 14 marks)

Question Number	Answer	Additional Guidance	Mark
4(a)	A description that includes the following points:		
	 suitable way of germinating seeds/checking they are viable (1) 		
	 find a suitable temperature for {respiration/germination/seeds to grow} (1) 		
	 find a suitable mass of seeds to give a measurable volume of gas(1) 		
	 find suitable method for absorbing carbon dioxide (1) 		
	 find a suitable method to measure (change of) gas volume (1) 	Do no allow oxygen <u>produced</u>	(2)

Question Number	Answer	Additional Guidance	Mark
4(b)	An answer that includes the following points:	Do not piece together the dependent variable	
	 clear statement of the dependent variable e.g. distance moved in unit time volume of oxygen in unit time (1) some description of apparatus used (1) 	Allow volume of gas using syringe allow respirometer/labelled diagram/manometer	
	 control mass of seeds (1) 		
	 (record) time for a measured distance of the meniscus or volume of gas (1) 	allow KOH/NaOH	
	• time to acclimatise (1)		(9)

 repeat with and without 	allow disinfection with	
soda lime (1)	bleach to prevent	
	contamination	
	Ignore pH/Iight/	
 one variable that needs to 		
be controlled (1)	Allow AC with suitable	
` '	stated	
 description of how this 	temperature/incubator	
variable is controlled (1)	·	
(1)		
 repeat the method with 		
the other seed type (1)	allow CO ₂ ÷ O ₂	
the other seed type (1)		
 formula for calculating RQ 		
(1)	Or distance with soda lime	
(1)	- distance without	
	÷distance without soda	
	lime	

Question Number	Answer	Additional Guidance	Mark
4(c)	 table with headings for raw results and appropriate units means calculated from repeats (1) bar graph format with 		
	labelled axes (1)use of an appropriate statistical test (1)	t test/Mann-Whitney U test/Wilcoxon test	(3)

Question Number	Answer	Additional Guidance	Mark
4(d)	 difficult to measure distances or (collect small) volumes of gas (1) difficult to prevent contamination of watermelon seeds (1) difficulty of controlling temperature (1) 	allow apparatus contaminated ignore temperature in a list of variables	(2)

Total for question 4 = 16