PMT

Mark Scheme (Results) January 2011

GCE

GCE Biology (6BI02 / 01)



Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

http://www.edexcel.com/Aboutus/contact-us/

Alternatively, you can speak directly to a subject specialist at Edexcel on our dedicated Science telephone line: 0844 576 0037

January 2011 Publications Code US026137 All the material in this publication is copyright © Edexcel Ltd 2011

PMT

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Quality of Written Communication

Questions which involve the writing of continuous prose will expect candidates to:

- write legibly, with accurate use of spelling, grammar and punctuation in order to make the meaning clear
- select and use a form and style of writing appropriate to purpose and to complex subject matter
- organise information clearly and coherently, using specialist vocabulary when appropriate.

Full marks will be awarded if the candidate has demonstrated the above abilities. Questions where QWC is likely to be particularly important are indicated (QWC) in the mark scheme, but this does not preclude others.

GENERAL INFORMATION

The following symbols are used in t	he mark schemes for all questions:

Symbol	Meaning of symbol
; semi colon	Indicates the end of a marking point
Eq	Indicates that credit should be given for other correct alternatives to a word or statement, as discussed in the Standardisation meeting
/ oblique	Words or phrases separated by an oblique are alternatives to each other
{} curly brackets	Indicate the beginning and end of a list of alternatives (separated by obliques) where necessary to avoid confusion
() round brackets	Words inside round brackets are to aid understanding of the marking point but are not required to award the point
[] square brackets	Words inside square brackets are instructions or guidance for examiners
[CE] or [TE]	Consecutive error / transferred error

Crossed out work

If a candidate has crossed out an answer and written new text, the crossed out work can be ignored. If the candidate has crossed out work but written no new text, the crossed out work for that question or part question should be marked, as far as it is possible to do so.

Spelling and clarity

In general, an error made in an early part of a question is penalised when it occurs but not subsequently. The candidate is penalised once only and can gain credit in later parts of the question by correct reasoning from the earlier incorrect answer.

No marks are awarded specifically for quality of language in the written papers, except for the essays in the synoptic paper. Use of English is however taken into account as follows:

- the spelling of technical terms must be sufficiently correct for the answer to be unambiguous
 - e.g. for amylase, 'ammalase' is acceptable whereas 'amylose' is not
 - e.g. for glycogen, 'glicojen' is acceptable whereas 'glucagen' is not
 - e.g. for ileum, 'illeum' is acceptable whereas 'ilium' is not
 - e.g. for mitosis, 'mytosis' is acceptable whereas 'meitosis' is not
- candidates must make their meaning clear to the examiner to gain the mark.
- a correct statement that is contradicted by an incorrect statement in the same part of an answer gains no mark - irrelevant material should be ignored

Question Number	Answer	Mark
1 (a) (i)	B ;	(1)

Question Number	Answer	Mark
1 (a) (ii)	C ;	(1)

Question Number	Answer	Mark
1 (a) (iii)	Α;	(1)

Question Number	Answer			Mark
1(b)	Features	Totipotent stem cell	Pluripotent stem cell	
	Can give rise to totipotent stem cells	~	×	
	Can give rise to differentiated cells	\checkmark	\checkmark	
	Any two correct for 1 mar	k		(2)

Question Number	Answer	Mark
*1 (c) QWC	QWC - Spelling of technical terms <i>(shown in italics)</i> must be correct and the answer must be organised in a logical sequence)	
	1. idea of correct stimulus e.g. chemical;	
	 (causes) {some genes active / some inactive} (in bone marrow stem cell) / eq ; 	
	3. only the active genes are transcribed / eq ;	
	4. (because) mRNA made (only at active genes)/ eq ;	
	5. protein made / eq ;	
	 which (determine / eq) cell {structure / function} / permanently modifies cell / eq ; 	
		max (4)

Question Number	Answer	Mark
2 (a)	Similarity	
	idea of extracting drug (from the plant / soup) / tested on patients / idea of try to find suitable dose ;	
	Any two differences from	
	 idea that only contemporary testing will use animals / eq ; 	
	 idea that only contemporary testing will {test on healthy people / have phase 1}; 	
	 idea that only contemporary testing will pay volunteers ; 	
	 idea that only contemporary testing may involve double-blind trials ; 	
	 idea that only contemporary testing will {use statistical analysis / reference to phase 3 / use large number }; 	
	6. idea of more regulation ;	
	 idea of controlling {factors /variables / eq} in tested cohort e.g. age, lifestyle ; 	max (3)

Question Number	Answer	Mark
2 (b)(i)	0;	(1)

Question Number	Answer	Mark
2 (b)(ii)	idea of the emotional state of the patient e.g. belief that {it will work / they are receiving the drug};	(1)

Question Number	Answer			Mark
2 (b)(iii)	All three figur	All three figures correct for one mark		
	treatment	Concentration of drug / mg	Actual improvement / Arbitrary Units	
			6.0	
			12.1	
			12.5 ;	
				(1)

Question Number	Answer	Mark
2 (b) (iv)	 reference to positive {relationship / correlation} / increased improvement with increased concentration ; larger improvement between 400 and 600 / improvement increases less {between 600 and 800 / after 600} ; 	
	3. credit correct manipulation of the data / eq ;	max (2)

Question Number	Answer	Mark
3 (a)	 idea that, GD considers one species but SR considers {different / number} species ; idea that, GD considers {alleles / genotypes / eq} but SR is within a {habitat / area / eq }; 	
		(2)

Answer	Mark			
1 take (lass / maller) man / an				
1. take {less / smaller} space / eq ;				
2. can have more individuals / eq ;				
3. reference to {greater / more} genetic variety ;				
4. idea of less {maintenance / cost};				
5. likely to survive longer / eq ;				
6. can freeze seeds / eq ;	max (2)			
	 take {less / smaller} space / eq ; can have more individuals / eq ; reference to {greater / more} genetic variety ; idea of less {maintenance / cost} ; likely to survive longer / eq ; 			

Question Number	Answer	Mark
3 (b)(ii)	 idea of {greater / maintain} genetic variety e.g. wider gene pool, different alleles ; idea of less chance of inbreeding ; idea of reducing chance of storing seeds with 	
	{low viability / disease / eq} ;	max (2)

Question Number	Answer	Mark
3 (c)(i)	correct working shown e.g. (3/48) x 100 ;	
	correct answer = {6.3 / 6.25} ;	
	Note: 2 marks for correct answer 1 mark for incorrect answer but correct working	(2)

PMT

Question Number	Answer	Mark				
3 (c)(ii)	1. species B ;					
	2. lowest germination success / eq ;					
	 idea that decrease in mean germination success is the greatest after drying ; 					
	 credit manipulated figures e.g. 17 less after drying, planted immediately is 8 lower than highest{A / D}, after drying 22 less than highest {A /C}; 	max (3)				

Question Number	Answer	Mark					
3 (c)(iii)	3 (c)(iii) 1. reference to drying ;						
	2. reference to sterilisation / fungicide ;						
	3. reference to low temperature e.q. freezing, cool ;						
	4. reference to low oxygen / eq;						
	5. reference to low humidity/ eq ;						
	6. reference to absence of light / eq;						
	 reference to check viability e.g. germination / embryo presence / eq; 	max (2)					

Question	Answer	Mark
Number		
4 (a)	It is a form of cell division that	
	1. halves the chromosome number / eq ;	
	 so that at fertilisation the {full complement / eq} of chromosomes is restored / eq ; 	
	3. allows genetic variation (in gametes) / eq ;	
	4. through independent assortment / eq ;	
	5. through crossing over / eq ;	max (3)

Question Number	Answer								Mark
4 (b)(i)		r	r						
	Statements	Α	В	С	D	E	F	G	
	Site containing acrosin			X					
	Site where acrosin works						X		
	Site containing the haploid number of chromosomes		X						
	Site containing mitochondria							X	
	;;;;;								(4)

Question Number	Answer	Mark
4(b)(ii)	 idea of stimulus e.g. receptors, contact with {zona / eq}, presence of chemicals; 	
	2. reference to acrosome swells ;	
	3. reference to {vesicle / acrosome} fuses ;	
	4. with (sperm) cell (surface) membrane ;	may
	5. exocytosis ;	(2)

Question Number	Answer	Mark
4(c)(i)	idea that as the activity of acrosin increases so does fertilisation rate e.g. positive correlation ;	(1)

Question	Answer	Mark
Number		
4 c)(ii)	no data on {zero acrosin activity /zero percentage fertilisation} / cannot accurately extrapolate back from the data ;	(1)

Question Number	Answer	Mark
5 (a)	 (organs) made up of tissues ; (organs) made up of many different cell types / eq ; 	
	3. (organs) can have more than 1 function /eq ;	max (2)

Question Number	Answer	Mark
*5(b)(i) QWC	(QWC - Spelling of technical terms <i>(shown in italics)</i> must be correct and the answer must be organised in a logical sequence)	
	1. both made up of <i>glucose</i> / eq ;	
	 both {have(1-4) glycosidic bonds / made by condensation reactions} / eq ; 	
	3. both have 1-4(<i>glycosidic</i>) bonds ;	
	4. starch is a <i>glucose, cellulose</i> is β <i>glucose</i> ;	
	 starch composed of {more than one type of molecule / amylose and amylopectin; 	
	 correct reference to {branching / 1-6 bonds / helix} in starch / straight chain in <i>cellulose</i>; 	
	 all monomers same orientation in starch / every other one inverted in <i>cellulose</i>; 	max (4)

Question Number	Answer	Mark
5 (b)(ii)	 idea of (tensile) strength / flexible / inelastic / eq ; 	
	 {parallel arrangement / eq} / reference to hydrogen bonding / several layers of fibres / reference to {criss cross / net like} arrangement (of microfibrils) ; 	(2)

Question Number	Answer	Mark
5 (c)(i)	Any one or more of the inner segments e.g.	
	x Comment Allow x within appropriate segment(s).	(1)

Question Number	Answer	Mark
5 (c)(ii)	1. support /stability / eq ;	
	2. transport of water ;	may
	3. transport of {minerals / ions / eq};	max (2)

Question Number	Answer	Mark
6(a)	1. growth / eq ;	
	2. asexual reproduction / eq ;	(2)

Question Number	Answer	Mark
6(b)(i)	В;	(1)

Question Number	Answer	Mark
6(b)(ii)	D ;	(1)

Question Number	Answer	Mark
6(c)	Metaphase Anaphase 1. idea of {chromatids/ chromosomes) at {equator / eq} of cell Not at equator / separated / pulled apart / eq ;	
	 idea of chromatids attached (to each other chromatids / at equator) separated / pulled apart 	
	 idea of centromere complete OR (splits / eq); 	
	 idea of spindle complete OR fibres {shorter / shortening / contracting} ; 	max (3)

Question Number	Answer	Mark
7 (a) (i)	Any three from:	
	1. length (of fibre) / eq ;	
	2. diameter (of fibre) / eq ;	
	3. temperature / eq ;	
	4. fibre came from the same source / eq ;	
	5. stored for the same length of time / eq ;	
	 same way of applying the {masses / knots / eq}; 	
	7. same humidity / eq ;	max (3)
	8. water content of fibre / level of drying ;	(3)

Question	Answer	Mark
Number		
7(a)(ii)	1. {all / four} sets of results added together ;	
	2. divided by 4 / eq ;	(2)

Question Number	Answer	Mark
7(b)	idea that break mass would be to the nearest 50 grams (rather than 100 grams) / reference to smaller	
	percentage error ;	(1)

Question	Answer	Mark
Number		
7(c)	cannot land on {foot / person / eq} /	
	cannot cause injury ;	(1)

Question Number	Answer	Mark
7 (d) (i)	(sample 2) anomalous / outlier / does not fit the {trend / pattern} ;	(1)

Question Number	Answer	Mark
7 (d) (ii)	 oil is a {non-renewable / finite / eq} (resource) ; (plant fibres) can be regrown / replanted / eq (so is sustainable) ; 	
	3. ref to time scale ;	max (2)

Question Number	Answer	Mark
8 (a)	 appearance / the outward expression (of a cell or organism) / eq ; reference to {genotype / eq} contribution ; 	
	3. reference to environmental factors ;	max (2)

Question Number	Answer	Mark
8 (b)(i)	1. non smokers / eq ;	
	 idea that it acts as a comparison / shows the situation without smoking ; 	(2)

Question Number	Answer	Mark
8 (b)(ii)	lung cancer / no lung cancer ;	(1)

Question Number	Answer	Mark
8 (b)(iii)	 the more (packs) smoked, the higher the chance of developing lung cancer / positive correlation / eq; 	
	 small increase in risk if smoke up to 20 packs per year / eq ; 	
	 greater increase in risk if smoke 21 or more (packs) per year / eq ; 	
	4. linear increase for 21 or more / eq ;	
	 credit correct manipulation of the data e.g. 35X greater; 	(2)

Question Number	Answer	Mark
8 (b)(iv)	 idea that increased chance of lung cancer if close relative has cancer 	
	 for those that do not smoke there is risk if cancer in family / eq ; 	
	 that close family members will have more alleles in common (with those involved in the investigation); 	max (2)

Question Number	Answer	Mark
8 (b)(v)	in the 1-20 (packs) smoked per year cohort, there was a {lower risk of getting lung cancer if a close relative has had cancer / higher risk if no close relative with cancer} / eq ;	(1)

Question Number	Answer	Mark
8 (b)(vi)	idea that the more (packs) smoked per year, the greater	
0 (0)(1)	the risk of getting lung cancer ;	
		(1)

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481 Email <u>publications@linneydirect.com</u> Order Code US026137 January 2011

For more information on Edexcel qualifications, please visit <u>www.edexcel.com/quals</u>

Edexcel Limited. Registered in England and Wales no.4496750 Registered Office: One90 High Holborn, London, WC1V 7BH