



# **Mark Scheme (Results)**

Summer 2018

Pearson Edexcel International Advanced Level  
In Biology (WBI02)  
Development, Plants and the Environment

## Edexcel and BTEC Qualifications

**Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body.** We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

Pearson: helping people progress, everywhere

**Pearson aspires to be the world's leading learning company.** Our aim is to help everyone progress in their lives through education. We believe in every kind of **learning, for all kinds of people, wherever they are in the world.** We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2018

Publications Code WBI02\_01\_1806\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2018

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award **zero marks if the candidate's response is not worthy of credit according to the mark scheme.**
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a **candidate's response, the team leader must be consulted.**
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Additional guidance	Mark										
1(a)	<table border="1"> <thead> <tr> <th>Description of adaptation</th> <th>Type of adaptation</th> </tr> </thead> <tbody> <tr> <td>Sea anemones produce a poison.</td> <td>physiological ;</td> </tr> <tr> <td>This poison is located in the tips of the tentacles.</td> <td>anatomical ;</td> </tr> <tr> <td>Clownfish are brightly coloured, this attracts small fish to the sea anemone.</td> <td>anatomical ;</td> </tr> <tr> <td>Clownfish feed on dead sea anemone tentacles.</td> <td>behavioural ;</td> </tr> </tbody> </table>	Description of adaptation	Type of adaptation	Sea anemones produce a poison.	physiological ;	This poison is located in the tips of the tentacles.	anatomical ;	Clownfish are brightly coloured, this attracts small fish to the sea anemone.	anatomical ;	Clownfish feed on dead sea anemone tentacles.	behavioural ;	<p>NOT two responses in one box ACCEPT phonetic spellings</p> <p>NOT psychological for mp1</p>	(4)
Description of adaptation	Type of adaptation												
Sea anemones produce a poison.	physiological ;												
This poison is located in the tips of the tentacles.	anatomical ;												
Clownfish are brightly coloured, this attracts small fish to the sea anemone.	anatomical ;												
Clownfish feed on dead sea anemone tentacles.	behavioural ;												

Question Number	Answer	Additional guidance	Mark
1(b)	<p>Sea anemone :</p> <ol style="list-style-type: none"> <li>provides {food / shelter / protection} for the clownfish ;</li> <li>feeds on fish ;</li> </ol> <p>Clownfish :</p> <ol style="list-style-type: none"> <li>brings {food / fish} to the sea anemone ;</li> <li>feeds on tentacles (of sea anemone) ;</li> </ol>	<ol style="list-style-type: none"> <li>IGNORE habitat</li> <li>ACCEPT attracts fish to the sea anemone</li> </ol>	(3)

Question Number	Answer	Additional guidance	Mark
2(a)(i)	<p>1. increase in concentration of drug A increases the percentage of mice killed / eq ;</p> <p>2. idea that the increase is non-linear ;</p> <p>3. use of figures to support the range</p> <p>OR manipulation of figures to show change ;</p>	<p>IGNORE any reference to B</p> <p>1. ACCEPT positive correlation</p> <p>3. <i>Acceptable range points on the graph:</i></p> <ul style="list-style-type: none"> <li>• drug A is only effective at concentrations higher than 0.12 / 0.13 (a.u.)</li> <li>• drug A concentration of over 0.74 / 0.76 / 0.78 (a.u.) kills all the mice</li> </ul> <p><i>Manipulation of figures on the graph:</i> e.g. drug A concentration increase from 0.2 (a.u.) to 0.6 (a.u.) gives 90% increase in mice killed</p>	(2)

Question Number	Answer	Additional guidance	Mark
2(a)(ii)	<p>1. LD<sub>50</sub> of drug A is lower / lower concentration of drug A needed to kill 50% of the mice / eq ;</p> <p>2. by 0.09 (a.u.) ;</p>	<p>1. ACCEPT converse</p> <p>1. ACCEPT if both LD<sub>50</sub> values quoted Drug A is 0.42 / 0.43 and B is 0.52 / 0.53</p> <p>2. ACCEPT by 0.11 / 0.10 / 0.1 (a.u.)</p>	(2)

Question Number	Answer	Additional guidance	Mark
2(b)	<ol style="list-style-type: none"> <li>1. (phase I) drug tested on (small number of) healthy { people / volunteers } ;</li> <li>2. (phase II) drug tested on small number of patients (with disease) ;</li> <li>3. (phase III) drug tested on large number of patients (with disease) ;</li> <li>4. reference to { placebo / double blind trial } (during phase II / phase III) ;</li> </ol>	<p>(fewer than 100)</p> <p>2. ACCEPT 100-300 if no written description 2. ACCEPT slightly larger</p> <p>3. ACCEPT <math>\geq 1000</math> if no written description</p>	(4)

Question Number	Answer	Additional guidance	Mark
3(a)	<ol style="list-style-type: none"> <li>1. prokaryotic ;</li> <li>2. Archaea ;</li> <li>3. Bacteria ;</li> <li>4. molecular phylogeny ;</li> </ol>	<p>MP2 and MP3 Archaea and Bacteria can be either way around</p> <p>ACCEPT phonetic spellings</p> <ol style="list-style-type: none"> <li>1. ACCEPT prokaryote, prokaryota</li> <li>2.ACCEPT Archaeobacteria</li> <li>2. ACCEPT spellings Archa, Archae, Archea, Arche but NOT arachnae</li> <li>3.ACCEPT Eubacteria</li> <li>4. IGNORE taxonomy</li> </ol>	(4)


Question Number	Answer			Additional guidance	Mark																		
3(b)	<table border="1"> <thead> <tr> <th data-bbox="387 320 674 416">Name of organelle</th> <th data-bbox="680 320 1189 416">Structure of organelle</th> <th data-bbox="1196 320 1458 416">Role of organelle</th> </tr> </thead> <tbody> <tr> <td data-bbox="387 421 674 687">centrioles</td> <td data-bbox="680 421 1189 687">           Any two of:            1. pair of { cylinders / tubes / hollow rods } ;            2. at right angles ;            3. 9 triplets of (micro)tubules ;         </td> <td data-bbox="1196 421 1458 687">formation of spindle fibres</td> </tr> <tr> <td data-bbox="387 692 674 831">mitochondrion ;</td> <td data-bbox="680 692 1189 831">           1. inner membrane folded to form cristae            2. circular DNA found in the matrix         </td> <td data-bbox="1196 692 1458 831">aerobic respiration</td> </tr> <tr> <td data-bbox="387 836 674 1102">Golgi apparatus</td> <td data-bbox="680 836 1189 1102">           Any two of:            1. stacks of cisternae / eq ;            2. (cisternae) have curved shape ;            3. vesicles ;         </td> <td data-bbox="1196 836 1458 1102">modification of { protein / lipid } / eq ;</td> </tr> <tr> <td data-bbox="387 1107 674 1214">ribosome ;</td> <td data-bbox="680 1107 1189 1214">           1. consists of two subunits            2. made of protein and RNA         </td> <td data-bbox="1196 1107 1458 1214">Translation</td> </tr> <tr> <td data-bbox="387 1219 674 1359">lysosome ;</td> <td data-bbox="680 1219 1189 1359">           1. surrounded by a single membrane            2. contains hydrolytic enzymes         </td> <td data-bbox="1196 1219 1458 1359">destruction of bacteria</td> </tr> </tbody> </table>			Name of organelle	Structure of organelle	Role of organelle	centrioles	Any two of: 1. pair of { cylinders / tubes / hollow rods } ; 2. at right angles ; 3. 9 triplets of (micro)tubules ;	formation of spindle fibres	mitochondrion ;	1. inner membrane folded to form cristae 2. circular DNA found in the matrix	aerobic respiration	Golgi apparatus	Any two of: 1. stacks of cisternae / eq ; 2. (cisternae) have curved shape ; 3. vesicles ;	modification of { protein / lipid } / eq ;	ribosome ;	1. consists of two subunits 2. made of protein and RNA	Translation	lysosome ;	1. surrounded by a single membrane 2. contains hydrolytic enzymes	destruction of bacteria	<p>ACCEPT plural word for the names ACCEPT phonetic spellings</p> <p>1. NOT tubules</p> <p>2.ACCEPT perpendicular / 90° 3. NOT 9 + 2 3. ACCEPT 9 + 0</p> <p>Structure: mp1 ACCEPT stack of { flattened sacs / fluid-filled sacs }</p> <p>Role: ACCEPT production of { lipoprotein / glycoprotein / lysosomes }</p> <p>ACCEPT lysozome but NOT lysozyme</p>	(8)
Name of organelle	Structure of organelle	Role of organelle																					
centrioles	Any two of: 1. pair of { cylinders / tubes / hollow rods } ; 2. at right angles ; 3. 9 triplets of (micro)tubules ;	formation of spindle fibres																					
mitochondrion ;	1. inner membrane folded to form cristae 2. circular DNA found in the matrix	aerobic respiration																					
Golgi apparatus	Any two of: 1. stacks of cisternae / eq ; 2. (cisternae) have curved shape ; 3. vesicles ;	modification of { protein / lipid } / eq ;																					
ribosome ;	1. consists of two subunits 2. made of protein and RNA	Translation																					
lysosome ;	1. surrounded by a single membrane 2. contains hydrolytic enzymes	destruction of bacteria																					



Question Number	Answer	Additional guidance	Mark
4(a)	1. group of cells ; 2. with similar {structure / function / origin} ;	1.ACCEPT similar cells 2. ACCEPT description of a function e.g. (all) involved in support / transport (of water / mineral ions / eq)	(2)

Question Number	Answer	Additional guidance	Mark
4(b)(i)	(acetic / ethanoic / propionic) orcein / toluidine (blue) ;	ACCEPT phonetic spellings <b>ACCEPT Schiff's</b> (reagent) / Feulgen's (stain) / (aceto)carmine / methylene blue NOT iodine	(1)

Question Number	Answer	Mark
4(b)(ii)	The only correct answer is D  <i>A is incorrect because R is metaphase which comes before P which is anaphase</i>  <i>B is incorrect because Q is telophase which comes after P which is anaphase</i>  <i>C is incorrect because R is metaphase which comes before P which is anaphase</i>	(1)

Question Number	Answer	Additional guidance	Mark
4(b)(iii)	<p>1. chromosome drawn showing two chromatids ;</p> <p>2. one/both of the chromatids labelled correctly ;</p> <p>3. centromere labelled correctly ;</p>	<p>e.g.</p>  <p>1. ACCEPT simple line drawings and ignore any drawings of nuclear spindle. 1. IGNORE labels when assessing mp1</p> <p>2. and 3. ACCEPT phonetic spellings 2. and 3. IGNORE any other labels</p>	(3)

Question Number	Answer	Additional guidance	Mark
* 4(c)	<p>QWC – Spelling of technical terms must be correct and answer must be organised in a logical sequence</p> <ol style="list-style-type: none"> <li>1. indication of using aseptic technique ;</li> <li>2. idea of removing { cells / (small sample of) tissue / explants / eq} ;</li> <li>3. from all 4 regions ;</li> <li>4. idea of growing { cells / sample / explants} on (nutrient) agar ;</li> <li>5. incubation at appropriate stated temperature ;</li> <li>6. idea of leaving sample for a few weeks ;</li> <li>7. idea that other { parts / tissues / eq} of the plants develop only from region 3 ;</li> </ol>	<p>QWC emphasis is logical sequence In answers that are limited to describing root tip squash procedures only mp 2 and 3 are accessible</p> <ol style="list-style-type: none"> <li>1. e.g. using sterile scalpel / sterile agar</li> <li>2. NOT root tip 2. IGNORE section / part</li> <li>3. piece answer together if necessary 3. ACCEPT each region 3. IGNORE different regions</li> <li>4. ACCEPT section / part / region</li> <li>5. ACCEPT a range between 20 and 35°C / room temperature ;</li> <li>6. minimum value one week</li> <li>7. ACCEPT idea of recording which regions have developed other parts of the plants</li> </ol>	(5)

Question Number	Answer	Additional guidance	Mark
*5	<p>QWC – Spelling of technical terms must be correct and answer must be organised in a logical sequence</p> <ol style="list-style-type: none"> <li>1. reference to natural selection ;</li> <li>2. variations (between tortoises) due to mutations ;</li> <li>3. individuals with advantageous alleles { survive / reproduce / pass these alleles on to offspring } ;</li> <li>4. idea that { climate / food availability / environment } are different selection pressures (on different islands) ;</li> <li>5. reference to geographical isolation ;</li> <li>6. idea that the saddleback is smaller as food is limited ;</li> <li>7. idea that saddleback tortoise has long neck for reaching food ;</li> <li>8. so saddleback can survive (in dry habitat) where there is limited food near the ground ;</li> <li>9. saddleback outcompeted by the larger domed tortoise where there is a lot of vegetation near the ground ;</li> </ol>	<p>QWC emphasis is clarity of expression</p> <ol style="list-style-type: none"> <li>3. NOT genes</li> <li>6. to 9. ACCEPT converse for domed tortoise</li> <li>6. e.g. idea that domed can grow larger as more food available</li> <li>7. e.g. idea that domed can only reach food near ground as has a short neck</li> <li>8. e.g. so <b>domed can't survive where</b> there is limited food near ground</li> <li>9. e.g. domed outcompeted by saddleback (in dry habitat) where there is little vegetation near the ground</li> </ol>	(6)

Question Number	Answer	Additional guidance	Mark
6(a)	<ol style="list-style-type: none"> <li>1. to {generate / increase / eq} genetic variation (within a species) ;</li> <li>2. idea of resulting in increased survival chances (of the species) ;</li> <li>3. to produce haploid {nuclei / cells} / halve the chromosome number ;</li> </ol>	3. ACCEPT to produce gametes	(2)

Question Number	Answer	Mark
6(b)(i)	<p>The only correct answer is D</p> <p>A is incorrect because all the nuclei are haploid</p> <p>B is incorrect because P is also haploid</p> <p>C is incorrect because S is also haploid</p>	(1)

Question Number	Answer	Mark
6(b)(ii)	<p>The only correct answer is B</p> <p>A is incorrect because the pollen tube grows through the style to reach the micropyle</p> <p>C is incorrect because the pollen lands on the stigma and then grows through the style</p> <p>D is incorrect because the pollen lands on the stigma and then grows through the style</p>	(1)

Question Number	Answer	Additional guidance	Mark
6(b)(iii)	<ol style="list-style-type: none"> <li>1. (mitosis in nucleus P) results in two {haploid / male} nuclei ;</li> <li>2. reference to double fertilisation ;</li> <li>3. one (male) nucleus is needed to fuse with the {female gamete / egg cell / nucleus S /female nucleus} to form the zygote ;</li> <li>4. one (male) nucleus is needed to fuse with {the other / polar / R} nuclei to form (primary) endosperm (nucleus) ;</li> </ol>	<p>ACCEPT male gametes as eq to male nuclei throughout</p> <p>3. ACCEPT fertilise as eq to fuse with</p> <p>4. NOT polar bodies</p>	(3)

Question Number	Answer	Additional guidance	Mark
6(c)(i)	2.22 ( $\mu\text{m hr}^{-1}$ ) ;	ACCEPT 2 / 2.0 / 2.2 / 2.2 recurring	(1)

Question Number	Answer	Mark
6(c)(ii)	<p>The only correct answer is B</p> <p><i>A is incorrect because increasing the range will not help</i></p> <p><i>C is incorrect because the maximum value could be lower than 7 or higher than 9</i></p> <p><i>D is incorrect because maximum value could be below 8</i></p>	(1)

Question Number	Answer					Additional guidance	Mark
7(a)	feature	starch only	cellulose only	both starch and cellulose	found in neither starch nor cellulose		
	consists of two different polysaccharides	<input checked="" type="checkbox"/>					
	made from $\beta$ glucose		<input checked="" type="checkbox"/>				
	1, 4 - glycosidic bonds present			<input checked="" type="checkbox"/>			
	hydrogen bonds between molecules			<input checked="" type="checkbox"/>			
(4)							

Question Number	Answer	Additional guidance	Mark
7(b)	<ol style="list-style-type: none"> <li>1. bioplastics are {sustainable / will not run out} because {more plants can be grown / they are made from renewable materials / eq} ;</li> <li>2. less pollution because bioplastics {reduce the use of fossil fuels / can be decomposed / are biodegradable} ;</li> </ol>	<p>ACCEPT converse statements</p> <p>2. Examples of pollution reduction: e.g. do not contribute to landfill e.g. reduce CO<sub>2</sub> emissions</p>	(2)

Question Number	Answer	Additional guidance	Mark
7(c)(i)	<ol style="list-style-type: none"> <li>1. addition of cellulose increases tensile strength ;</li> <li>2. idea that {there is little/no difference / standard deviations overlap} between {100:2.5 and 100:5 / 100:10 and 100:15} ;</li> <li>3. credit correct manipulation of figures ;</li> </ol>	<p>1. NOT increasing ratio of starch : cellulose increases tensile strength</p> <p>3. e.g. changing ratio from 100:5 to 100:15 increases tensile strength by 12.0 (MPa)</p>	(3)



Question Number	Answer	Additional guidance	Mark
7(c)(ii)	<ol style="list-style-type: none"> <li>1. idea of using all five types of plastic ;</li> <li>2. of the same diameter / eq ;</li> <li>3. description of apparatus set up to be used ;</li> <li>4. idea of hanging masses onto each plastic ;</li> <li>5. recording the mass that breaks the plastic ;</li> <li>6. repeat for each plastic and calculate the mean ;</li> </ol>	<p>ACCEPT weight for mass throughout</p> <p>Answers describing using natural plant fibres should not be awarded mp1</p> <p>2. ACCEPT length /width / cross-sectional area</p> <p>3. e.g. clamping plastic between two clamp stands e.g. suspending plastic from forcemeter /spring balance or using a pulley</p> <p>5. ACCEPT recording heaviest mass that does not break the plastic 5. IGNORE recording the tensile strength</p> <p>6. ACCEPT to improve validity</p>	(4)

Question Number	Answer	Additional guidance	Mark
8(a)	<ol style="list-style-type: none"> <li>1. <math>1\% = (2493 \div 11 =) 226.64</math> ;</li> <li>2. 22664 (species) ;</li> </ol>	<p>Correct answer alone gains both marks</p> <ol style="list-style-type: none"> <li>1. ACCEPT <math>2493 \div 11 \times 100</math> OR <math>2493 \div 0.11</math> OR <math>2493 \div 11</math></li> <li>2. DO NOT ACCEPT answers with decimal places 2. ACCEPT 22663</li> </ol>	(2)

Question Number	Answer	Additional guidance	Mark
8(b)(i)	<ol style="list-style-type: none"> <li>1. so that germination will not take place ;</li> <li>2. so that fungi do not grow / eq ;</li> <li>3. to reduce enzyme activity ;</li> <li>4. so that seeds will remain viable / eq ;</li> </ol>	<ol style="list-style-type: none"> <li>1. ACCEPT to reduce germination 1. ACCEPT so seeds remain dormant</li> <li>2. ACCEPT bacteria / microorganisms / mould / pathogens</li> <li>3. ACCEPT to reduce metabolic activity</li> <li>4. ACCEPT so that seeds will not { decompose / eq } ;</li> </ol>	(3)

Question Number	Answer	Additional guidance	Mark
8(b)(ii)	<ol style="list-style-type: none"> <li>1. to check seed viability / eq ;</li> <li>2. to grow plants to collect more seeds / to find out if more seeds need to be collected ;</li> </ol>	<ol style="list-style-type: none"> <li>1. e.g. to check if seed / embryo is alive 1. IGNORE to see if seeds germinate</li> </ol>	(2)

Question Number	Answer	Additional guidance	Mark
8(c) (i)	<ol style="list-style-type: none"> <li>1. from {1.5 / 5} to 11°C the % germination is higher in species Y / eq ;</li> <li>2. species Y germinates at lower temperatures ;</li> <li>3. species Y has a lower optimum temperature / eq ;</li> <li>4. species Y germinates over a smaller range of temperatures ;</li> <li>5. credit correct comparative manipulation of data relating to temperature ;</li> </ol>	<p>ACCEPT converse comments for species Z            IGNORE comparison that states that Z has higher max % germination than Y</p> <ol style="list-style-type: none"> <li>1. ACCEPT above 11°C the % germination is higher in species Z /eq                1. ACCEPT both have same germination % at 11°C</li> <li>2. ACCEPT grows</li> <li>3. ACCEPT a description of optimum</li> <li>4. ACCEPT grows / survives</li> <li>5. e.g.                the optimum temperature for germination of Y is 5°C lower ;                the range for Y is 18.5 but for Z it is 20°C ;                germination % of Y is 20% higher than Z at 10°C ;</li> </ol> <p>e.g. Z optimum is 5°C higher than Y gets 2 marks, MP5 and 3</p>	(3)

Question Number	Answer	Additional guidance	Mark
8(c) (ii)	<ol style="list-style-type: none"><li>1. idea that a suitable temperature is between 5 °C and 20 °C ;</li><li>2. idea that they would know that different species of plant need different storage temperatures ;</li><li>3. idea they can find the optimum (storage) temperature for a species ;</li><li>4. idea of knowing the likely % germination allows scientists to decide how many seeds need to be stored ;</li><li>5. idea that they can save money by not keeping the temperature lower than necessary ;</li></ol>	<p>2. ACCEPT idea that they can find which species can be stored together / have to be stored separately</p> <p>3. ACCEPT highest germination as optimum</p>	(3)

