



**GCE**

**Biology A**

Unit **H020/01**: Breadth in biology

Advanced Subsidiary GCE

**Mark Scheme for June 2016**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.


All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2016

Annotations

Annotation	Meaning
<b>DO NOT CREDIT</b>	Answers which are not worthy of credit
<b>IGNORE</b> <span style="border: 1px solid red; padding: 2px;">I</span>	Statements which are irrelevant
<b>ALLOW</b> or <b>ACCEPT</b>	Answers that can be accepted
( )	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
<b>AW</b>	Alternative wording
<b>ORA</b>	Or reverse argument
✓	Mark is awarded
X	Answer incorrect
<span style="border: 1px solid red; padding: 2px;">^</span>	Omission mark
<span style="border: 1px solid red; padding: 2px;">BOD</span>	Benefit of doubt
<span style="border: 1px solid red; padding: 2px;">BP</span>	Blank page
<span style="border: 1px solid red; padding: 2px;">CON</span>	Statement that contradicts a correct statement
●	Use to indicate when part of a mark point has been achieved
<span style="border: 1px solid red; padding: 2px;">ECF</span>	Error carried forward
<span style="border: 1px solid red; padding: 2px;">GM</span>	Mark has already been awarded (given mark)
	Horizontal wavy line to indicate incorrect statements
<span style="border: 1px solid red; padding: 2px;">NBOD</span>	Not giving the benefit of doubt

H020/01

Mark Scheme

June 2016

## SECTION A

Question	Answer	Marks	Guidance
	Mark the letter that is in the box. Credit a letter that is clearly the intended answer if the letter in the box is crossed out. Do not credit ambiguous letters, unless the correction is clearly thicker than the original. If there is no letter in the box, credit a very clear indication of the correct answer.		
1	C	1	
2	B	1	
3	D	1	
4	C	1	
5	C	1	
6	D	1	
7	B	1	
8	C	1	
9	A	1	
10	A	1	
11	A	1	
12	C	1	
13	B	1	
14	B	1	
15	C	1	
16	A	1	
17	B	1	
18	B	1	
19	D	1	
20	A	1	
	<b>Total</b>	<b>20</b>	

H020/01

Mark Scheme

June 2016

## SECTION B

Question			Answer	Marks	Guidance
21	(a)	(i)	<p>1 discs same , size / thickness / surface area / surface area to volume ratio / diameter ✓</p> <p>2 same (variety / part , of) potato ✓</p> <p>3 no skin on potato ✓</p> <p>4 <i>ref to</i> removing excess water before (re)weighing ✓</p> <p>5 same , number / amount , of discs (in each solution) ✓</p> <p>6 same <u>volume</u> (sucrose) <u>solution</u> ✓</p> <p>7 same temperature ✓</p> <p>8 cover the tubes ✓</p>	max 2	<p><i>Mark first two answers only, ignoring the numbered sections</i></p> <p><b>IGNORE</b> mass / balance used / soak time / repeats</p> <p><b>IGNORE</b> a list of variables unqualified</p> <p>1 <b>ACCEPT</b> same cork borer used</p> <p><b>ACCEPT</b> 'pieces of potato' etc. for 'discs'</p> <p><b>ACCEPT</b> 'length' as equivalent to 'diameter'</p> <p><b>IGNORE</b> same shape / similar size etc</p> <p>4 e.g. blotting / shaking</p> <p>7 <b>ACCEPT</b> in context of room / environment / solution</p>

H020/01

Mark Scheme

June 2016

Question			Answer	Marks	Guidance
21	(a)	(ii)	<p>1 <i>idea that</i> no change of mass occurs when the water potential of (sucrose) <u>solution</u> = water potential of potato (tissue) ✓</p> <p>2 ref. to no change in mass (of potato) between 0.2 and 0.3 mol dm<sup>-3</sup> ✓</p> <p>3 plot graph of concentration of , sucrose / solution , against (%) change in mass <b>and</b> find which (sucrose) concentration gives no change in mass of potato</p> <p><b>OR</b> carry out the experiment again with more (sucrose) concentration intervals between 0.2 and 0.3 mol dm<sup>-3</sup> ✓</p> <p>4 look up the water potential of the (sucrose) <u>solution</u> (e.g. on calibration curve or table) , of that concentration / of the concentration which gives no mass change ✓</p>	max 3	<p><b>ACCEPT</b> <math>\Psi</math> for water potential throughout <b>IGNORE</b> ref to solute potential / isotonic</p> <p>2 correct units must be stated once <b>ACCEPT</b> 'between 0.2 and 0.3 mol dm<sup>-3</sup> the water potential of the solution and the potato will be the same'</p> <p>3 x and y axes interchangeable When an axis has been identified it can be referred to by letter later. Needs some ref to the mass change being 0. If the change in mass axis has previously been identified, then ref to that axis value being 0 is equivalent to no change in mass  e.g. 'Should draw a graph of sucrose concentration on the x axis and change in mass of potato discs on the y axis. The point where the line of best fit crosses the x axis (when the y axis = 0) is the concentration of sucrose in the potato discs.' will get the mark  'Draw a graph with change in mass of potato discs on the y axis and concentration of sucrose solution on the x axis and draw a line of best fit. Where the line intercepts the x axis is where the change in mass of potato discs is zero.' will get the mark</p> <p>3 correct units must be stated once</p>

H020/01

Mark Scheme

June 2016

Question			Answer	Marks	Guidance
21	(b)	(i)	X (cellulose) cell wall ✓ Y cell <u>surface</u> membrane / plasma membrane ✓ Z <u>vacuole membrane</u> / tonoplast ✓	max 3	If additional incorrect answer given, then 0 marks  Y <b>ACCEPT</b> plasmalemma Z <b>IGNORE</b> vacuole
21	(b)	(ii)	sucrose <u>solution</u> ✓	1	If additional incorrect answer given, then 0 marks  <b>ACCEPT</b> sugar solution / external solution / solution placed in <b>DO NOT CREDIT</b> 'solution' unqualified
21	(c)		there is a lower <u>water potential</u> inside root <u>hair</u> (cells) ✓  actively transport / pump , (mineral) ions / salts , into root <u>hair(s)</u> (cells) <b>or</b> root <u>hair(s)</u> (cells) store / contain , (mineral) ions / salts / solutes ✓	2	<b>IGNORE</b> ref to large surface area and short diffusion path <b>IGNORE</b> ref to solute potential / isotonic <b>ACCEPT</b> $\Psi$ for water potential 'it' or 'they' = root hairs <b>IGNORE</b> ref to roots or root cells unqualified as hairs  <b>ACCEPT</b> root hair , has / creates , a lower <u>water potential</u> (than soil) <b>ACCEPT</b> maintains / sets up / establishes , a (steep) <u>water potential</u> gradient Look for a comparison in water potential between the cell and the soil  <b>IGNORE</b> solutes / sugars / hydrogen ions <b>ACCEPT</b> named ions  <b>ACCEPT</b> named ions <b>ACCEPT</b> named solutes e.g. sugars
			<b>Total</b>	<b>11</b>	

H020/01

Mark Scheme

June 2016

Question			Answer	Marks	Guidance
22	(a)	(i)	164 706 ✓✓	2	<p>Correct answer with no working = <b>2 marks</b></p> <p>If the answer is incorrect, look for a working mark:  <b>either</b>            (incorrect rounding) <b>ALLOW</b> 1 mark for seeing            164 705 <b>or</b> 164 705.88 <b>or</b> 164 705.9 anywhere  <b>or</b>  <b>ALLOW</b> 1 mark for any ref to  <math>56 \div 34</math>            (e.g. <math>5.6 \div 0.34</math> or <math>5600 \div 34</math>)</p>
22	(a)	(ii)	28 ✓✓	2	<p>Correct answer with no working = <b>2 marks</b></p> <p>If answer incorrect, <b>ALLOW</b> 1 mark for seeing  <math>100 - 44</math> or <math>50 - 22</math></p>
22	(b)	(i)	condensation ✓	1	<p><i>If additional incorrect answer given, then 0 marks</i>  <b>ACCEPT</b> esterification</p>
22	(b)	(ii)	water ✓	1	<p><i>If additional incorrect answer given, then 0 marks</i>  <b>ACCEPT</b> H<sub>2</sub>O (correct formula only)</p>



H020/01

Mark Scheme

June 2016

Question			Answer	Marks	Guidance
22	(b)	(iii)	<p>1 phosphodiester bonds in , backbone / described ✓</p> <p>2 hydrogen / H , bonds / bonding (between chains / bases) ✓</p> <p>3 purine to pyrimidine / A to T <b>and</b> C to G ✓</p> <p>4 ref to correct number of bonds between base pairs (A-T &amp; C-G) ✓</p>	max 3	<p><b>IGNORE</b> antiparallel</p> <p>1 <b>ACCEPT</b> covalent bond in backbone</p> <p>2 <b>DO NOT CREDIT</b> if other bond mentioned to connect between the two chains <b>DO NOT CREDIT</b> H<sup>+</sup> bonds <b>IGNORE</b> strength of bond</p> <p>3 <b>DO NOT CREDIT</b> thiamine / cysteine / adenosine</p> <p><b>Note:</b> 'Two bonds between A and T and three bonds between C and G' = <b>2 marks (mp 3 and mp 4)</b> 'Two hydrogen bonds between A and T and three hydrogen bonds between C and G' = <b>3 marks (mp 2, mp 3 and mp 4)</b></p>
			<b>Total</b>	<b>9</b>	

H020/01

Mark Scheme

June 2016

Question			Answer	Marks	Guidance
23	(a)		<p><i>Column 1</i></p> <p>Class Order Genus ✓</p>	<p><i>Column 2</i></p> <p>Animalia <i>sumatrensis</i> ✓</p>	<p><b>2</b></p> <p><i>If additional incorrect answer given, then 0 marks</i> One mark per correct column.</p> <p><b>ACCEPT</b> Animal / phonetic spelling / in lower case</p> <p>'sumatrensis' must be all in lower case <b>DO NOT CREDIT</b> if the 's' is clearly upper case <b>DO NOT CREDIT</b> D. sumatrensis <b>DO NOT CREDIT</b> Sumatran / sumatran</p>
23	(b)		<p>universal / recognised worldwide / AW ✓</p> <p>know which , genus / species , it belongs to ✓</p> <p><i>idea of</i> different common name for the same organism ✓</p>	<b>max 1</b>	<p><b>ACCEPT</b> no language barrier</p> <p><b>ACCEPT</b> ref to showing evolutionary relationships (e.g. shows common ancestry)</p>
23	(c)	(i)	<p>loss of , (rainforest) habitat / food source <b>or</b> deforestation ✓</p> <p>hunting / poaching (for horn) ✓</p> <p>climate change ✓</p>	<b>max 2</b>	<p><b>IGNORE</b> disease</p> <p><b>ACCEPT</b> loss of (rainforest) ecosystem <b>IGNORE</b> only lives in rainforest</p>

H020/01

Mark Scheme

June 2016

Question			Answer	Marks	Guidance
23	(c)	(ii)	<p>1 hard to find a mate / may be gender imbalance ✓</p> <p>2 (inbreeding leading to) low genetic diversity / small gene pool / genetic bottleneck ✓</p> <p>3 cannot / less likely to , cope with / adapt to , (named) environmental change ✓</p> <p>4 all wiped out by the same disease ✓</p> <p>5 <u>more</u> vulnerable to , predators / poachers ✓</p> <p>6 natural disaster could wipe out , one / some , of the small populations ✓</p>	max 2	<p>1 <b>ACCEPT</b> few individuals of reproductive maturity</p> <p>2 <b>ACCEPT</b> description</p> <p>3 <b>ACCEPT</b> (population) unable to cope with new selection pressures</p> <p>4 <b>DO NOT CREDIT</b> that they are more susceptible to disease in general</p>
23	(c)	(iii)	<p>education / awareness ✓</p> <p>support for / promote , conservation projects / research ✓</p>	max 1	<p><b>IGNORE</b> ref to cloning</p> <p>In the context of educating the general public e.g. information displayed in the zoo or on website / holding education days for schools</p> <p>'support' could mean: raise money / provide funds / provide technical support / provide expertise / etc. <b>CREDIT</b> in the context of an example e.g. sending people to monitor populations in the wild e.g. supporting the setting up of nature reserve</p> <p><b>IGNORE</b> zoo sets up nature reserves</p>
			<b>Total</b>	<b>8</b>	

H020/01

Mark Scheme

June 2016

Question		Answer	Marks	Guidance
24	(a)	6 600 ✓✓	2	<p><b>Correct answer = 2 marks</b></p> <p>If answer is incorrect, <b>ALLOW</b> 1 mark for seeing  <math>20.1 - 0.3 = 19.8</math>  <b>or</b>  <math>(20.1 - 0.3) \div x</math>  <b>or</b>  <math>19.8 \div x</math>            where <math>x =</math> any number</p>
24	(b)	(i)	max 2	<p>Mark <b>first answer</b> only for advantage and disadvantage.</p> <p>A1 <b>DO NOT CREDIT</b> in context of larger surface area  <b>ACCEPT</b> 'Hb' for haemoglobin</p> <p>D1 max time of 120 days / 4 months</p> <p>D3 <b>DO NOT CREDIT</b> 'no mitochondria so no respiration' (as some respiration will still take place)  <b>ACCEPT</b> 'ATP release' or 'energy provided' instead of 'respiration'            e.g. no energy being provided from mitochondria            ATP is not released by mitochondria</p> <p><b>DO NOT CREDIT</b> ref to producing / creating ,            energy</p>
		<p><i>advantages</i></p> <p>A1 more space for / can contain more /            can carry more , haemoglobin / oxygen ✓</p> <p>A2 can squeeze through <u>capillaries</u> easily ✓</p> <p><i>disadvantages</i></p> <p>D1 limited life span / cannot divide /            cannot reproduce / cannot undergo mitosis ✓</p> <p>D2 no , protein synthesis / repair ✓</p> <p>D3 no respiration , <u>in</u> / <u>by</u> , mitochondria  <b>or</b>            no mitochondria <u>for</u> respiration  <b>or</b>            limited respiration / no aerobic respiration /            only anaerobic respiration ✓</p>		

Question			Answer	Marks	Guidance
24	(b)	(ii)	<p><i>Virus</i></p> <p>virus is unable to / cannot , replicate / reproduce , on its own / outside a host cell</p> <p><b>or</b></p> <p>virus requires host cell , machinery / <u>DNA</u> / RER / ribosomes , for protein synthesis</p> <p><b>or</b></p> <p>virus does not contain , RER / ribosomes , for protein synthesis ✓</p> <p>-----</p> <p><i>Plasmodium</i></p> <p><i>idea that Plasmodium is using the host cell to hide from the immune system</i></p> <p><b>or</b></p> <p>for <i>Plasmodium</i> to <u>complete</u> its life cycle</p> <p><b>or</b></p> <p>for <i>Plasmodium</i> to use as a source of food (for , growth / reproduction) ✓</p>	2	<p><b>IGNORE</b> ref to the erythrocyte not having membrane-bound organelles without ref to the <u>need</u> of the virus to use them inside the cell</p> <p>Must be a clear statement</p> <p><b>ACCEPT</b> <u>needs</u> / <u>has</u> to use , host cell to , replicate / reproduce</p> <p><b>ACCEPT</b> ‘malarial pathogen’ for <i>Plasmodium</i></p> <p><b>IGNORE</b> eukaryotic / protoctist</p> <p><b>IGNORE</b> it has its own , DNA / nucleus / protein synthesis apparatus</p> <p><b>IGNORE</b> ref to just , part / stage , of life cycle</p> <p><b>IGNORE</b> ref to organelles</p>

H020/01

Mark Scheme

June 2016

Question			Answer	Marks	Guidance
24	(b)	(iii)	<p>1 oxygen is bound to haemoglobin (while being transported) ✓</p> <p>2 lack mitochondria ✓</p> <p>3 (therefore) no <u>aerobic</u> respiration ✓</p> <p>4 (moved by mass flow so) doesn't need , energy / ATP , to move <b>or</b> needs less , energy / ATP (for metabolic processes) ✓</p>	2	<p>1 <b>ACCEPT</b> 'it' for 'oxygen' <b>ACCEPT</b> 'Hb' for haemoglobin</p> <p>3 <b>ACCEPT</b> <u>only</u> respire anaerobically <b>IGNORE</b> ref to energy</p> <p>4 <b>DO NOT CREDIT</b> 'does not need , energy / ATP' unqualified <b>DO NOT CREDIT</b> 'makes / produces , energy'</p>
24	(c)	(i)	1005 ✓✓	2	<p><b>Correct answer = 2 marks</b></p> <p>If answer is incorrect then <b>ALLOW</b> 1 mark for any ref to 201 x 5 (e.g. 2.01 x 5 or 2.01 x 50 or 0.201 x 0.5 etc)</p>

H020/01

Mark Scheme

June 2016

Question			Answer	Marks	Guidance
24	(c)	(ii)	<p>1 arteries / arterioles , have thick <u>wall</u></p> <p><b>or</b></p> <p>capillary <u>wall</u> is , thin / one cell thick / only endothelium ✓</p> <p>2 no <u>diffusion</u> (through artery wall)</p> <p><b>or</b></p> <p><u>diffusion</u> distance (too) large for artery</p> <p><b>or</b></p> <p><u>diffusion</u> occurs (through capillary wall)</p> <p><b>or</b></p> <p>short <u>diffusion</u> distance for capillary ✓</p>	2	<p>1 <b>ACCEPT</b> artery <u>walls</u> have , elastic fibres / muscle / collagen / (more) layers</p> <p><b>IGNORE</b> ref to veins / venules</p> <p><b>DO NOT CREDIT</b> ref to cell wall</p> <p><b>Note:</b> 'artery walls too thick for diffusion to take place' = 2 marks</p>
24	(d)	(i)	<u>Bohr</u> (effect / shift) ✓	1	<p><b>Correct spelling only</b></p> <p><b>ACCEPT</b> bohr / Bohr's / bohr's</p>

H020/01

Mark Scheme

June 2016

Question			Answer	Marks	Guidance
24	(d)	(ii)	<p><i>in actively respiring tissues</i></p> <p>1 more / high levels of , carbon dioxide (produced) <b>or</b> high pCO<sub>2</sub> ✓</p> <p>2 lowered <u>affinity</u> of haemoglobin for oxygen ✓</p> <p>3 (CO<sub>2</sub> results in) dissociation of carbonic acid / increase of H<sup>+</sup> , leading to the release of oxygen ✓</p> <p>4 more oxygen released at same pO<sub>2</sub> / suitable data quote from graph ✓</p>	<b>max 2</b>	<p><i>If symbols used must be correct e.g. CO<sub>2</sub> not CO<sup>2</sup></i></p> <p>1 <b>ACCEPT</b> ORA for resting tissue</p> <p>2 <b>ACCEPT</b> 'Hb' for haemoglobin <b>ACCEPT</b> weaker affinity</p> <p>4 (at , T / 3.2 kPa O<sub>2</sub>) drops from 40% to 24% saturation / 16% reduction</p>
			<b>Total</b>	<b>15</b>	



H020/01

Mark Scheme

June 2016

Question		Answer	Marks	Guidance
25	(a)	B C ✓✓	2	<p>One mark for each correct answer e.g. B C = 2    B or C (only) = 1    B D<del>x</del> = 1</p> <p>If one extra incorrect letter = max1 If two extra incorrect letters = 0 marks</p> <p>e.g. B C D <del>x</del> = 1    B C D <del>x</del> E <del>x</del> = 0</p>
		A D F ✓✓	2	<p><b>If any incorrect or extra letters are written, cross each one.</b></p> <p>e.g. A    D    E<del>x</del> Then look at any correct letters written. We have 1 cross so only 1 more mark available, A and D both right so gets this 1 mark)</p> <p>e.g. A    D    E<del>x</del>    C<del>x</del> We have 2 crosses so 0 marks even though the correct letters have also been given</p> <p><b>If no extra or incorrect letters are written:</b> Three answers written, all correct = 2 marks A, D, F = 2 Two answers written, both correct = 1 mark A, D = 1    A, F = 1    D, F = 1 One answer written and correct = 0 A = 0    F = 0    D = 0</p>

Question		Answer	Marks	Guidance
25	(b)	<p>1 sugar / sucrose / assimilates , in the <u>sieve tube</u> (elements) ✓</p> <p>2 (assimilates) enter , sieve tube / phloem (at source) <b>and</b> lowers water potential (in sieve tube) ✓</p> <p>3 water enters (sieve tube) , by osmosis / down water potential gradient / described <b>and</b> increases <u>hydrostatic</u> pressure ✓</p> <p>4 (assimilates) leave , sieve tube / phloem (at sink) <b>and</b> increases water potential (inside sieve tube) ✓</p> <p>5 water leaves (sieve tube) , by osmosis / down water potential gradient / described <b>and</b> lowers <u>hydrostatic</u> pressure ✓</p> <p>6 (assimilates) move , from high to low (hydrostatic) pressure / down pressure gradient ✓</p>	max 3	<p>2 <b>IGNORE</b> details of loading mechanism and companion cells</p> <p>6 <b>IGNORE</b> 'mass flow' as given in Q</p>
		<b>Total</b>	<b>7</b>	

**OCR (Oxford Cambridge and RSA Examinations)**  
**1 Hills Road**  
**Cambridge**  
**CB1 2EU**

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
**is a Company Limited by Guarantee**  
**Registered in England**  
**Registered Office; 1 Hills Road, Cambridge, CB1 2EU**  
**Registered Company Number: 3484466**  
**OCR is an exempt Charity**

**OCR (Oxford Cambridge and RSA Examinations)**  
**Head office**  
**Telephone: 01223 552552**  
**Facsimile: 01223 552553**

© OCR 2016

