



**GCE**

**Biology B**

**H022/01: Foundations of biology**

AS Level

**Mark Scheme for June 2022**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2022

## MARKING INSTRUCTIONS

### PREPARATION FOR MARKING RM ASSESSOR

1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *RM Assessor Assessor Online Training*; *OCR Essential Guide to Marking*.
2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are posted on the RM Cambridge Assessment Support Portal <http://www.rm.com/support/ca>
3. Log-in to RM Assessor and mark the **required number** of practice responses (“scripts”) and the **number of required** standardisation responses.

YOU MUST MARK 10 PRACTICE AND 10 STANDARDISATION RESPONSES BEFORE YOU CAN BE APPROVED TO MARK LIVE SCRIPTS.

### MARKING

1. Mark strictly to the mark scheme.
2. Marks awarded must relate directly to the marking criteria.
3. The schedule of dates is very important. It is essential that you meet the RM Assessor 50% and 100% (traditional 40% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone or the RM Assessor messaging system, or by email.
5. **Crossed Out Responses**  
Where a candidate has crossed out a response and provided a clear alternative then the crossed out response is not marked. Where no alternative response has been provided, examiners may give candidates the benefit of the doubt and mark the crossed out response where legible.

**Rubric Error Responses – Optional Questions**

Where candidates have a choice of question across a whole paper or a whole section and have provided more answers than required, then all responses are marked and the highest mark allowable within the rubric is given. Enter a mark for each question answered into RM assessor, which will select the highest mark from those awarded. *(The underlying assumption is that the candidate has penalised themselves by attempting more questions than necessary in the time allowed.)*

**Multiple Choice Question Responses**

When a multiple choice question has only a single, correct response and a candidate provides two responses (even if one of these responses is correct), then no mark should be awarded (as it is not possible to determine which was the first response selected by the candidate). *When a question requires candidates to select more than one option/multiple options, then local marking arrangements need to ensure consistency of approach.*

**Contradictory Responses**

When a candidate provides contradictory responses, then no mark should be awarded, even if one of the answers is correct.

**Short Answer Questions (requiring only a list by way of a response, usually worth only **one mark per response**)**

Where candidates are required to provide a set number of short answer responses then only the set number of responses should be marked. The response space should be marked from left to right on each line and then line by line until the required number of responses have been considered. The remaining responses should not then be marked. Examiners will have to apply judgement as to whether a 'second response' on a line is a development of the 'first response', rather than a separate, discrete response. *(The underlying assumption is that the candidate is attempting to hedge their bets and therefore getting undue benefit rather than engaging with the question and giving the most relevant/correct responses.)*

**Short Answer Questions (requiring a more developed response, worth **two or more marks**)**

If the candidates are required to provide a description of, say, three items or factors and four items or factors are provided, then mark on a similar basis – that is downwards (as it is unlikely in this situation that a candidate will provide more than one response in each section of the response space.)

**Longer Answer Questions (requiring a developed response)**

Where candidates have provided two (or more) responses to a medium or high tariff question which only required a single (developed) response and not crossed out the first response, then only the first response should be marked. Examiners will need to apply professional judgement as to whether the second (or a subsequent) response is a 'new start' or simply a poorly expressed continuation of the first response.

6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there, then add a tick to confirm that the work has been seen.

7. Award No Response (NR) if:

- there is nothing written in the answer space

Award Zero '0' if:

- anything is written in the answer space and is not worthy of credit (this includes text and symbols).

Team Leaders must confirm the correct use of the NR button with their markers before live marking commences and should check this when reviewing scripts.

8. The RM Assessor **comments box** is used by your team leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**

If you have any questions or comments for your team leader, use the phone, the RM Assessor messaging system, or e-mail.

9. *Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.*

H022/01

Mark Scheme

June 2022

10. For answers marked by levels of response: Not applicable in H022/01

- a. **To determine the level** – start at the highest level and work down until you reach the level that matches the answer
- b. **To determine the mark within the level**, consider the following

Descriptor	Award mark
On the borderline of this level and the one below	At bottom of level
Just enough achievement on balance for this level	Above bottom and either below middle or at middle of level (depending on number of marks available)
Meets the criteria but with some slight inconsistency	Above middle and either below top of level or at middle of level (depending on number of marks available)
Consistently meets the criteria for this level	At top of level

Read through the whole answer from start to finish, concentrating on features that make it a stronger or weaker answer using the indicative scientific content as guidance. The indicative scientific content indicates the expected parameters for candidates' answers, but be prepared to recognise and credit unexpected approaches where they show relevance.

Using a 'best-fit' approach based on the science content of the answer, first decide which set of level descriptors, Level 1, Level 2 or Level 3, **best** describes the overall quality of the answer using the guidelines described in the level descriptors in the mark scheme.

Once the level is located, award the higher or lower mark.

The **higher mark** should be awarded where the level descriptor has been evidenced and all aspects of the communication statement (in italics) have been met.

The **lower mark** should be awarded where the level descriptor has been evidenced but aspects of the communication statement (in italics) are missing.

















**In summary:**

- **The science content determines the level.**
- **The communication statement determines the mark within a level.**

## 11. Annotations

Annotation	Meaning
<b>DO NOT ALLOW</b>	Answers which are not worthy of credit
<b>IGNORE</b>	Statements which are irrelevant
<b>ALLOW</b>	Answers that can be accepted
( )	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
<b>ECF</b>	Error carried forward
<b>AW</b>	Alternative wording
<b>ORA</b>	Or reverse argument

## Marking Annotations

Annotation	Use
	Benefit of Doubt
	Contradiction
	Cross
	Error Carried Forward
	Given Mark
	Extendable horizontal wavy line (to indicate errors / incorrect science terminology)
	Ignore
	Large dot (various uses as defined in mark scheme)
	Highlight (various uses as defined in mark scheme)
	Benefit of the doubt not given
	Tick
	Omission Mark
	Blank Page
	Level 1 answer in Level of Response question
	Level 2 answer in Level of Response question
	Level 3 answer in Level of Response question



## 12. Subject-specific Marking Instructions

### INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

H022/01

Mark Scheme

June 2022

Question	Answer	Marks	AO element	Guidance
1	A	1	AO1.1	
2	C	1	AO2.6	
3	C	1	AO1.2	
4	D	1	AO1.2	41000/50000 = 82%
5	A	1	AO1.2	
6	D	1	AO2.6	Total = 1595/0.586 = 2722 (D = 103/2722x100)
7	C	1	AO1.2	
8	B	1	AO1.1	
9	C	1	AO1.1	
10	D	1	AO1.2	
11	B	1	AO1.2	
12	C	1	AO1.1	
13	D	1	AO2.5	
14	C	1	AO2.8	$(3.14 \times (0.5)^2 \times 60) \times 6$
15	A	1	AO2.3	
16	C	1	AO1.2	
17	B	1	AO2.5	
18	D	1	AO1.1	
19	C	1	AO1.2	
20	B	1	AO2.6	No. of polymorphic / Total number of gene loci
	<b>Total</b>	<b>20</b>		

H022/01

Mark Scheme

June 2022

Question			Answer	Marks	AO element	Guidance
21	(a)		<p>phloem / sieve tubes , are present in stems ✓</p> <p>translocation / transport of sucrose, occurs in , phloem / sieve tubes ✓</p> <p>sucrose transported (through the stem) from , source / leaves , to , sink / roots / rest of plant ✓</p> <p>glucose / food / products of photosynthesis , (produced in leaves) transported as sucrose ✓</p>	2 max	AO1.2 AO2.5	<p><b>IGNORE</b> vessels</p> <p><b>IGNORE</b> xylem in MP1</p> <p><b>ALLOW</b> sugar for sucrose throughout</p> <p><b>ALLOW</b> e.g. transport of sucrose through the stem occurs in phloem = <b>MP1</b> and <b>2</b></p> <p><b>DO NOT ALLOW</b> other named sugars e.g. glucose</p> <p><b>DO NOT ALLOW</b> sucrose transported in xylem</p>
21	(b)	(i)	iodine-KI ✓	1	AO1.2	<b>ALLOW</b> iodine
21	(b)	(ii)	<p>red (light) is absorbed by a , blue / blue-black , solution (of a positive result) ✓</p> <p>allows measurement of the intensity of , blue / blue-black , colour (of a positive result) ✓</p>	1 max	AO2.7	<b>ALLOW</b> allows absorbance of blue-black colour (of positive result) to be measured
21	(b)	(iii)	<p><i>idea of needing starch</i> , solutions / suspensions , of known concentration ✓</p> <p>measure , absorbance / transmission , of known concentrations ✓</p> <p>plot graph of , absorbance / transmission , against concentration ✓</p> <p>concentration on x axis <b>AND</b> , absorbance / transmission , on y axis ✓</p>	3 max	AO2.7 AO3.3	<b>DO NOT ALLOW</b> rate of absorbance / transmission - but only penalise once. Use <b>ECF</b>

H022/01

Mark Scheme

June 2022

21	(c)	<div>1 species 2 ✓</div> <div>any three from</div> <div>2 (has) high yield throughout the season / AW ✓</div> <div>3 (overall) low (concentration of) starch (found in the extract) ✓</div> <div>4 (so) less sucrose lost / AW ✓</div> <div>5 (so) extraction of sucrose is more efficient ✓</div> <div>6 data quotes to include units at least once to support reasons ✓</div>	4 max	<div>AO2.8</div> <div>AO3.2</div> <div>ALLOW max 2 if species is incorrect but has reasoning statements in correct context e.g. species 1 has most yield in May to August with 550kg per 1000kg = MP2 and MP6</div> <div>starch concentrations (mg dm<sup>-3</sup>) +/- 50</div> <table><tr><td></td><td>Species 1</td><td>Species 2</td><td>Species 3</td></tr><tr><td>May</td><td>1700</td><td>1300</td><td>1300</td></tr><tr><td>June</td><td>2300</td><td>2250</td><td>1800</td></tr><tr><td>July</td><td>1750</td><td>1600</td><td>1000</td></tr><tr><td>Aug</td><td>2750</td><td>1300</td><td>1850</td></tr><tr><td>Sept</td><td>2900</td><td>1800</td><td>1600</td></tr><tr><td>Oct</td><td>3800</td><td>1500</td><td>2400</td></tr><tr><td>Nov</td><td>2800</td><td>1250</td><td>2000</td></tr><tr><td colspan="4"></td></tr><tr><td>TOTAL</td><td>18000</td><td>11000</td><td>11950</td></tr><tr><td>MEAN</td><td>2571</td><td>1571</td><td>1707</td></tr></table> <div>mass of sucrose (kg per 1000 kg) +/- 5</div> <table><tr><td></td><td>Species 1</td><td>Species 2</td><td>Species 3</td></tr><tr><td>May</td><td>120</td><td>115</td><td>105</td></tr><tr><td>June</td><td>130</td><td>125</td><td>100</td></tr><tr><td>July</td><td>145</td><td>140</td><td>110</td></tr><tr><td>Aug</td><td>155</td><td>145</td><td>120</td></tr><tr><td>Sept</td><td>130</td><td>150</td><td>125</td></tr><tr><td>Oct</td><td>125</td><td>130</td><td>110</td></tr><tr><td>Nov</td><td>125</td><td>120</td><td>105</td></tr><tr><td colspan="4"></td></tr><tr><td>TOTAL</td><td>930</td><td>925</td><td>775</td></tr><tr><td>MEAN</td><td>133</td><td>132</td><td>111</td></tr></table>		Species 1	Species 2	Species 3	May	1700	1300	1300	June	2300	2250	1800	July	1750	1600	1000	Aug	2750	1300	1850	Sept	2900	1800	1600	Oct	3800	1500	2400	Nov	2800	1250	2000					TOTAL	18000	11000	11950	MEAN	2571	1571	1707		Species 1	Species 2	Species 3	May	120	115	105	June	130	125	100	July	145	140	110	Aug	155	145	120	Sept	130	150	125	Oct	125	130	110	Nov	125	120	105					TOTAL	930	925	775	MEAN	133	132	111
	Species 1	Species 2	Species 3																																																																																									
May	1700	1300	1300																																																																																									
June	2300	2250	1800																																																																																									
July	1750	1600	1000																																																																																									
Aug	2750	1300	1850																																																																																									
Sept	2900	1800	1600																																																																																									
Oct	3800	1500	2400																																																																																									
Nov	2800	1250	2000																																																																																									
TOTAL	18000	11000	11950																																																																																									
MEAN	2571	1571	1707																																																																																									
	Species 1	Species 2	Species 3																																																																																									
May	120	115	105																																																																																									
June	130	125	100																																																																																									
July	145	140	110																																																																																									
Aug	155	145	120																																																																																									
Sept	130	150	125																																																																																									
Oct	125	130	110																																																																																									
Nov	125	120	105																																																																																									
TOTAL	930	925	775																																																																																									
MEAN	133	132	111																																																																																									

H022/01

Mark Scheme

June 2022

21	(d)	(i)	hydrolysis ✓	1	AO1.1	
21	(d)	(ii)	(α) glucose / maltose ✓	1	AO1.2	
21	(d)	(iii)	breaks down / hydrolyses , (α -1,6) bonds between , links / branches ✓	1	AO2.1	<b>ALLOW</b> (starch) becomes less branched <b>IGNORE</b> breaks down polysaccharide <b>IGNORE</b> breaks down to glucose

H022/01

Mark Scheme

June 2022

Question			Answer	Marks	AO element	Guidance
22	(a)	(i)	<b>FIRST CHECK THE ANSWER IN TABLE</b> <b>If answer = 3.5 and 12.25 award 1 mark</b>  $(d - \bar{d}) = 3.5$  <b>AND</b>  $(d - \bar{d})^2 = 12.25 \checkmark$	1	AO2.8	NOTE: <b>mean difference <math>d = 12.5</math></b> Sum of $(d - \bar{d})^2 = 52.5$
22	(a)	(ii)	<i>idea that two measurements collected from same individual <math>\checkmark</math></i>	1	AO3.2	<b>ALLOW</b> description e.g. each seal provided two pieces of data e.g. for each seal heart rate readings were measured in darkness <b>and</b> in daylight
22	(a)	(iii)	<b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 16.3 award 2 marks</b>  $\frac{\text{mean difference } \sqrt{10}}{2.42} \checkmark$  $16.3 / 16.33 \checkmark$	2	AO2.8	<b>ALLOW</b> 16.33 for 2 marks  <b>ALLOW</b> 16 / 16.334 for 1 mark  NOTE: <b>mean difference <math>d = 12.5</math></b> Sum of $(d - \bar{d})^2 = 52.5$
22	(a)	(iv)	(calculated value of) $t / 16.3 / 16.33$ , is (much) greater than , critical value / 2.26 $\checkmark$ null hypothesis , can be rejected / is not supported $\checkmark$  difference (in heart rates in light and dark) is not due to chance $\checkmark$	2 max	AO3.2	<b>ALLOW</b> ECF from 22(a)(iii)  <b>IGNORE</b> null hypothesis is incorrect  <b>ALLOW</b> there is (significant) difference between heart rates of young seals in darkness and daylight

H022/01

Mark Scheme

June 2022

22	(b)		greater , distance / gap , between , QRS (complexes) / peaks ✓  P waves , same / similar (shape /size) ✓  height of QRS (complexes) , same / similar ✓	2 max	AO1.2	<b>ALLOW</b> fewer peaks in same time interval <b>ALLOW</b> greater gap between P waves / greater gap between T wave and next P wave  <b>ALLOW</b> T waves , are the same / similar (shape / size)
----	-----	--	---	-------	-------	---

H022/01

Mark Scheme

June 2022

Question			Answer	Marks	AO element	Guidance
23	(a)	(i)	(gene W) is a proto-oncogene / becomes oncogene ✓  (mutation) leads to uncontrolled cell division ✓ (triggers) increased DNA replication ✓  abnormally high quantities of growth factors produced ✓	2 max	AO2.1	
23	(a)	(ii)	(gene) <i>p53</i> ✓	1	AO1.1	<b>ALLOW</b> tumour-suppressor / <i>p63</i> / <i>p73</i>
23	(b)		<i>similarity</i> (contain cells undergoing) uncontrolled cell division ✓  <i>difference</i> <b>any one from</b> adenoma is slow growing ✓  adenoma (usually) located within specific tissue(s) / is not metastatic ✓  carcinoma is metastatic ✓	2 max	AO2.1	<b>1 mark for similarity AND 1 mark for difference</b>  <b>ALLOW</b> ORA for carcinoma  <b>ALLOW</b> carcinoma spreads to , neighbouring / other / named , tissues <b>ALLOW</b> carcinoma produces secondary tumours in other areas / AW



H022/01

Mark Scheme

June 2022

Question		Answer	Marks	AO element	Guidance
24	(a)	<p><b>Pre-conceptual test: 2max</b>  test for (immunity to) , Rubella / German measles ✓  (if contracted during pregnancy) can cause ,  brain damage / deafness , in baby ✓</p> <p><b>OR</b>  test for , inherited disease / sickle cell anaemia /  cystic fibrosis ✓  parents may , carry / pass on , genetic disorder ✓</p> <p><b>Post-conceptual test: 2max</b>  test urine for glucose ✓  checks for gestational diabetes ✓</p> <p><b>OR</b>  test urine for protein ✓  checks for , kidney disease / high blood pressure ✓</p> <p><b>OR</b>  check for Rhesus (status) ✓  (if different status to fetus) may develop  antibodies that attack the baby ✓</p> <p><b>OR</b>  blood test for detecting genetic disorders ✓  to identify abnormalities in the fetus ✓</p> <p><b>ALLOW once for EITHER pre-conceptual or post-conceptual</b>  blood test for detecting , infection / syphilis /  HIV / hepatitis B ✓  (infections) can be passed on to the fetus (when pregnant) ✓</p>	4 max	AO1.1	<p><b>Test MUST be linked to correct reason</b>  <b>IGNORE</b> ultrasound scans</p> <p><b>ALLOW</b> virus can cross placenta / infect fetus (during pregnancy)  <b>ALLOW</b> woman can opt to have (MMR) vaccine</p> <p><b>ALLOW</b> parents can be given genetic counselling</p> <p><b>ALLOW</b> can indicate pre-eclampsia</p> <p><b>ALLOW</b> mother may need transfusion during birth</p> <p><b>ALLOW</b> CVS / amniocentesis / karyotyping as alternative to blood test to detect genetic disorders  <b>ALLOW</b> named e.g. Down's Syndrome</p> <p><b>ALLOW</b> so infections / syphilis / HIV / hepatitis B can be treated (before / during pregnancy)</p>

H022/01

Mark Scheme

June 2022

Question			Answer	Marks	AO element	Guidance
24	(b)	(i)	<b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 5.7 / 5.8 (g) award 2 marks</b>  $\frac{58}{111\%} \times 100\% = 52.25 \text{ or } 52.25225 \checkmark$  <b>OR</b>  $58 - 52.25 \text{ or } 52.25225 = 5.75 \text{ or } 5.74775 \checkmark$	2	AO2.2	<b>ALLOW 1 mark</b> for answer if not to two sig.figs.
24	(b)	(ii)	vitamin C / vitamin A / folic acid $\checkmark$	1	AO1.1	

H022/01

Mark Scheme

June 2022

24	(c)	(i)	(at 34 weeks) on 10 <sup>th</sup> percentile for weight <b>AND</b> 50 <sup>th</sup> percentile for length <b>AND</b> 90 <sup>th</sup> percentile for HC ✓  underweight (for gestational age) as on 10 <sup>th</sup> percentile ✓  average length (for gestational age) as on 50 <sup>th</sup> percentile ✓  above average HC (for gestational age) as on 90 <sup>th</sup> percentile / ✓  fetal development is a concern ✓	3 max	AO3.2	<b>ALLOW</b> underweight as , only 10% of fetuses weigh less / 90% fetuses weigh more  <b>ALLOW</b> above average as only 10% of fetuses will have higher value
24	(c)	(ii)	<b>FIRST CHECK THE ANSWER ON ANSWER LINE</b> <b>If answer = 77:1 award 1 mark</b>  Weight ÷ length 3950 ÷ 51.5  77:1 ✓	1	AO2.6	<b>ALLOW</b> any ratio between 75:1 and 78:1
24	(d)		width of fetal head at <u>widest</u> point ✓	1	AO1.2	

H022/01

Mark Scheme

June 2022

Question			Answer	Marks	AO element	Guidance								
25	(a)		<table><tr><th>Name</th><th>Letter</th></tr><tr><td>Erythrocyte</td><td>P</td></tr><tr><td>Monocyte</td><td>Q</td></tr><tr><td>Lymphocyte</td><td>R</td></tr></table> ✓✓	Name	Letter	Erythrocyte	P	Monocyte	Q	Lymphocyte	R	2	AO2.1	Two marks for 3 correct One mark for 2 correct Zero marks for 0 or 1 correct
Name	Letter													
Erythrocyte	P													
Monocyte	Q													
Lymphocyte	R													
25	(b)	(i)	(so) individual cells can be seen clearly / AW ✓  (so) representative sample (of cells) ✓	1 max	AO1.2	<b>ALLOW</b> e.g. prevent cells , overlapping / being on top of each other <b>ALLOW</b> cells can't be seen clearly if smear is too thick <b>ALLOW</b> if too thin small number of cells present								
25	(b)	(ii)	(so) nuclei , are stained / can be clearly seen ✓ to distinguish between different , leucocytes / white blood cells ✓	1 max	AO1.2									
25	(b)	(iii)	<i>idea that</i> macrophages develop (from monocytes) after they have left the blood stream ✓  macrophages found in (other) tissues ✓	1 max	AO2.5	<b>ALLOW</b> named e.g liver / lung								

H022/01

Mark Scheme

June 2022

25	(c)	<p>(neutrophils) are phagocytes / carry out phagocytosis ✓</p> <p>engulf / AW , pathogen in(to) , vesicle / phagosome ✓</p> <p>lysosomes fuse with , vesicle / phagosome ✓</p> <p>pathogen is digested ✓</p> <p>AVP ✓</p>	3 max	AO2.5	<p>e.g. role of opsonins / role of cytokines</p> <p>e.g. lysosomes contain hydrolytic / digestive enzymes</p>
25	(d)	<p>clotting factors ✓</p> <p>erythrocytes / red blood cells ✓</p> <p>platelets ✓</p>	3	AO1.2	<b>If more than one answer given mark the first on the line</b>

## Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our customer support centre.

### Call us on

**01223 553998**

### Alternatively, you can email us on

**support@ocr.org.uk**

### For more information visit



**ocr.org.uk/qualifications/resource-finder**



**ocr.org.uk**



**Twitter/ocrextams**



**/ocrextams**



**/company/ocr**



**/ocrextams**



OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. © OCR 2022 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA.

Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

OCR provides resources to help you deliver our qualifications. These resources do not represent any particular teaching method we expect you to use. We update our resources regularly and aim to make sure content is accurate but please check the OCR website so that you have the most up-to-date version. OCR cannot be held responsible for any errors or omissions in these resources.

Though we make every effort to check our resources, there may be contradictions between published support and the specification, so it is important that you always use information in the latest specification. We indicate any specification changes within the document itself, change the version number and provide a summary of the changes. If you do notice a discrepancy between the specification and a resource, please [contact us](#).

Whether you already offer OCR qualifications, are new to OCR or are thinking about switching, you can request more information using our [Expression of Interest form](#).

Please [get in touch](#) if you want to discuss the accessibility of resources we offer to support you in delivering our qualifications.