



Monday 11 October 2021 – Morning A Level Biology B (Advancing Biology)

H422/01 Fundamentals of biology

Time allowed: 2 hours 15 minutes

a ruler (cm/mm)	
 a scientific or graphical calculator 	



Please write clearly in black ink. Do not write in the barcodes.									
Centre number						Candidate number			
First name(s)									
Last name									

INSTRUCTIONS

You can use:

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION

- The total mark for this paper is **110**.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has 40 pages.

ADVICE

· Read each question carefully before you start your answer.

2

SECTION A


You should spend a maximum of 40 minutes on this section.

Write your answer for each question in the box provided.

Answer **all** the questions.

1	Mai	mmals have mass transport systems to move substances around the body.						
	Which feature of mammals, A to D , explains why they need mass transport systems?							
	Α	low metabolic rates						
	В	large surface area to volume ratios						
	С	short diffusion distances						
	D	small surface area to volume ratios						
	You	ır answer	[1]					
2	Wh	ich of the biofluids, A to D, is not an extracellular fluid?						
	Α	cell sap						
	В	lymph						
	С	plasma						
	D	urine						
	You	ır answer	[1]					

3 The photomicrograph shows part of a transverse section through a mammalian aorta.



Which of the rows, $\bf A$ to $\bf D$, correctly identifies some of the tissues that would be found in the areas labelled $\bf X$, $\bf Y$ and $\bf Z$ in the photomicrograph?

	X	Y	Z
Α	endothelium	collagen fibres and connective tissue	smooth muscle tissue
В	smooth muscle tissue	elastic tissue	endothelium
С	endothelium	smooth muscle tissue	collagen fibres and connective tissue
D	smooth muscle tissue	endothelium	elastic tissue


Your answer	
	[1]

- Which of the options, **A** to **D**, is the site of initiation of action potentials that lead to the contraction of heart muscle?
 - A accelerator nerve
 - **B** Purkyne fibres
 - C sinoatrial node
 - **D** vagus nerve

Your answer	
-------------	--

[1]

5 The diagram shows a blood bag label with information about the stored blood product contained in the bag.



Which of the options, **A** to **D**, about this stored blood product is correct?

- A Contains plasma and erythrocytes with no A or B glycoprotein antigens in the plasma membrane.
- **B** Contains plasma with anti- A and anti-B antibodies and erythrocytes.
- **C** Contains concentrated erythrocytes with A and B glycoprotein antigens in the plasma membrane.
- **D** Contains concentrated erythrocytes with no A and B glycoprotein antigens in the plasma membrane.

Your answer	
	[1]

6 The table shows the results from an analysis of some of the organic compounds found in a human urine sample.

		Concentration (g dm ⁻³)				
	Carbon (C)					
Organic compounds	5.15	7.46	4.78	1.24	0.13	

Which of the molecules, **A** to **D**, would contain the sulfur shown in the analysis?

-		
Α	amino	acids
_	annin	aoiao

- B nucleic acids
- **C** pyruvate
- **D** urea

Your answer	[11]

7 A pregnant woman has been advised to increase her daily intake of protein by 15% to 53 g.

Which of the options, **A** to **D**, is her normal daily intake of protein?

- **A** 28g
- **B** 8g
- **C** 46g
- **D** 38g

Your answer	
	[1]

8 Milk fat contains many different types of triglycerides. The molecules that make up these triglycerides can affect the flavour and nutritional properties of milk fat.

A

В

C

D

Which of the molecules, **A** to **D**, would **not** be found in a triglyceride?

Your answer

[1]


		7						
9	A 4	5-year-old patient was admitted to hospital with a lung infection.						
	The patient was tested for tuberculosis (TB) using a Mantoux skin test. The Mantoux skin performed by injecting an extract from the TB pathogen under the skin.							
	Afte	er 48 hours, the patient had developed a large, red lump at the site of the test.						
	Wh	ich of the following statements is/are correct?						
	1:	The patient's blood contained antibodies against TB antigens.						
	2:	The patient did not have immunity to TB.						
	3:	The patient had an inflammatory response to live TB pathogens present in the extract.						
	Α	1, 2 and 3 are correct						
	В	only 1 and 2 are correct						
	С	only 2 and 3 are correct						
	D	only 1 is correct						
	You	ir answer	[1]					
10		htheria is a bacterial disease of humans that can be treated by vaccination using an antitox antitoxin is a solution of antibodies specific to the antigens on the surface of the bacterium.						
	Wh	ich of the options, A to D , describes the type of immunity provided by the antitoxin?						
	Α	artificial active						
	В	artificial passive						
	С	natural passive						

natural active

Your answer

11 Oils from the clove tree, *Syzygium aromaticum*, have been found to have antifungal properties and are a potential source of medicinal drugs.

The graph shows the results of a study into the effect of concentration of clove oil on the growth of fungi on cooked meat.



Which of the options, **A** to **D**, is the correctly calculated percentage decrease in growth of fungi as the concentration of clove oil increases from 0.02 to 0.04%?

- **A** 71%
- **B** 22%
- **C** 78%
- **D** 29%

Valir analyar	
Your answer	
rour arrorror	

[1]

- 12 Which of the options, **A** to **D**, explains why viruses are not destroyed by antibiotics?
 - A Viruses do not have DNA.
 - **B** Viruses do not have nuclei.
 - C Viruses do not have plasmids.
 - **D** Viruses do not have cell walls.

Your answer	

[1]


13	Which of the op	tions A to) is f	formed by	the fusion	of a cel	II membrane	around a	microor	nanism?
13	William of the op	riioris, A io	少 ,13 1	ioiiiieu by	y une rusion	UI a CCI	II IIICIIIDIANE	around a	THICHOOL	yanısın:

- A bleb
- **B** phagosome
- **C** vacuole
- **D** virus

[1]

14 An investigation was carried out into the effect of concentration of a substance on its rate of uptake into cells.

The cells were placed in solutions of the substance at different concentrations and rate of uptake was measured.



Which of the options, $\bf A$ to $\bf D$, is the mechanism being used by the cells to transport the substance across the cell membrane?

- **A** active transport
- **B** facilitated diffusion
- **C** osmosis
- **D** simple diffusion

Your	answer	

[1]

				10		
15		which of the eukaryotic cell membranes, ${\bf A}$ to ${\bf D}$, is used to isolate enzymes that could cause ellular damage?				
	A lysosome membrane					
	В	mitoc	chondrial membrar	ne		
	С	nucle	ar membrane			
	D	tonop	olast			
	You	ır ansv	ver			[1]
16		struct hown l		classification of Chlamy	domonas reinhardtii, a sin	gle-celled organism,
thyl	II wa akoid mbra	J		nucleu		
	ylur llorop	n: phyta	Chlorophyceae	Chlamydomonadales	Chlamydomonadaceae	Genus: <i>Chlamydomonas</i>
	Wh	ich of t	the following state	ments is/are correct?		
	1:	C.reii	nhardtii would be o	classified in the Kingdom	ı, Bacteria.	
	2: C.reinhardtii is a photosynthetic organism.					
	3: Chlamydomonadaceae is the family taxon for <i>C.reinhardtii</i> .					
	Α	1, 2 a	and 3 are correct			
	В	only	1 and 2 are correc	t		
	С	C only 2 and 3 are correct				

[1]

Your answer

D

only 1 is correct


17 The *cytochrome c oxidase* gene is a good DNA barcode.


Which of the features, **A** to **D**, are needed for a good DNA barcode?

- A low interspecific variation
- **B** high intraspecific variation
- C short sequences of DNA
- **D** species specificity

[1]

18 A phylogenetic tree for five species is shown below.





The evolutionary distance between two species is calculated as the sum of the lengths of all the horizontal branches between the two species.

Which of the options, ${\bf A}$ to ${\bf D}$, is the estimated evolutionary distance between species ${\bf R}$ and species ${\bf T}$?

- **A** 8.0
- **B** 4.0
- **C** 2.0
- **D** 16.0

Your answer

[1]

19 Two heterozygous individuals with the genotype, HhRr, were crossed during an invedihybrid inheritance.				
	Whi	ich of the options, A to D , shows the probability of offspring having the genotype, HHRR?		
	Α	1 in 4		
	В	3 in 4		
	С	1 in 16		
	D	1 in 2		
	You	er answer	[1]	
20		natic cell gene therapy has been used for treating people with mitochondrial myopathy, ease of the muscles caused by damage to the mitochondria.	, a	
	Whi	ich of the following statements is/are correct?		
	1:	DNA sequences coding for the functional gene are placed into muscle cells.		
	2:	Meiosis will ensure that all muscle cells receive a copy of the functional gene.		
	3:	The functional gene will be passed on to the offspring of the treated individual.		
	Α	1, 2 and 3 are correct		
	В	only 1 and 2 are correct		
	С	only 2 and 3 are correct		
	D	only 1 is correct		
	You	ar answer	[1]	

21 *Taq* polymerase is an enzyme used during the polymerase chain reaction (PCR).

	•	At optimum temperature, <i>Taq</i> can replicate DNA at a rate of 150 nucleotides per second. The error rate of <i>Taq</i> has been measured at 1 in 9000 nucleotides.				
	Which of the options, $\bf A$ to $\bf D$, is the estimated number of errors that could be produced by $\it Taq$ during 20 minutes of PCR at optimum temperature?					
	Α	180				
	В	60				
	С	20				
	D	1200				
	Υοι	r answer [1]			
22	Which of the options, A to D , about the onset of menopause and secretion of female hormones is correct?					
	Α	Secretion of follicle-stimulating hormone (FSH) increases.				
	В	Secretion of luteinising hormone (LH) decreases.				
	С	Secretion of oestrogen increases.				
	D	Secretion of progesterone increases.				
	You	r answer [1]			
23		ich of the statements, A to D , about why respiration in animals and plants is dependent of tosynthesis is correct?	n			
	Α	Triose phosphate (TP) can be hydrolysed into glucose.				
	В	Triose phosphate (TP) can form 6-carbon sugars.				
	С	Triose phosphate (TP) and glycerate-3-phosphate (GP) can be joined to form sucrose.				
	D	Triose phosphate (TP) can be converted into fatty acids.				
	You	r answer [1]			

24	Which of the structures, ${\bf A}$ to ${\bf D}$, in the ruminant digestive system secretes hydrochloric acid and digestive enzymes?					
	A abomasum					
	В	omasum				
	С	reticulum				
	D	rumen				
		r answer		[1]		
25		table shows the roles of three di naptic cleft.	fferent chemicals in the trans	mission of nerve impulses across		
	Whi	ch of the rows, A to D, is correct	?			
		Binds to receptors on Na ⁺ channels in postsynaptic membrane	Generates an action potential in postsynaptic membrane	Causes vesicles containing neurotransmitter to fuse with presynaptic membrane		
	Α	acetylcholine	calcium ions	sodium ions		
	В	calcium ions	sodium ions	acetylcholine		
	С	sodium ions	calcium ions	acetylcholine		
	D	acetylcholine	sodium ions	calcium ions		
200		r answer		[1]		
26	Existing treatments for kidney failure include dialysis and transplant surgery. Therapeutic cloning involves growing kidney tissue from the patient's stem cells and is another type of treatment which may be available in the future.					
	For which of the treatments, A to D , would the patient need to take immunosuppressant drugs?					
	A donation of a kidney from a living relative					
	B haemodialysis					
	С	peritoneal dialysis				
	D	therapeutic cloning				
	You	r answer		[1]		

27	The kidney	y has several	functions a	as an	endocrine	organ
4 1	THE MUHE	y iias seveiai	TUTICUOTIS a	เจ สม	CHUOCHIE	ul yai i


Which of the options, **A** to **D**, is **not** an endocrine function of the kidney?

- A osmoregulation to control the reabsorption of water
- B secretion of erythropoietin to increase production of red blood cells
- **C** secretion of renin to catalyse the formation of angiotensin to increase blood pressure
- **D** selective reabsorption of glucose to prevent it being lost during excretion

Your answer	
Tour answer	
	[1]

28 A group of students were investigating the rate of translocation in plants using aphids.

The diagram shows the apparatus used in their investigation.



The sap from each colony of aphids was analysed for the presence of radioactively labelled sugars.

Rate of translocation was calculated based on the time taken for the radioactively labelled sugars to be detected in each of the colonies positioned along the length of the stem.

- Diameter of the phloem tube was 2 mm
- Mean translocation rate calculated by the students was 0.5 cm³ hr⁻¹
- Volume of a cylinder = $\pi r^2 l$

In which of the aphid colonies, **A** to **D**, were radioactively labelled sugars first detected after 1.3 hours?


Your answer	
	[']

- 29 Which of the statements, A to D, describes vernalisation in flowering plants?
 - A Exposure to high temperatures for an extended time period to encourage flowering.
 - **B** Exposure to high temperatures for an extended time period to encourage germination.
 - **C** Exposure to low temperatures for an extended time period to encourage flowering.
 - **D** Exposure to low temperatures for an extended time period to encourage germination.

Your answer	
	[1

- **30** Hydrogen carbonate indicator was used to investigate gaseous exchange in plants by measuring the change in pH.
 - The indicator ranges from yellow at pH7.6 to purple at pH9.2.
 - The indicator is red in atmospheric air with normal carbon dioxide concentration.

Four test tubes containing 2 cm³ of hydrogen carbonate indicator and equal-sized leaves from the same plant were prepared as shown in the diagram below. The test tubes were then illuminated under the same light source for 8 hours.



Test tube	1	2	3	4
Colour of indicator after 8 hours	yellow	red	purple	red

Which of the statements, **A** to **D**, about the outcome of the investigation is correct?

- **A** Both photosynthesis and respiration are taking place in all four test tubes.
- **B** The rate of photosynthesis is greater than the rate of respiration in test tube 2.
- **C** The rate of photosynthesis is greater than the rate of respiration in test tube 3.
- **D** The rate of photosynthesis is equal to the rate of respiration in test tube 3.

17 SECTION B

Answer all the questions.

Suggest why having large quantities of arginine enables protamine to bind effectively to DNA molecules.

[2]

(ii) Substituting histone with protamine allows DNA to be more densely packaged.

Suggest one advantage of having densely packaged DNA in a sperm nucleus.

[1]

(c) It has been found that protamine deficiency can lead to a severe disruption of spermatogenesis affecting male infertility.

An investigation was carried out into the effect of protamine deficiency on the production of healthy sperm cells.

Forty semen samples were collected from four groups of men as shown in the table.


Group	Sperm count	Motility of sperm
1	normal	normal
2	low	normal
3	normal	low
4	low	low

Microscope slides were prepared by fixing and staining a smear from each semen sample. The staining technique used distinguished between protamine deficient and normal sperm cells.

The researchers concluded that the ages of the men in the groups would not affect the

	validity of the results of this investigation.	
	Explain how the researchers could have justified this conclusion.	
		[2]
(ii)	What is the role of Group 1 in this investigation?	
		[1]

(iii) The results of the investigation are shown in the graph.



Using the information from the table and the graph, what conclusions can be made about the results of the investigation?
[41]


(d)* l	Female	gametes,	or	ova,	are	produced	during	oogenesis.	
--------	--------	----------	----	------	-----	----------	--------	------------	--

Compare and contrast spermatogenesis and oogenesis in the production of gametes. Include reference to the role of hormones.
[6]
Additional answer space if required.

21 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

32 The photomicrograph below shows a section through the wall of a mammalian eye.



(a) The tissues of the eye shown in the photomicrograph were stained using eosin, which binds to cytoplasmic proteins staining them pink, and haematoxylin, which stains cell nuclei dark blue.

Describe the advantages of this method of staining tissues for viewing under a microscope.	
	•••
	•••
[21
	-1

(i)	Outline the s	tructure and fund	ction of the outer	layer, labelled P	, in the photomicr
(ii)	The layer lab	elled Q contains	s highly pigmente	ed cells.	
	Name layer	Q and state the i	mportance of thi	s layer to the fund	ctioning of the eye
	Name				
	Importance				
	•	n the image using orded their result	g a mm ruler. ts in the table be	low.	
		Width o	f the retinal lay	er (mm)	
	Student 1	Student 2	Student 3	Student 4	Mean
	64	66	61	65	
(i)	Find the mea	an of the data an			of the retinal la
(ii)	Calculate the	e uncertainty in t	he mean value fo	or this data.	
	Use the equa	ation:			
	$\frac{R}{2\sqrt{N}}$				
	R = difference	e between maxi	mum and minim	um values	
	N = number	of measurement	s taken		
	N = number	of measurement	s taken		

(d) Bardet-Biedl syndrome (BBS) is a human genetic disorder. One of the main symptoms is child-onset loss of vision.

Abnormalities of cilia are known to be related to a wide range of disease symptoms including those commonly seen in BBS patients. It is now accepted that mutated *BBS* genes affect microtubules and the normal functioning of cilia.

In the early childhood of individuals with BBS, deterioration of cone cells in the retina occurs, leading to poor visual acuity and colour blindness.

(i)	Using your knowledge of the internal structure of photoreceptor cells, suggest why mutated BBS genes lead to deterioration of cone cells and poor visual acuity.
(ii)	Explain how cone cells enable humans to distinguish colour.
	[3]
(iii)	Obesity, syndactyly, diabetes and kidney failure are other symptoms associated with BBS.
	Suggest why BBS is described as a syndrome.
	[1]
(iv)	State the mechanism that prevents syndactyly occurring in healthy individuals.
	[41]

33	The coronary artery supplies blood to the heart. If the coronary artery is blocked or damaged a
	heart attack may occur.

(a)	When a person is suspected of having a heart attack it is a medical emergency and the first
	step of the emergency procedure is to call for an ambulance.

State two other steps in the emergency procedure for a person who is suspected of having a heart attack.
1
2
[2]

Question 33(b) begins on page 26

(b)	Alcohol is a drug known to reduce the heart rate in humans. A group of students wanted to
	find out if alcohol had the same effect on the heart rate of the water flea, Daphnia magna.

One of the students made the following notes about the investigation.

- 1. We put a sample of Daphnia on a depression slide containing deionised water (control).
- 2. We put the slide under a light microscope and recorded a live video of the Daphnia sample.
- 3. We replayed the video in slow motion and counted the number of heart beats in 20s for 12 different Daphnia.
- 4. We then calculated the heart rate and recorded our data as the number of beats per minute (bpm).
- 5. We put a sample of Daphnia on a slide containing 2.5% alcohol and waited two minutes.
- 6. After two minutes we measured the heart rate using the same method as before.
- 7. We also repeated the investigation with 5% alcohol but decided that we could not repeat our investigation using this concentration, so we chose to use 2.5% alcohol.
- 8. We concluded that alcohol lowers the heart rate of Daphnia but the difference is not significant.

(i)	Give one reason why note 5, but not note 1, mentions that the students 'waited for two minutes'.
(ii)	Suggest one reason why the students decided that they could not repeat the investigation using 5% alcohol concentration.
	[1]

27

(c) The results of the students' investigation are shown in **Table 33.1**.

<i>D. magna</i> individual	Heart rate in water (bpm)	Heart rate in 2.5% alcohol (bpm)	Difference (d)	Difference from the mean (d–d)	(d-d) ²
1	280	180	100	-7.3	53.29
2	295	185	110	2.7	7.29
3	283	181	102	-5.3	28.09
4	290	185	105	-2.3	5.29
5	289	180	109	1.7	2.89
6	291	183	108	0.7	0.49
7	293	185	108	0.7	0.49
8	289	182	107	-0.3	0.09
9	291	183	108	0.7	0.49
10	295	186	109	1.7	2.89
11	292	180	112	4.7	22.09
12	290	180	110	2.7	7.29
		Mean (d) =	107.3	Sum =	130.36

Table 33.1

(i) Use the results in **Table 33.1** to carry out a Student's paired *t*-test for these data.

Standard deviation
$$s_d = \sqrt{\frac{\sum (d - \overline{d})^2}{n - 1}}$$

$$t = \frac{\overline{d}\sqrt{n}}{s_d}$$

Use the equations:

(ii) The table of critical values for 5% significance level is shown in Table 33.2.

Degrees of freedom	Critical value
4	2.78
5	2.57
6	2.48
7	2.37
8	2.31
9	2.26
10	2.23
11	2.20
12	2.18
13	2.16
14	2.15

Table 33.2

Using Table 33.2 and your answer to c(i) , comment on the conclusion made by the students in note 8: 'We concluded that alcohol lowers the heart rate of Daphnia but the difference is not significant'.	
[2	2]


29 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

34 Tonle Sap Lake in Cambodia is one of the world's most productive and biodiverse freshwater ecosystems.

The human population of the Tonle Sap Lake live on floating villages that rise and fall with the water levels and depend on the traditional ways of living from rice farming, fishing and extracting forest resources.

The location map shows the Tonle Sap Lake with some of the human activities that take place.



(a)*	Using the information, evaluate the possible impact of human activities on the ecosystem of the Tonle Sap Lake. [6]

Additional answer space if required.					
A team of ecologists recorded the nu provided by one region of the Tonle S Their data are shown in the table below	ap Lake.	ving in four different habitats			
provided by one region of the Tonle S	ap Lake.	ving in four different habitats			
provided by one region of the Tonle S Their data are shown in the table belo	ap Lake.	ving in four different habitats			
provided by one region of the Tonle S Their data are shown in the table below Habitat	Number of different animal species	ving in four different habitats			
Provided by one region of the Tonle S Their data are shown in the table below Habitat Deep water Abandoned rice fields Floodplain shrubland and forest	Number of different animal species	ving in four different habitats			
Provided by one region of the Tonle S Their data are shown in the table below Habitat Deep water Abandoned rice fields	Number of different animal species 17	ving in four different habitats			
Provided by one region of the Tonle S Their data are shown in the table below Habitat Deep water Abandoned rice fields Floodplain shrubland and forest	Number of different animal species 17 12 92 4				
Provided by one region of the Tonle S Their data are shown in the table below Habitat Deep water Abandoned rice fields Floodplain shrubland and forest Rice fields	Number of different animal species 17 12 92 4				
Provided by one region of the Tonle S Their data are shown in the table below Habitat Deep water Abandoned rice fields Floodplain shrubland and forest Rice fields	Number of different animal species 17 12 92 4				
Provided by one region of the Tonle S Their data are shown in the table below Habitat Deep water Abandoned rice fields Floodplain shrubland and forest Rice fields	Number of different animal species 17 12 92 4				

(b)

	(ii)	State how the team of ecologists could calculate the biodiversity in each of these habitats and what additional data would be needed for the calculation.
		rol
(c)		nbodia is thought to have the largest wild population of the Siamese crocodile, <i>Crocodylus</i>
		amensis is a critically endangered species that is now virtually extinct in the wild in most countries of Southeast Asia.
	area	dies of genetic diversity amongst the Cambodian population of <i>C.siamensis</i> in protected as have provided some evidence that there was a recent genetic bottleneck event in the e Sap Lake area.
	(i)	Using this example, explain what is meant by the term, genetic bottleneck.
		[3]
	(ii)	Give one possible cause for the genetic bottleneck event that affected <i>C.siamensis</i> .
		[1]

(d) Crocodile farms have been established on the Tonle Sap Lake to develop captive-breeding programmes for *C.siamensis*.

Genetic analysis data of *C. siamensis* populations from two different crocodile farms is shown in the table below.

	Population from crocodile farm 1	Population from crocodile farm 2
Number of individuals in the population	45	15
Number of gene loci studied	35	40
Number of monomorphic genes	28	26

(i)	sing the data, calculate the percentage of polymorphic genes in the population of ea	ıcł
	rocodile farm.	

	Farm 1% Far	
		[2]
(ii)	Using the table and your answers to (d)(i), crocodile farms for developing a captive-bree	comment on the suitability of each of these eding programme for <i>C.siamensis</i> .
		re1

35 Nucleic acids are required for the synthesis of proteins.

(a)	For	each of the nucleic acids below, describe its role in protein synthesis.	
	(i)	Messenger RNA (mRNA)	
		F4	1
		[1]	1
	(ii)	Transfer RNA (tRNA)	
		[1]
(b)		A is the nucleic acid that provides the genetic information required for protein synthesis information is known as the genetic code.) -
		nplete the passage below about the nature of the genetic code using the most appropriated (s).	Э
	The	sequence of bases in one strand of DNA provides the genetic code for making proteins.	
	Sec	tions of DNA that code for specific polypeptides are known as	
	A se	equence of nucleotide bases is required to form a DNA codor	า
	that	codes for an amino acid. However, the genetic code is, which	า
	mea	ans that there is more than one codon for each amino acid. Each DNA codon is read	b
	sep	arately which means that there is no of bases in the sequence	Э
	duri	ng transcription.	
		[4	J

(c) Avidin is a glycoprotein found in the whites of bird and reptile eggs. It has been investigated


	as an alternative insecticide for crop plants such as wheat.		
	The	ne study, researchers produced transgenic wheat plants containing the avidin gene. expression of this gene was found to offer some protection against the wheat weevil, philus granarius.	
	Outl	ine a method that the researchers could have used to produce transgenic wheat plants.	
		[3]	
(d)		in acts as an insecticide by preventing wheat weevils from obtaining biotin in their diet. In is an essential cofactor required by insects.	
	(i)	Suggest how avidin prevents insects from obtaining biotin.	
		[1]	
	(ii)	Suggest why lack of biotin leads to the death of wheat weevils.	
		[2]	

- The resting potential of most neurones is maintained at about –65 mV.
 - (a) Complete the table by deciding whether each of the statements about maintaining the resting potential of a neurone is true (T) or false (F).

Statement	True (T) or False (F)
ATP is used to pump Na ⁺ in and K ⁺ out of the axon	
The inside of the axon membrane has a positive charge relative to the outside	
The axon membrane is more permeable to K ⁺ than Na ⁺	

[2]

(b) The graph shows the changes in potential across a neurone membrane during an action potential.



Explain the feedback mechanism that causes the voltage to rise between points X and Y .
[3]

END OF QUESTION PAPER

38 ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).			
	ţ		

	• • •
	 • • •
• • • • • • • • • • • • • • • • • • • •	
	• • •

	•••••



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.