

# OCR

Oxford Cambridge and RSA

## Friday 17 June 2022 – Morning

### A Level Biology B (Advancing Biology)

#### H422/02 Scientific literacy in biology

Time allowed: 2 hours 15 minutes



**You must have:**

- the Insert ( ns de th s document)
- a c ean copy of the Advance Not ce Art ce ( ns de th s document)

**You can use:**

- a ru er (cm/mm)
- a sc ent f c or graph ca ca cu ator



Please write clearly in black ink. **Do not write in the barcodes.**

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

First name(s)

---

Last name

---

#### INSTRUCTIONS

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

#### INFORMATION

- The total mark for this paper is **100**.
- The marks for each question are shown in brackets [ ].
- Quality of extended response will be assessed in questions marked with an asterisk (\*).
- This document has **24** pages.

#### ADVICE

- Read each question carefully before you start your answer.

## 2

Answer **all** the questions.

- 1 This question is based on the Advance Notice article ‘**Biochemistry of exercise-induced acidosis**’.

- (a) The table shows several conversions that occur in carbohydrate metabolism.

Place **one** tick (✓) in the appropriate box in each row to indicate the type of reaction corresponding to each conversion. The first row has been completed for you.

Conversion	Hydrolysis	Condensation	Oxidation	Reduction
ATP → ADP + P	✓			
glucose → glycogen				
maltose → glucose				
pyruvate → lactate				
transfer of hydrogen atoms to NAD <sup>+</sup>				

[3]

- (b) Explain why the conversion of pyruvate to acetyl CoA is described as an oxidative decarboxylation reaction.

.....

.....

.....

.....

[2]

- (c) (i) Use the information in the Advance Notice article to calculate the net yield of protons (H<sup>+</sup>) in glycolysis when glucose is used as a respiratory substrate and when glycogen is used as a respiratory substrate.

Net yield of H<sup>+</sup> from glucose = .....

Net yield of H<sup>+</sup> from glycogen = .....

[2]

3

(ii) Explain how metabolic acidosis leads to muscle fatigue during intense exercise.

.....  
.....  
.....  
.....  
..... [2]

(d) The Advance Notice article describes how muscle fatigue may be caused by P produced from ATP hydrolysis.

(i) Describe the role of ATP in muscle contraction.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
..... [3]

(ii) Explain how formation of calcium phosphate would cause muscle fatigue.

.....  
.....  
.....  
.....  
..... [2]

4

(e)\* Muscles produce sufficient ATP by aerobic respiration during normal exercise.

Under these conditions, protons ( $H^+$ ) generated in glycolysis are used by the mitochondria in oxidative phosphorylation.

Describe how protons generated in glycolysis are used to produce ATP in mitochondria **and** explain why these protons do not accumulate in mitochondria.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

[6]

Additional answer space if required.

.....  
.....  
.....  
.....  
.....

## 5

- 2 (a) The table lists structural features of DNA and transfer RNA (tRNA).

Put a tick (✓) in each box where that structural feature is present. The first row has been completed for you.

Feature	DNA	tRNA
Contains phosphodiester bonds	✓	✓
Contains deoxyribose		
Contains purines		
Always contains paired <b>and</b> unpaired bases		

[2]

- (b) Complete the sentences using the most appropriate terms.

The first stage of protein synthesis is called ....., in which the enzyme DNA helicase unwinds the DNA so that RNA polymerase is able to bind. RNA nucleotides are activated by addition of phosphate groups from ..... Activated RNA nucleotides align next to complementary bases on the template strands and then RNA polymerase forms ..... bonds between the nucleotides to form a strand of mRNA. The mRNA moves to the cytoplasm where it attaches to a ribosome. The first amino acid-tRNA complex with the correct complementary three base ..... then binds to the mRNA.

[4]

- 3 (a) Variable number tandem repeats (VNTRs) are patterns of repeated nucleotides in DNA sequences.

Variation in the length of VNTRs can be used to compare DNA samples from different people.

- (i) Describe a procedure you could use to compare the lengths of the VNTRs in two samples of DNA.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [3]

- (ii) Explain why forensic analysis uses VNTRs from different chromosomes or from loci that are far apart on the same chromosome.

.....

.....

.....

.....

..... [2]

- (iii) More recent forensic methods use shorter tandem repeats, typically 3 – 5 bases long. These are called short tandem repeats (STRs).

STRs of different lengths at one locus represent alleles.

A sample of DNA from a crime scene was analysed at five different STR loci. **Table 3.1** lists the five alleles present in the crime scene DNA and the percentage of the population that shares each allele.

Allele	Percentage of population sharing the allele (%)
1	13.5
2	7.8
3	12.3
4	6.6
5	5.1

**Table 3.1**

A suspect's DNA matched all five alleles from the crime scene DNA.

Calculate the probability that the match was due to chance.

Give your answer in standard form and to **2** significant figures.

Probability = 1 in ..... [2]

- (b) Hypothyroidism (underactive thyroid gland) has several causes.

Study of family histories suggests that one cause is genetic.

Mutations in the thyroglobulin (*Tg*) gene are thought to cause hypothyroidism. An increasing number of patients with *Tg* mutations have been identified in Japan.

One study analysed *Tg* mutations using haplotype analysis.

- (i) State the meaning of the term **haplotype**.

.....  
 .....  
 ..... [1]

(ii) In this study, DNA from patients with hypothyroidism was sequenced.

52 patients from 41 families had mutations in the Tg gene. Table 3.2 shows the results of haplotype analysis for three of these mutations.

Patients with the R and T mutations were found only in specific locations.

The R mutation was found only in a single village surrounded by steep mountains and the sea.

Patients with the S mutation were found all over Japan.

Mutation	Number of patients	Number of families	Number of patients with same haplotype
R	8	5	8
S	12	11	9
T	7	5	7

Table 3.2

The researchers made these conclusions:

- The R, S and T mutations are three of many causes of hypothyroidism.
- The R and T mutations were caused by a founder effect.
- S is an old mutation that keeps reoccurring independently.

Explain how the researchers reached these conclusions.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]



4 (a) Fig. 4.1 and Fig. 4.2 on the **Insert** are photomicrographs of sections of human lung.

(i) Identify the tissues labelled **A** and **B** in **Fig. 4.1**.

**A** .....

**B** .....

[2]

(ii) Identify the structure labelled **C** in **Fig. 4.2** and describe **one** visible way it is adapted for gas exchange.

Identity of **C** .....

Adaptation .....

.....

[2]

(iii) Identify the tissue labelled **D** in **Fig. 4.2** and describe its function.

Identity of **D** .....

Function .....

.....

[2]

(b) A section of lung tissue was prepared from a patient with emphysema.

Describe and explain how this would appear different to the lung tissue in **Fig. 4.2**.

.....

.....

.....

.....

..... [2]



- 5 (a) Ultrasound is used to screen for Down's syndrome in pregnancy. This is carried out between 11 and 14 weeks' gestational age.

If this screening indicates a high risk of Down's syndrome, fetal cells can be sampled for chromosome analysis.

- (i) Give the name of **one** fetal sampling technique **and** state the exact source of cells used.

Name of technique .....

Source of cells .....

[2]

- (ii) Give the name of the technique used in the chromosome analysis of the fetal cells.

..... [1]

- (iii) Down's syndrome is described as trisomy 21.

Suggest what is meant by trisomy 21.

.....

..... [1]

- (b) The gestational age of the fetus can be determined using one of two measurements:

- crown-rump length (CRL)
- head circumference (HC).

An accurate determination of gestational age is needed to ensure an accurate estimate of the risk of Down's syndrome.

- (i) Suggest why biparietal diameter (the width of the fetus's head at its widest point) has been replaced by head circumference as a measure of gestational age.

.....

..... [1]

## 12

- (ii) Current practice states that ultrasound screening for Down's syndrome risk should be used up to a gestational age of 14 weeks 1 day. From a gestational age of 14 weeks 2 days, screening should be done using a maternal blood sample.

A fetus was found to have a CRL of 61 mm.

The gestational age (in days) can be calculated using the formula:

$$\text{Gestational age} = 8.052 \times (\text{CRL} \times 1.037)^{0.5} + 23.73$$

Calculate the gestational age of the fetus in weeks and days, to the nearest day.

Gestational age = ..... weeks ..... days [2]

- (iii) Using your answer to part (ii), state whether the screening for Down's syndrome risk of this fetus should be done by ultrasound or through a maternal blood sample.

..... [1]

## 13

- (c) Fetal growth restriction (FGR) is a complication of pregnancy that results in a low birth weight. It affects up to 10% of all pregnancies and can lead to still-birth, poor growth in infancy and an increased risk of cardiovascular disease in later life. At present, there are no treatments for FGR.

FGR is diagnosed when fetal head circumference (HC) remains at or below the 5th percentile throughout gestation.

**Table 5.1** shows HC data for three fetuses at 14, 22 and 30 weeks' gestational age.

Gestational age (weeks)	HC (mm)		
	Fetus A	Fetus B	Fetus C
14	71	75	92
22	185	172	195
30	272	252	293

**Table 5.1**

**Fig. 5.1** is a fetal growth chart. The three lines represent the 5th, 50th and 95th percentiles.

- (c) British Medical Ultrasound Society, 'Fetal Growth Chart, Ultrasound 17, pp161-167. Item removed due to third party copyright restrictions.



**Fig. 5.1**

Use the data in **Table 5.1** and the fetal growth chart in **Fig. 5.1** to explain which, if any, of the fetuses would be diagnosed with FGR.

Fetus(es) .....

Reason .....

.....

..... [2]

- (d) FGR is associated with reduced levels of growth factors such as IGF-1 in both mother and fetus.

However, giving injections of IGF-1 to the mother has not been successful in treating FGR.

Gene therapy is now being investigated as a possible treatment for FGR.

Researchers tested gene therapy treatment on rabbits. The third fetus in a rabbit litter (the runt) has naturally reduced growth.

The researchers studied four groups of fetuses, as shown in **Table 5.2**. Each group consisted of five or six fetuses.

Group	Fetus type	Placenta injected with
A	normal	saline solution
B	runt	saline solution
C	runt	Ad-LacZ
D	runt	Ad-IGF-1

**Table 5.2**

Ad-LacZ used an adenovirus vector to deliver a gene that has no effect on the placenta.

Ad-IGF-1 used an adenovirus vector to deliver the *IGF-1* gene directly into the placenta.

- (i) Suggest how the Ad-IGF-1 could safely deliver the *IGF-1* gene into cells in the placenta.

.....

.....

.....

.....

..... [2]

- (ii) Explain the purpose of Group **A** and Group **C** in the study.

Group **A** .....

.....

Group **C** .....

..... [2]



16  
BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE



6 Fig. 6.1 on the **Insert** shows a light micrograph of a transverse section through the root of a leguminous plant.

(a) (i) Identify the tissues labelled **E** and **F** on **Fig. 6.1**.

**E** .....

**F** .....

[2]

(ii) Suggest the function of the region marked **G** on **Fig. 6.1**.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

[3]

## 18

- (b) *Vigna mungo* (black gram) is an important leguminous food crop in South Asia. The seeds are high in protein and are used to make dal, a staple of Indian food.

Formation of root nodules does not always lead to efficient nitrogen fixation. Some species of nitrogen-fixing bacteria will only induce nitrogen-fixing nodules on certain legumes.

Farmers sometimes inoculate seeds with nitrogen-fixing bacteria to try to improve yields.

An experiment investigated the effectiveness of this practice.

- A pure culture of a species of nitrogen-fixing bacteria was mixed with a charcoal carrier.
- The mixture was used to inoculate *V. mungo* seeds.
- 24 pots containing unfertilised soil were prepared.
- Half the pots were planted with 20 inoculated seeds each and half were planted with 20 untreated seeds (control group).
- The pots were moved to a greenhouse.
- After 45 days, 2 pots from each group were taken and measurements made of the plants.

The results are shown in **Table 6.1**.

Each set of measurements used 12 plants and the data are shown as mean  $\pm$  2 standard deviations.

	Height of plant (cm)	Fresh weight (g)	Number of roots	Number of root nodules
<b>Inoculated seeds</b>	45 $\pm$ 1.27	55 $\pm$ 1.03	25 $\pm$ 0.52	14 $\pm$ 0.46
<b>Untreated seeds</b>	23 $\pm$ 0.68	29 $\pm$ 0.82	12 $\pm$ 0.45	6 $\pm$ 0.26

**Table 6.1**

- (i) State **one** variable that should be controlled during the 45 days to allow a valid comparison between the two groups of seeds.

.....  
 ..... [1]

- (ii) Explain why the seeds were grown in unfertilised soil.

.....  
 .....  
 ..... [1]

- (iii) Suggest, with a reason, another control group that the researchers should have used.

.....  
.....  
.....  
.....  
..... [2]

- (iv) The researchers used a paired *t*-test to analyse their results.

Suggest whether this was an appropriate test to use.

.....  
.....  
.....  
.....  
..... [2]

- (v) State the number of degrees of freedom used for this paired *t*-test.

..... [1]

- (vi) The researchers concluded that farmers should use inoculated *V. mungo* seeds to maximise their yields.

Evaluate this conclusion.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
..... [3]

(c) Beef cattle can be fed on grass or cereal grains, such as maize.

It is common in some countries to raise beef cattle in two stages:

- the first 14 months the cattle are fed on grass
- the last 6 months they are fed on cereal grains.

**Table 6.2** shows the average mass of a group of cattle at the end of each stage and the average mass of feed consumed during that stage.

Stage	Age at end of stage (months)	Average mass at end of stage (kg)	Average mass of feed consumed (kg)
Fed on grass	14	320	9600
Fed on grain	20	560	3120

**Table 6.2**

(i) Calculate the efficiency of biomass transfer in the period when the cattle are fed on grass and in the period when they are fed on grain.

Give your answer to **2** significant figures.

Fed on grass = ..... %

Fed on grain = ..... %

**[2]**

(ii) A student concluded that it would be more sustainable to raise beef cattle entirely on grass.

Evaluate this conclusion.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... **[3]**

(d) Alfalfa is a leguminous plant used as a food crop for livestock such as beef cattle.

Alfalfa grows in areas with a shortage of water.

Scientists investigated the drought resistance of two different varieties of alfalfa: Algonquin and Longdong.

Fig. 6.2 shows photomicrographs of the upper and lower epidermis of leaves taken from the two varieties.




Fig. 6.2

Estimate the density of stomata on the lower epidermis of the two varieties.

Give your answer as stomata  $\text{mm}^{-2}$ .


Longdong = ..... stomata  $\text{mm}^{-2}$

Algonquin = ..... stomata  $\text{mm}^{-2}$

[3]

Turn over

- 7 (a) The image below is a transmission electron micrograph of a section through the proximal convoluted tubule (PCT) of a human kidney.



Identify **one** structural feature in the image and state how it is adapted to the function of the PCT.

Structural feature .....

Adaptation .....

.....

.....

.....

[2]

## 23

(b) Kidney failure can be treated by dialysis or transplant surgery.

(i) The table lists statements about two types of dialysis treatment.

Complete the table by writing 'true' or 'false' for each statement.

Statement	True or false
Both haemodialysis and peritoneal dialysis use a partially permeable membrane.	
The dialysis fluid for haemodialysis contains sugars and amino acids to match the composition of the patient's blood, but peritoneal dialysis uses saline solution.	
Haemodialysis must be performed several times per day.	

[2]

(ii) A student made the following statement about transplant surgery:

Dialysis is only a treatment for kidney failure, but transplant surgery is a permanent solution.

Evaluate the student's statement.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [3]

**END OF QUESTION PAPER**

**ADDITIONAL ANSWER SPACE**

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).

A large rectangular area with horizontal dotted lines for writing, intended for providing additional answer space. The area is bounded by a solid vertical line on the left and a solid horizontal line at the bottom.

**OCR**

Oxford Cambridge and RSA

**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet, which is produced for each series of examinations and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material. OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the OCR Copyright Team, Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.