



**GCE**

**Biology B (Advancing Biology)**

Unit **H422A/03**: Practical skills in biology

Advanced GCE

**Mark Scheme for June 2018**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

## Annotations

<b>Annotation</b>	<b>Meaning</b>
<b>DO NOT ALLOW</b>	Answers which are not worthy of credit
<b>IGNORE</b>	Statements which are irrelevant
<b>ALLOW</b>	Answers that can be accepted
( )	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
<b>ECF</b>	Error carried forward
<b>AW</b>	Alternative wording
<b>ORA</b>	Or reverse argument

**Subject-specific Marking Instructions****INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

H422/03

Mark Scheme

June 2018

Question		Answer	Marks	Guidance
1	(a)	legume / leguminous ✓	1	<b>DO NOT ALLOW</b> dicots or dicotyledons <b>IGNORE</b> named examples of crops (as this is not relevant to the question)
	(b)	(i) respiratory substrate ✓	1	<b>ALLOW</b> <u>respiratory</u> carbohydrate/sugar <b>ALLOW</b> energy source  <b>DO NOT ALLOW</b> source of energy FOR respiration <b>DO NOT ALLOW</b> source of, carbohydrates /sugars

Question	Answer	Marks	Guidance
	<p>(ii)* <b>Summary of instructions to markers:</b>  <i>Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.) Using a 'best-fit' approach based on the science content of the answer, first decide which of the level descriptors, <b>Level 1</b>, <b>Level 2</b> or <b>Level 3</b>, best describes the overall quality of the answer.</i>  <i>Then, award the higher or lower mark within the level, according to the <b>Communication Statement</b> (shown in italics):</i></p> <ul style="list-style-type: none"> <li>○ <i>award the higher mark where the Communication Statement has been met.</i></li> <li>○ <i>award the lower mark where aspects of the Communication Statement have been missed.</i></li> </ul> <ul style="list-style-type: none"> <li>• <b>The science content determines the level.</b></li> <li>• <b>The Communication Statement determines the mark within a level.</b></li> </ul>		
	<p><b>Level 3 (5-6 marks)</b>            Details of method and hazard control with all important steps included.  <i>There is a well-developed line of reasoning which is clear and logically structured and uses scientific terminology at an appropriate level. All the information presented is relevant and forms a continuous narrative.</i></p> <p><b>Level 2 (3-4 marks)</b>            Outline of method and hazard control with some details missing.  <i>There is a line of reasoning presented with some structure and use of appropriate scientific language. The information presented is mostly relevant.</i></p> <p><b>Level 1 (1–2 marks)</b>            Correct steps in method or hazard control are described but lack detail.  <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p><b>0 marks</b>            No response or no response worthy of credit.</p>	6	<p><b>Indicative scientific points could include:</b></p> <p><b>AO1.2: examples of knowledge of method</b></p> <ul style="list-style-type: none"> <li>• locate a root nodule</li> <li>• use forceps to remove nodule</li> <li>• cut root nodule from plant using a scalpel / razor blade on a tile</li> <li>• wash and sterilise nodule</li> <li>• crush nodule and dilute with distilled water</li> <li>• incubate culture (for 3 days; temperature is given in 1biii and can be ignored).</li> </ul> <p><b>AO2.7 examples of the application of risk assessment/hazard identification:</b></p> <ul style="list-style-type: none"> <li>• potential hazards associated with forceps and scalpel &amp; control (e.g. use of tile; blunt forceps)</li> <li>• sterilising the nodule using alcohol/distilled water</li> <li>• use of sterile petri dishes and other equipment (e.g. boiling; use of sodium hypochlorite / hydrogen peroxide solution)</li> <li>• potential microbial hazards (soil-borne microbes) &amp; control (inoculating loop)</li> <li>• safe disposal of equipment</li> </ul>

H422/03

Mark Scheme

June 2018

Question		Answer	Marks	Guidance
	(iii)	optimal temperature for (bacterial) enzymes ✓ allows rapid reproduction rates / <b>AW</b> ✓ prevent growth of <u>pathogenic</u> bacteria / <b>ORA</b> ✓	2 max	<b>ALLOW</b> 'doesn't denature bacteria enzymes' <b>ALLOW</b> faster (rate of) mitosis / quicker reproduction
(c)	(i)	0.104 ✓✓✓	3	If answer is incorrect or missing, a <b>maximum of 2 marks</b> can be given for intermediate stages as follows: one mark for working such as <ul style="list-style-type: none"> <li>• <math>4.0 - ((97.4 / 100) \times 4.0)</math></li> <li>• <math>4 \times 0.026</math></li> <li>• <math>100 - 97.4 = 2.6\%</math> with <math>2.6\%</math> of <math>4.0 = 0.104</math></li> </ul> one mark for incomplete calculation <ul style="list-style-type: none"> <li>• 3.896</li> </ul> one mark for correct answer but not quoted to 3dp e.g. 0.10
	(ii)	inhibits <u>translation</u> of mRNA ✓ (miRNA) binds at a <u>complementary</u> site (on mRNA) ✓ argonaute protein, breaks/cleaves, the mRNA strand ✓  AVP ✓	3 max	<b>IGNORE</b> references to 'miRNA inhibits mRNA' as this is given in the stem of the question  <b>DO NOT ALLOW</b> references to inhibiting transcription  Further detail e.g. <ul style="list-style-type: none"> <li>• double stranded precursor binds to, dicer / endonuclease protein</li> <li>• dicer cuts precursor (into short segments)</li> <li>• dicer cuts precursor</li> <li>• (short double stranded) miRNA binds to argonaute protein</li> <li>• RNA induced silencing complex (RISC) formed</li> <li>• small sections of mRNA can be translated but will not result in formation of a, functional / complete, protein</li> </ul>





H422/03

Mark Scheme

June 2018

Question			Answer	Marks	Guidance
2	(a)	(i)	to remove <u>chloride</u> ions <b>OR</b> to remove other chemicals, that could react with silver nitrate ✓  contamination would reduce, <u>validity</u> of results <b>OR</b> removes contamination to, increase, validity of the results ✓	1 max	<b>IGNORE</b> generic comments about contamination
		(ii)	(at 100°C) all (carrot) cell membranes will have broken down ✓ all chloride ions (from vacuole/cell) will have, been released/ diffused out ✓	1 max	<b>ALLOW</b> maximum precipitate formed
	(b)		(anomaly identified as) <u>0.018</u> <b>AND</b> (expected correct value as) <u>0.010</u> ✓	1	

H422/03

Mark Scheme

June 2018

Question	Answer	Marks	Guidance
(c)	<p><b>Mark first 3 variables only</b></p> <p><i>Variable</i>  <u>volume</u> of distilled water in the boiling tube ✓</p> <p><i>Explanation</i>            larger <u>volume</u> <u>reduce</u> the concentration of chloride ions / precipitate formed / absorbance <b>ORA</b> ✓</p> <p><i>Variable</i>  <u>volume</u> of distilled water removed in the sample ✓</p> <p><i>Explanation</i>            larger <u>volume</u> will <u>increase</u> number of chloride ions / precipitate formed / absorbance <b>ORA</b> ✓</p> <p><i>Variable</i>            time boiling tube remains in water bath ✓</p> <p><i>Explanation</i>            time in water bath should allow for desired temperature to be reached  <b>OR</b>            if time is too short, fewer chloride ions will have diffused across the membrane(s) / <b>ORA</b> ✓</p> <p><i>Variable</i>            size / volume / number / surface area, of carrot sections ✓</p> <p><i>Explanation</i>            larger <u>surface area</u> (to volume ratio) will <u>increase</u> diffusion (rate) / <b>ORA</b> ✓</p> <p><i>Variable</i>            concentration/ volume/ number of drops, of silver nitrate ✓</p> <p><i>Explanation</i>            larger concentration/ volume/ number will increase, the absorbance / precipitate formed <b>ORA</b> ✓</p>	6 max	<p><b>IGNORE</b> references to temperature as this is the independent variable in the investigation</p> <p><b>DO NOT ALLOW</b> amount</p> <p><b>DO NOT ALLOW</b> amount</p> <p><b>DO NOT ALLOW</b> amount</p> <p><b>DO NOT ALLOW</b> amount</p>

H422/03

Mark Scheme

June 2018

Question		Answer	Marks	Guidance
		<p><i>Variable</i> same filter used in colorimeter ✓</p> <p><i>Explanation</i> the filter affects the wavelengths that reach, the sample / the detector ✓</p> <p><i>Variable</i> same reference solution used in colorimeter ✓</p> <p><i>Explanation</i> prevents zeroing errors ✓</p> <p><i>Variable</i> sections of carrot / tissue, taken from same carrot ✓</p> <p><i>Explanation</i> different carrots will, have/store, different chloride ion concentrations ✓</p>		
	(d) (i)	0.013 ✓	1	at 10°C, absorbance is 0.014 at 40°C absorbance is 0.027
	(ii)	<p>higher temperature(s) results in, more disruption to the membrane ✓</p> <p>(rate of) diffusion increases with, an increase in temperature / increased <u>kinetic</u> energy (of chloride ions) ✓</p> <p>hence more chloride ions diffuse out, so more precipitate is formed, so absorbance increases ✓</p>	2 max	<p><b>DO NOT ALLOW</b> any ref to active transport as chloride ion movement at low temperatures is simple diffusion</p> <p><b>ALLOW</b> higher temperature, increases permeability of the plasma membrane</p>

H422/03

Mark Scheme

June 2018

Question			Answer	Marks	Guidance
		(iii)	200 ✓ AU ✓	2	<i>As the question asks for an estimate of the chloride ion concentration the value of 0.05 absorbance is used from Fig. 2.1</i>
			<b>Total</b>	<b>14</b>	

H422/03

Mark Scheme

June 2018

Question			Answer	Marks	Guidance
3	(a)	(i)	<u>smooth</u> muscle / elastic fibres / tunica media ✓	1	
		(ii)	<p><i>Explanation should link to correct tissue if named in provided for 3a(i)</i></p> <p>(elastic fibres enable) recoil</p> <p><b>OR</b></p> <p>(muscle) <u>contracts</u> to, <u>reduce</u> the size of the lumen ✓</p>	1	<p><b>DO NOT ALLOW</b> reference to elastic fibres 'relaxing/contracting'</p> <p><b>ALLOW</b> regulates blood pressure by altering (width of lumen)</p> <p><b>IGNORE</b> references to maintain blood pressure</p>
	(b)	(i)	$\underline{x} 80$ ✓✓	2	<p>If incorrect answer then award <b>one mark maximum</b> for either correct working i.e. <math>32/0.4</math></p> <p><b>OR</b> '80'</p> <p><b>ALLOW one mark maximum</b> for correct formula and correctly formatted answer if the candidate has measured incorrectly e.g. <math>32.5/0.4 = x 81.125</math> (accept a tolerance of +/-0.5 mm)</p>
		(ii)	0.46 ✓✓	2	<p>If answer is incorrect or missing: <b>ALLOW</b> one mark for correct working e.g. <math>1.143 \times 0.4</math> or <math>(14.3 / 100 \times 0.4) + 0.4</math></p> <p><b>ALLOW</b> one mark for correct answer to incorrect number of d.p. e.g. 0.4572 mm</p>

H422/03

Mark Scheme

June 2018

Question		Answer	Marks	Guidance
	(c)	<p>hypertrophy/ hyperplasia (of smooth muscle cells) ✓</p> <p>to withstand a higher blood pressure</p> <p><b>OR</b></p> <p>to enable greater, contraction (of the artery wall) ✓</p> <p>more / thicker, elastic fibres ✓</p> <p>to withstand a higher blood pressure</p> <p><b>OR</b></p> <p>for greater, recoil ✓</p> <p>plaque formation/ atheroma / atherosclerosis / increased cholesterol <u>in</u> the artery wall ✓</p> <p>cancer / uncontrolled cell division results in more cells ✓</p>	2 max	<p><b>IGNORE</b> generic references to high blood pressure (as a sign of disease)</p> <p><b>ALLOW</b> more / bigger, (smooth) muscle cells</p>
	(d)	(i)		
		<p>allows leakage of liquid through fenestrations ✓</p> <p>reduces diffusion distance/ increases rate of diffusion, to meet the demand for nutrients / removal of waste products <b>AW</b> ✓</p>	1	<b>ALLOW</b> 'gaps between cells' as alternative wording for fenestrations
		(ii)		
		<p>arterial ✓</p> <p>hydrostatic ✓</p> <p>solute ✓</p> <p>osmotic ✓</p>	4	<p><b>ACCEPT</b> arteriole / artery</p> <p><b>ACCEPT</b> protein</p> <p><b>ACCEPT</b> oncotic (if protein is the given as mp3)</p>
			<b>Total</b>	<b>13</b>

H422/03

Mark Scheme

June 2018

Question			Answer	Marks	Guidance
4	(a)	(i)	<p>could lead to, false positives / false negatives ✓</p> <p>if false negative (AW) / has immunity, people receive vaccination when it is not required</p> <p><b>OR</b></p> <p>if false positive (AW) / has no immunity, may lead to people not receiving vaccination when it is required ✓</p> <p>correct use of data to demonstrate percentage error ✓</p>	2 max	<p><b>IGNORE</b> any reference to vaccination rate or cost of vaccination</p> <p><i>e.g. 9mm induration is measured (incorrectly) as 9.9mm → recorded as 10mm → leading to false positive result</i></p> <p><i>e.g. 10mm induration is measured (incorrectly) as 9.1mm → recorded as 9mm → leading to false negative result</i></p>
		(ii)	<p>suitable suggestion for improved measuring method ✓</p> <p>valid / appropriate reasoned argument ✓</p>	2	<p><b>IGNORE</b> references to 'reduce percentage error'</p> <p>e.g.</p> <ul style="list-style-type: none"> <li>• callipers <ul style="list-style-type: none"> <li>○ give greater degree of precision</li> </ul> </li> <li>• use scaled photograph of induration <ul style="list-style-type: none"> <li>○ give greater degree of precision</li> </ul> </li> <li>• cut-out stencil/ overlay / AW, used as a standard placed on induration <ul style="list-style-type: none"> <li>○ more objective</li> </ul> </li> <li>• take multiple readings (minimum of 3) <ul style="list-style-type: none"> <li>○ calculate mean value</li> </ul> </li> </ul>

Question	Answer	Marks	Guidance
4 (b)*	<p><b>Summary of instructions to markers:</b>  <i>Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.) Using a 'best-fit' approach based on the science content of the answer, first decide which of the level descriptors, <b>Level 1</b>, <b>Level 2</b> or <b>Level 3</b>, best describes the overall quality of the answer.</i>  <i>Then, award the higher or lower mark within the level, according to the <b>Communication Statement</b> (shown in italics):</i></p> <ul style="list-style-type: none"> <li>○ <i>award the higher mark where the Communication Statement has been met.</i></li> <li>○ <i>award the lower mark where aspects of the Communication Statement have been missed.</i></li> </ul> <ul style="list-style-type: none"> <li>• <b>The science content determines the level.</b></li> <li>• <b>The Communication Statement determines the mark within a level.</b></li> </ul>		
	<p><b>Level 3 (5-6 marks)</b>  Advantages <b>and</b> disadvantages of <b>both</b> tests discussed. Use of data from Table 4.1 to support a conclusion.  <i>There is a well-developed line of reasoning which is clear and logically structured and uses scientific terminology at an appropriate level. All the information presented is relevant and forms a continuous narrative.</i></p> <p><b>Level 2 (3-4 marks)</b>  Advantages and/or disadvantages of <b>both</b> tests mentioned. A relevant reference to Table 4.1 is made.  <i>There is a line of reasoning presented with some structure and use of appropriate scientific language. The information presented is mostly relevant.</i></p> <p><b>Level 1 (1–2 marks)</b>  Advantages and/or disadvantages of at least one test mentioned. No relevant, correct reference to Table 4.1.  <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p><b>0 marks</b>  No response or no response worthy of credit.</p>	<b>6</b>	<p><b>Indicative scientific points could include:</b></p> <p><b>Advantages of Mantoux test:</b></p> <ul style="list-style-type: none"> <li>• results easy to measure</li> <li>• portable</li> </ul> <p><b>Disadvantages of Mantoux test:</b></p> <ul style="list-style-type: none"> <li>• requires sterile equipment</li> <li>• requires correct storage of tuberculin</li> <li>• subjectivity involved in measuring induration</li> <li>• gives, significant / AW, number of false results</li> <li>• requires longer period before test results are obtained</li> </ul> <p><b>Advantages of ELISA test:</b></p> <ul style="list-style-type: none"> <li>• enables measurement of antibody concentration (in response to administered antigen)</li> <li>• results are objective / more accurate</li> <li>• quicker test</li> </ul> <p><b>Disadvantages of ELISA test:</b></p> <ul style="list-style-type: none"> <li>• requires (more) specialist training</li> <li>• more expensive</li> <li>• not portable</li> <li>• more specialist equipment required</li> </ul>



H422/03

Mark Scheme

June 2018

Question			Answer	Marks	Guidance
					<p><b>Use of Table 4.1 to support conclusion</b></p> <ul style="list-style-type: none"> <li>• 65/ 89 samples give the same result with both tests</li> <li>• 73% (<math>65/89 \times 100</math>) of the results are the same (in agreement) in both tests</li> <li>• 24 results are false results</li> <li>• 27% (<math>24/89 \times 100</math>) are false results</li> <li>• ELISA have 45% testing positive (40/89)</li> <li>• ELISA have 55% testing negative (49/89)</li> </ul>

H422/03

Mark Scheme

June 2018

Question		Answer	Marks	Guidance																																																																																				
(c)	(i)	$r_s$ value -0.6394 ✓✓✓	3	<p>Candidates should retain all decimal places and only round in the final stage of the calculation (see <i>Mathematical Skills Handbook</i>)</p> <p><b>ALLOW</b> 2 marks maximum for answer given to 3dp (-0.639)</p> <p>If incorrect <math>r_s</math> value is given, marks can be given for intermediate stages as follows:  <b>ALLOW one mark for</b>  <math>\sum d^2 = 270.5</math>  <b>OR</b>  <math>6 \sum d^2 = 1623</math> <b>AND</b> for <math>n(n^2 - 1) = 990</math></p> <table border="1"> <thead> <tr> <th>Patient</th> <th>Age at vaccination</th> <th>Rank</th> <th>Length of time immune (years)</th> <th>Rank</th> <th>d</th> <th>d<sup>2</sup></th> </tr> </thead> <tbody> <tr><td>A</td><td>13</td><td>6.5</td><td>16</td><td>7.5</td><td>-1</td><td>1</td></tr> <tr><td>B</td><td>12</td><td>8</td><td>17</td><td>5.5</td><td>2.5</td><td>6.25</td></tr> <tr><td>C</td><td>14</td><td>4.5</td><td>18</td><td>3.5</td><td>1</td><td>1</td></tr> <tr><td>D</td><td>1</td><td>9</td><td>22</td><td>2</td><td>7</td><td>49</td></tr> <tr><td>E</td><td>30</td><td>2</td><td>4</td><td>9</td><td>-7</td><td>49</td></tr> <tr><td>F</td><td>35</td><td>1</td><td>1</td><td>10</td><td>-9</td><td>81</td></tr> <tr><td>G</td><td>15</td><td>3</td><td>18</td><td>3.5</td><td>-0.5</td><td>0.25</td></tr> <tr><td>H</td><td>14</td><td>4.5</td><td>17</td><td>5.5</td><td>-1</td><td>1</td></tr> <tr><td>I</td><td>0</td><td>10</td><td>23</td><td>1</td><td>9</td><td>81</td></tr> <tr><td>J</td><td>13</td><td>6.5</td><td>16</td><td>7.5</td><td>-1</td><td>1</td></tr> <tr> <td colspan="5"></td> <td>Total</td> <td>270.5</td> </tr> </tbody> </table>	Patient	Age at vaccination	Rank	Length of time immune (years)	Rank	d	d <sup>2</sup>	A	13	6.5	16	7.5	-1	1	B	12	8	17	5.5	2.5	6.25	C	14	4.5	18	3.5	1	1	D	1	9	22	2	7	49	E	30	2	4	9	-7	49	F	35	1	1	10	-9	81	G	15	3	18	3.5	-0.5	0.25	H	14	4.5	17	5.5	-1	1	I	0	10	23	1	9	81	J	13	6.5	16	7.5	-1	1						Total	270.5
Patient	Age at vaccination	Rank	Length of time immune (years)	Rank	d	d <sup>2</sup>																																																																																		
A	13	6.5	16	7.5	-1	1																																																																																		
B	12	8	17	5.5	2.5	6.25																																																																																		
C	14	4.5	18	3.5	1	1																																																																																		
D	1	9	22	2	7	49																																																																																		
E	30	2	4	9	-7	49																																																																																		
F	35	1	1	10	-9	81																																																																																		
G	15	3	18	3.5	-0.5	0.25																																																																																		
H	14	4.5	17	5.5	-1	1																																																																																		
I	0	10	23	1	9	81																																																																																		
J	13	6.5	16	7.5	-1	1																																																																																		
					Total	270.5																																																																																		

H422/03

Mark Scheme

June 2018

Question		Answer	Marks	Guidance
	(c) (ii)	<p><i>Null hypothesis is supported because:</i></p> <p><b>Any three from:</b> degrees of freedom is 8 ✓</p> <p>the <math>r_{\text{calculated}}</math> value is less than the <math>r_{\text{critical}}</math> value at 5% (<math>p = 0.05</math>) / AW ✓</p> <p>the <math>r_{\text{calculated}}</math> value is (also) less than the <math>r_{\text{critical}}</math> value at 1% (<math>p = 0.01</math>) / AW ✓</p> <p>accept the null hypothesis ✓</p> <p>the difference in length of time immunity was effective is due to (random) chance / there is no significant negative correlation ✓</p>	<b>3 max</b>	<p><b>ALLOW</b> ecf for each statement for miscalculated <math>r_s</math> value in c(i) <b>ALLOW 2 marks maximum</b> if the incorrect degrees of freedom have been used</p> <p><b>ALLOW</b> correct reference to using 5% probability level <b>ALLOW</b> 0.6394 is less than 0.6429</p> <p><b>ALLOW</b> 0.6394 is less than 0.8333</p> <p><b>IGNORE</b> 'null hypothesis is correct'</p>
<b>Total</b>			<b>16</b>	

**OCR (Oxford Cambridge and RSA Examinations)**  
**The Triangle Building**  
**Shaftesbury Road**  
**Cambridge**  
**CB2 8EA**

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations**  
**is a Company Limited by Guarantee**  
**Registered in England**  
**Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA**  
**Registered Company Number: 3484466**  
**OCR is an exempt Charity**

**OCR (Oxford Cambridge and RSA Examinations)**  
**Head office**  
**Telephone: 01223 552552**  
**Facsimile: 01223 552553**

© OCR 2018

