



GCE

Biology B

H422/03: Practical skills in biology

Advanced GCE

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

H422/03

Mark Scheme

June 2019

Annotations

Annotation	Meaning
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

H422/03

Mark Scheme

June 2019

Subject-specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

Question	Answer	Marks	Guidance
1 (a)	<p><i>any two of the following:</i></p> <p>use a sharp pencil ✓ lines should be, (clear) continuous / non-overlapping / AW ✓</p> <p>label lines could be, horizontal / justified / AW ✓ label lines should not have arrow (heads) ✓ has labelled structures which are not visible ✓ no shading should be included / AW ✓ add, (informative) title / annotation(s) ✓</p>	2	<p>e.g. cannot label Purkyne tissue</p> <p>IGNORE 'add left/right' ALLOW correct example of an annotation</p>
1 (b)	<p>correct area of artery shown is drawn showing 'angular' section ✓</p> <p>sharp pencil AND drawn to appropriate scale AND minimum of 3 pencil lines drawn (no arrowheads) AND <u>no</u> internal detail or structures drawn ✓</p> <p>2 correctly labelled AND annotated layers ✓✓</p>	4	<p><i>Annotation adds concise notes about the structures labelled on a biological drawing. It is often used to draw attention to features of particular biological interest, either structural (such as shape, size, colour) or functional.</i></p> <p>Examples of labels AND annotations:</p> <ul style="list-style-type: none"> • (Top layer) tunica intima / endothelial lining, thinner / smooth / pale purple • (Middle layer) tunica media is, thicker / dark(er) purple / contains smooth muscle / contains elastin fibres • (Bottom layer) tunica externa is, thinner / blue / contains elastin fibres / contains collagen fibres
Total		6	

H422/03

Mark Scheme

June 2019

Question		Answer			Marks	Guidance																								
2	(a)	mitosis ✓			1	DO NOT ALLOW binary fission																								
2	(b)	<table border="1"> <thead> <tr> <th>Method used to detect cancer</th> <th>What does the method involve?</th> <th>What is the method suitable for?</th> </tr> </thead> <tbody> <tr> <td>Blood test</td> <td>antibody test (ELISA)</td> <td>blood</td> </tr> <tr> <td>Mammography</td> <td>low energy x-rays</td> <td>breast (tissue) ✓</td> </tr> <tr> <td>CT scan</td> <td>x-rays ✓</td> <td>whole body scans</td> </tr> <tr> <td>Ultrasound ✓</td> <td>high frequency sound waves</td> <td>soft tissue</td> </tr> <tr> <td>MRI scan</td> <td>magnetic field and radio ✓</td> <td>soft tissue, bone, brain or spinal cord tumours</td> </tr> <tr> <td>PET (scan) ✓</td> <td>radioactive tracer and gamma waves</td> <td>Produces three-dimensional images of any part of the body</td> </tr> <tr> <td>Biopsies</td> <td>needle, speculum or scalpel</td> <td>tissues identified as possible tumours</td> </tr> </tbody> </table>			Method used to detect cancer	What does the method involve?	What is the method suitable for?	Blood test	antibody test (ELISA)	blood	Mammography	low energy x-rays	breast (tissue) ✓	CT scan	x-rays ✓	whole body scans	Ultrasound ✓	high frequency sound waves	soft tissue	MRI scan	magnetic field and radio ✓	soft tissue, bone, brain or spinal cord tumours	PET (scan) ✓	radioactive tracer and gamma waves	Produces three-dimensional images of any part of the body	Biopsies	needle, speculum or scalpel	tissues identified as possible tumours	5	Both words correct for one mark
Method used to detect cancer	What does the method involve?	What is the method suitable for?																												
Blood test	antibody test (ELISA)	blood																												
Mammography	low energy x-rays	breast (tissue) ✓																												
CT scan	x-rays ✓	whole body scans																												
Ultrasound ✓	high frequency sound waves	soft tissue																												
MRI scan	magnetic field and radio ✓	soft tissue, bone, brain or spinal cord tumours																												
PET (scan) ✓	radioactive tracer and gamma waves	Produces three-dimensional images of any part of the body																												
Biopsies	needle, speculum or scalpel	tissues identified as possible tumours																												

H422/03

Mark Scheme

June 2019

2	(c)	(i)	<p>difference between the <u>means</u> is due to, chance / AW, ✓ OR the <u>means</u> will be, the same / equal / AW ✓ OR there is no <u>significant</u> difference between the <u>means</u> (of annual pregnancy rate) ✓</p>	1	
2	(c)	(ii)	94.09	1	
2	(c)	(iii)	<p><i>t value</i> 10.206 ✓✓✓</p>	3	<p>ALLOW ecf from (c) (ii)</p> <p>DO NOT ALLOW if negative sign is given</p> <p>If answer is recorded to the incorrect number of decimal places (10.21 or 10.2) then award 2 marks maximum</p> <p>If answer is incorrect or missing allow marks for process stages as follows:</p> <ul style="list-style-type: none"> • <i>one mark for modulus calculation 7</i> • <i>one mark for denominator calculation prior to square rooting 0.47045</i>
2	(c)	(iv)	<p>Any three from:</p> <p>calculated value/ 10.206 is greater than, the critical value /1.960, at the 5% significance level / p = 0.05 ✓</p> <p>the (calculated) value is (also) greater than the critical value at the 1% significance level / p = 0.01 ✓</p> <p>(so the researchers can) reject the null hypothesis ✓</p> <p>the difference in <u>mean annual pregnancy rates</u> is NOT due to (random) chance ✓</p>	3	<p>ALLOW ecf from 2(c)(iii)</p> <p>IGNORE idea that the '10.206 is greater than the 1.96 and/or 2.56' unqualified</p> <p>ALLOW mp1 and mp2 for statements that clearly refer to the calculated value being larger than the critical value at 2 or more / all significant levels</p>

H422/03

Mark Scheme

June 2019

2	(d)	<p>Maximum of 3 marks for any one side of the discussion</p> <p><i>Positive</i> enables childless people to have children (which may improve mental wellbeing) ✓ provides eggs (through donation) to other women ✓ provides embryos for experimentation ✓ AVP ✓</p> <p><i>Negative</i> low success rate / AW ✓ costs a lot of money for relatively unproductive procedure ✓ destroys life (through the disposal of embryos) / AW ✓ physically stressful ✓ mentally stressful ✓ many, eggs / embryos, are 'wasted' ✓ requires a lot of, time / surgical facilities / highly qualified staff, which might be used on other procedures ✓ AVP ✓</p>	4	<p>IGNORE general comments about all fertility treatments e.g. single parent, unnatural process, 'playing God'</p> <p>e.g. unused embryos can be used to provide stem cells, selection of embryos without genetic fault</p> <p>ALLOW reference to data from question e.g. 23% and 16% success rates of the clinics / around one quarter of eggs resulting in pregnancy</p> <p>IGNORE references to multiple pregnancies (as the question specifies this type of IVF and states that only one embryo is transferred)</p> <p>IGNORE reference to higher risk of autism (as correlation is found in ICSI not this type of IVF)</p> <p>e.g. correct ref to increased risk of medical issues, (named) health risk(s) / side effects for mother from hormonal treatment, genetic defects passed on from faulty gamete used in IVF process</p>
Total			18	

H422/03

Mark Scheme

June 2019

3	(a)	<p>Mark first answer. One from the following:</p> <p>absolute value ✓ not / less, subjective ORA ✓ removes doubt over end point / colour of sample / AW ✓ <i>idea that method</i> gives different options for measuring DV (absorbance of filtrate, transmission of light and /or mass of residue) ✓</p>	1	<p>IGNORE “quantitative” or “quantitative method” as this is given in the Q</p> <p>ALLOW numerical value DO NOT ALLOW ‘how much’ / precise</p>
3	(b)*	<p>Summary of instructions to markers: <i>Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.)</i> Using a ‘best-fit’ approach based on the science content of the answer, first decide which of the level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer. Then, award the higher or lower mark within the level, according to the Communication Statement (shown in italics):</p> <ul style="list-style-type: none"> ○ award the higher mark where the Communication Statement has been met. ○ award the lower mark where aspects of the Communication Statement have been missed. <p>• The science content determines the level. • The Communication Statement determines the mark within a level.</p>		
			6	<p>Indicative scientific points could include:</p> <p>Method (further detail to that already given in the question)</p> <ul style="list-style-type: none"> • use of (graduated) syringe(s) to measure volumes • use of filtrate in cuvette to obtain absorbance or transmission readings • all steps carried out for three mock body fluid samples <p>Accuracy</p> <ul style="list-style-type: none"> • colorimeter recalibrated for each sample • precipitate weighted to constant mass • top pan balance zeroed <p>Reliability</p> <ul style="list-style-type: none"> • repeats (min. three replicates for each of the mock body fluid samples AND each of the diluted glucose solutions)

H422/03

Mark Scheme

June 2019

Level 3 (5-6 marks)

Further details of a workable method to produce accurate **and** repeatable quantitative data are provided to include the calibration of the colorimeter. Details of safety are included. Some details of interpretation of glucose concentration are included.

There is a well-developed line of reasoning which is clear and logically structured and uses scientific terminology at an appropriate level. The information presented is relevant and substantiated.

Level 2 (3-4 marks)

Some further details of a workable method to produce repeatable quantitative data are provided. There is an outline of the use of the colorimeter. Details of safety are included. Details of interpretation of glucose concentration may or may not be included.

There is a line of reasoning presented with some structure and use of appropriate scientific language. The information presented in the most part relevant and supported by some evidence.

Level 1 (1–2 marks)

Limited further details of a workable method suggested to provide some results but some information may be missing. Safety is not included.

There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.

0 marks

No response or no response worthy of credit.

Interpretation

- data table plotted on a calibration graph
- values for 3 samples interpolated from calibration curve

Risk assessment:

- potential hazards associated with Benedict's reagent
- potential hazards associated with boiling water
- general good practice in laboratory e.g. goggles, glassware

3	(c)	resolution ✓ accuracy ✓ limitation ✓	3	DNA precision												
3	(d)	(i) 3 <u>separate</u> bars AND y-axis scale is equidistant AND use of appropriate scale so plot area (bars) occupies more than 50% of paper ✓ y-axis labelled 'mean concentration of glucose mmol dm ⁻³ ' AND x-axis labelled 'location of sample' AND each bar with a suitable label ✓ (separate) bars correctly plotted ✓ standard deviation bars correctly plotted ✓	4	<table border="1" data-bbox="1294 403 2000 679"> <thead> <tr> <th>Location of sample</th> <th>Mean concentration of glucose (mmol dm⁻³)</th> <th>Error bars plotted at....</th> </tr> </thead> <tbody> <tr> <td>BC</td> <td>15</td> <td>13.0 and 17.0</td> </tr> <tr> <td>PCT</td> <td>4</td> <td>3.3 and 4.7</td> </tr> <tr> <td>DCT</td> <td>3</td> <td>2.5 and 3.5</td> </tr> </tbody> </table> <p>ALLOW tolerance of plots +/- half a small square</p>	Location of sample	Mean concentration of glucose (mmol dm ⁻³)	Error bars plotted at....	BC	15	13.0 and 17.0	PCT	4	3.3 and 4.7	DCT	3	2.5 and 3.5
Location of sample	Mean concentration of glucose (mmol dm ⁻³)	Error bars plotted at....														
BC	15	13.0 and 17.0														
PCT	4	3.3 and 4.7														
DCT	3	2.5 and 3.5														
	(d)	(ii) Mark first answer. One from: <u>mean</u> glucose concentration in Bowman's capsule is higher than normal value / AW ✓ presence of glucose in dct OR glucose levels in the PCT and DCT are very similar (so little glucose has been selectively reabsorbed) ✓	1	<p>IGNORE presence of glucose in PCT unqualified (as glucose will be present in PCT as this is the site of selective reabsorption)</p>												
Total			15													

H422/03

Mark Scheme

June 2019

Question			Answer	Marks	Guidance
4	(a)	(i)	apoptosis ✓	1	
4	(a)	(ii)	xylem ✓	1	IGNORE vascular tissue
4	(b)		<p><i>One from the following</i></p> <p>protects the growing tip ✓ enables growth by covering the apical meristem in root ✓ protects the inner layer of cells (in the root tip) ✓ protects cells behind the cap ✓ prevent damage to, permanent tissue (in root tip) / AW, ✓</p>	1	IGNORE protects root, protects plant
4	(c)		34 ✓✓	2	<p>ALLOW one mark for 33.915</p> <ul style="list-style-type: none"> • proportion of cells at 5 days is $12/40 = 0.3$ • 33% increase in the proportion is $1.33 \times 0.3 = 0.399$ (~40%) • $0.399 \times 85 = 33.915 = 34$ whole cells
4	(d)	(i)	domain ✓	1	

	(ii)	Award one mark for each correct row – ticks and crosses must be present (as per the stem of the question)	4		DO NOT ALLOW hybrid ticks and crosses																								
		<table border="1"> <thead> <tr> <th data-bbox="353 264 566 368">Feature</th> <th data-bbox="566 264 748 368">Present in animal cells</th> <th data-bbox="748 264 931 368">Present in plant cells</th> <th data-bbox="931 264 992 368"></th> </tr> </thead> <tbody> <tr> <td data-bbox="353 368 566 453">Mitochondria</td> <td data-bbox="566 368 748 453">✓</td> <td data-bbox="748 368 931 453">✓</td> <td data-bbox="931 368 992 453"></td> </tr> <tr> <td data-bbox="353 453 566 537">Golgi apparatus</td> <td data-bbox="566 453 748 537">✓</td> <td data-bbox="748 453 931 537">✓</td> <td data-bbox="931 453 992 537">✓</td> </tr> <tr> <td data-bbox="353 537 566 622">Tonoplast</td> <td data-bbox="566 537 748 622">X</td> <td data-bbox="748 537 931 622">✓</td> <td data-bbox="931 537 992 622">✓</td> </tr> <tr> <td data-bbox="353 622 566 707">Ribosomes</td> <td data-bbox="566 622 748 707">✓</td> <td data-bbox="748 622 931 707">✓</td> <td data-bbox="931 622 992 707">✓</td> </tr> <tr> <td data-bbox="353 707 566 786">Cell wall</td> <td data-bbox="566 707 748 786">X</td> <td data-bbox="748 707 931 786">✓</td> <td data-bbox="931 707 992 786">✓</td> </tr> </tbody> </table>	Feature	Present in animal cells	Present in plant cells		Mitochondria	✓	✓		Golgi apparatus	✓	✓	✓	Tonoplast	X	✓	✓	Ribosomes	✓	✓	✓	Cell wall	X	✓	✓	10		
Feature	Present in animal cells	Present in plant cells																											
Mitochondria	✓	✓																											
Golgi apparatus	✓	✓	✓																										
Tonoplast	X	✓	✓																										
Ribosomes	✓	✓	✓																										
Cell wall	X	✓	✓																										

Question		Answer			Marks	Guidance	
5	(a)	Award one mark for each correct row			5	<p>IGNORE ovum</p> <p>ALLOW granulosa cell</p>	
		Description	Structure	Label			
		Supplies blood to the ovary	central coiled blood vessel	F			
		Contains receptors on plasma membranes for FSH	follicle / granulosa cells	A			✓
		Releases oestrogen	follicle	A / C / E			✓
		Contains a haploid nucleus	<u>secondary</u> oocyte / polar body	E			✓
		Produces progesterone	corpus luteum / <u>empty</u> Graafian follicle / yellow body	D			✓
		Gel layer composed of glycoproteins	zona pellucida	B			✓

H422/03

Mark Scheme

June 2019

5	(b)*	<p>Summary of instructions to markers: <i>Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.)</i> <i>Using a 'best-fit' approach based on the science content of the answer, first decide which of the level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.</i> <i>Then, award the higher or lower mark within the level, according to the Communication Statement (shown in italics):</i></p> <ul style="list-style-type: none"> ○ <i>award the higher mark where the Communication Statement has been met.</i> ○ <i>award the lower mark where aspects of the Communication Statement have been missed.</i> <ul style="list-style-type: none"> • The science content determines the level. • The Communication Statement determines the mark within a level. 		
		<p>Level 3 (5-6 marks) Detailed analysis of the micrograph is present. There is a consideration of the number of primary oocytes present in the ovary. Comments made about the varying stages of maturation evident in the micrograph. The relevance of the structures in determining the age of the patient is considered. Justified comments are made with reference to evidence supporting/undermining conclusion.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured and uses scientific terminology at an appropriate level. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3-4 marks) Some analysis of the micrograph is present. Some consideration of the number of primary oocytes present or their varying stages of maturation evident in the micrograph is made. Their part in determining the age of the patient is attempted. Comment(s) are made with some reference to evidence supporting/undermining conclusion.</p> <p><i>There is a line of reasoning presented with some structure and use of appropriate scientific language. The information presented in the most part relevant and supported by some evidence.</i></p>	6	<p>NOTE without a second ovary with which to compare the micrograph in Fig 5.1, it is beyond the capability of an A level student to make this judgement.</p> <p>IGNORE comments that do not relate to evidence in the micrograph e.g. "AMH is only present in the ovary until menopause" as this can not be observed.</p> <p>AO3.1 Analysis of the micrograph may include</p> <ul style="list-style-type: none"> • there are approximately 20 follicles/oocytes present • high follicle density can be observed • there are follicles present in all stages of maturation • a corpus luteum / ruptured follicle is present • a post-menopause patient would be expected to have a (very) small number of follicles/oocytes <p>AO3.2 Judgements based on the micrograph may include</p> <ul style="list-style-type: none"> • the number of follicles/oocytes visible represents only one 'slice' of the ovary i.e. (potentially) misrepresentative • 20 may or may not indicate a plentiful number of follicles/oocytes • it is not possible to determine whether the follicles will go on to mature successfully from this single image • the presence of follicles indicates that the patient has not passed menopause • presence of empty Graafian follicle/ corpus luteum

H422/03

Mark Scheme

June 2019

		<p>Level 1 (1–2 marks) Little or no analysis of the micrograph is present. An attempt to describe the relevant structures present in the micrograph is made. A comment on the conclusion may be limited. No or little reference to evidence supporting/undermining conclusion (statement is supported or undermined).</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks No response or no response worthy of credit.</p>			<p>indicates patient is (potentially) ovulating</p> <ul style="list-style-type: none"> • presence of corpus luteum indicates patient is (potentially) producing progesterone • <i>idea that</i> a firm conclusion can not be made in the absence of other micrographs to compare it to
		Total		11	

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

