



GCE

Biology B

H422/03: Practical skills in biology

Advanced GCE

Mark Scheme for November 2020

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

















Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2020

Annotations

Annotation	Meaning
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Marking Annotations

Annotation	Use
	Benefit of Doubt
	Contradiction
	Cross
	Error Carried Forward
	Given Mark
	Extendable horizontal wavy line (to indicate errors / incorrect science terminology)
	Ignore
	Large dot (various uses as defined in mark scheme)
	Highlight (various uses as defined in mark scheme)
	Benefit of the doubt not given
	Tick
	Omission Mark
	Blank Page
	Level 1 answer in Level of Response question
	Level 2 answer in Level of Response question
	Level 3 answer in Level of Response question

Subject Specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

H422/03

Mark Scheme

November 2020

Question			Answer	Mark	AO element	Guidance
1	(a)	i	<p><i>Explanation must be qualified <u>and</u> correspond to the variable</i></p> <p><i>Credit any two pairs</i></p> <p>speed / gradient (of treadmill) ✓ <i>because</i> (higher speed/gradient) creates higher energy demands for body and higher heart rates ✓</p> <p>health of participant / smoking ✓ <i>because</i> health conditions / smoking, (may) increases heart rate ✓</p> <p>BMI / obesity ✓ <i>because</i> high(er) BMI / obesity, increases heart rate ✓</p> <p>sex ✓ <i>because</i> males (tend to) have higher heart rate ✓</p> <p>age of participants ✓ <i>because</i> older people have lower heart rates ✓</p> <p><u>initial</u> fitness of the subject ✓ <i>because</i> fitter people have lower (resting) heart rates ✓</p>	max 4	AO 2.7	<p>ALLOW 'pulse rate' as alternative wording for 'heart rate'</p> <p>IGNORE 'speed person ran' as unrelated to the treadmill</p>

H422/03

Mark Scheme

November 2020

1	(a)	ii	<p>Any two from</p> <p>from a larger sample so, more (likely to be) reliable ✓</p> <p>peer reviewed so, conclusions more valid ✓</p> <p>different methods (may have been used) so, achieved reproducibility ✓</p> <p><i>idea that procedure used to collect secondary data (may have) used a more, accurate / precise, methodology, so improved accuracy of data (obtained) ✓</i></p>	max 2	AO 2.5	Must explain point for mark
	(b)	i	<p><i>Description</i></p> <p>(slight) increase in heart rate ✓</p> <p><i>Explanation</i></p> <p>anticipatory response/ increases delivery of oxygen to muscles in anticipation of exercise OR</p> <p>caused by release of, neurotransmitters / noradrenaline / adrenaline ✓</p>	2	AO 2.3	<p>ALLOW use of data to show increase of heart rate</p> <p>IGNORE 'HR changes' as this could be an increase or a decrease in the HR</p>
1	(b)	ii	<p>23925</p> <p>AND</p> <p><u>cm³ min⁻¹</u> ✓</p>	1	AO 2.4	<p>Correct answer only: 165 x 145 = 23925</p> <p>Must include units for mark.</p> <p>ALLOW correct answer in other form, e.g. 23.925dm³ min⁻¹, 23925 ml min⁻¹</p>
1	(b)	iii	<p>less time for ventricles to fill so, stroke volume is lower ✓</p>	1	AO 2.3	<p>ALLOW ref to incomplete filling of ventricles <u>and</u> reduced SV</p>

H422/03

Mark Scheme

November 2020

1	(c)	i	Elevation of the ST section		1	AO 1.2		
				✓				
			Abnormally shaped P-wave					
			Deep S wave					
1	(c)	ii	(cardiac) muscle in atrial wall contracts, arrhythmically / in an uncoordinated way AND inefficient filling of ventricles ✓		1	AO 2.5		

1	(d)	<p><i>Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.)</i> <i>Using a ‘best-fit’ approach based on the science content of the answer, first decide which of the level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer. Then, award the higher or lower mark within the level, according to the Communication Statement (shown in italics): award the higher mark where the Communication Statement has been met.</i> <i>Award the lower mark where aspects of the Communication Statement has been missed.</i></p> <p>• The science content determines the level. • The Communication Statement determines the mark within a level.</p> <p>A level annotation should be used where all marks for a level have been achieved e.g. for 6 marks L3, 5 marks L3^ etc. No marks (0) should have a cross</p>			
		<p>Level 3 (5-6 marks) Describes and explains both benefits and drawbacks, with conclusion drawn. Detailed evidence of using information from both statements 1 and 2. <i>There is a well-developed line of reasoning, which is clear and logically-structured and uses scientific terminology at an appropriate level. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3-4 marks) Describes some benefits and drawbacks and explains at least one benefit and at least one drawback in detail. Evidence of using information from either statements 1 or statements 2. <i>There is a line of reasoning presented with some structure and use of appropriate scientific language. The information presented in the most part relevant and supported by some evidence.</i></p> <p>Level 1 (1-2 marks) Describes some benefits or drawbacks. Information from statement 1 and 2 may not be stated clearly. <i>There is an attempt at a logical structure with a line of reasoning. The information is mostly relevant.</i></p> <p>0 marks</p>	6	AO 3.2	<p>Indicative marking points may include:</p> <p><i>Benefits/ advantages :</i></p> <ul style="list-style-type: none"> • Unexplained symptoms may have an effect on quality of life and may lead to anxiety • Patients are reassured and further investigations can be avoided • Results are immediately available • Less disruption to lifestyle than other cardiac monitors • Less additional cost to NHS than cardiac monitors. • The knowledge allows doctors to make more informed treatment decisions e.g. such as medication dosage • Other indicators of (later onset) heart disease are painful and frightening – e.g. pressure in chest, breathlessness, discomfort • Patient is involved in diagnosis of symptoms • Less need for training in emergency treatment of heart attacks e.g. defibrillator, CPR • Median time from symptoms to diagnosis relatively short • Less need for GP/ consultant appointment time • No need for specialist to fit device

H422/03

Mark Scheme

November 2020

			<i>No response or no response worthy of credit.</i>			<i>Drawbacks/disadvantages:</i> <ul style="list-style-type: none">• (Older) people, who are at greater risk of heart disease, may not possess compatible smartphones• Patients may not use the smartphone app correctly• No evidence of correlation between use of smartphone app and decreased GP consultation• New device not fully tested or trialled over many years• May create fear /worry from user as they can access data / trace in real time• Battery life of smartphone may affect the long-term use of the app• Quality of trace not as good as the CEM /standard hospital ECG with 12 electrodes• Older people, who are at greater risk of heart disease, may not have confidence in technology• Less data is collected as a result of lack of continual recording (as compared to CEM being worn continuously)• Patients may not use the app if they fail to recognise their own symptoms
--	--	--	---	--	--	---

Question			Answer	Mark	AO element	Guidance																																																																																																																																																																								
2	(a)	i	15.50 ✓✓ Ascending rank <table border="1"> <thead> <tr> <th>Sample</th> <th>Petiole length (mm)</th> <th>Rank</th> <th>Leaf width (mm)</th> <th>Rank</th> <th>d</th> <th>d²</th> </tr> </thead> <tbody> <tr><td>1</td><td>28</td><td>2</td><td>52</td><td>3.5</td><td>-1.5</td><td>2.25</td></tr> <tr><td>2</td><td>30</td><td>3</td><td>55</td><td>5</td><td>-2</td><td>4</td></tr> <tr><td>3</td><td>17</td><td>1</td><td>31</td><td>1</td><td>0</td><td>0</td></tr> <tr><td>4</td><td>31</td><td>4</td><td>52</td><td>3.5</td><td>0.5</td><td>0.25</td></tr> <tr><td>5</td><td>35</td><td>6</td><td>56</td><td>6</td><td>0</td><td>0</td></tr> <tr><td>6</td><td>45</td><td>7</td><td>61</td><td>7</td><td>0</td><td>0</td></tr> <tr><td>7</td><td>46</td><td>8</td><td>62</td><td>8</td><td>0</td><td>0</td></tr> <tr><td>8</td><td>77</td><td>10</td><td>98</td><td>10</td><td>0</td><td>0</td></tr> <tr><td>9</td><td>33</td><td>5</td><td>40</td><td>2</td><td>3</td><td>9</td></tr> <tr><td>10</td><td>57</td><td>9</td><td>69</td><td>9</td><td>0</td><td>0</td></tr> <tr> <td colspan="5">Total</td> <td></td> <td>15.50</td> </tr> </tbody> </table> Descending rank <table border="1"> <thead> <tr> <th>Sample</th> <th>Petiole length (mm)</th> <th>Rank</th> <th>Leaf width (mm)</th> <th>Rank</th> <th>d</th> <th>d²</th> </tr> </thead> <tbody> <tr><td>1</td><td>28</td><td>9</td><td>52</td><td>7.5</td><td>1.5</td><td>2.25</td></tr> <tr><td>2</td><td>30</td><td>8</td><td>55</td><td>6</td><td>2</td><td>4</td></tr> <tr><td>3</td><td>17</td><td>10</td><td>31</td><td>10</td><td>0</td><td>0</td></tr> <tr><td>4</td><td>31</td><td>7</td><td>52</td><td>7.5</td><td>-0.5</td><td>0.25</td></tr> <tr><td>5</td><td>35</td><td>5</td><td>56</td><td>5</td><td>0</td><td>0</td></tr> <tr><td>6</td><td>45</td><td>4</td><td>61</td><td>4</td><td>0</td><td>0</td></tr> <tr><td>7</td><td>46</td><td>3</td><td>62</td><td>3</td><td>0</td><td>0</td></tr> <tr><td>8</td><td>77</td><td>1</td><td>98</td><td>1</td><td>0</td><td>0</td></tr> <tr><td>9</td><td>33</td><td>6</td><td>40</td><td>9</td><td>-3</td><td>9</td></tr> <tr><td>10</td><td>57</td><td>2</td><td>69</td><td>2</td><td>0</td><td>0</td></tr> <tr> <td colspan="5">Total</td> <td></td> <td>15.50</td> </tr> </tbody> </table>	Sample	Petiole length (mm)	Rank	Leaf width (mm)	Rank	d	d ²	1	28	2	52	3.5	-1.5	2.25	2	30	3	55	5	-2	4	3	17	1	31	1	0	0	4	31	4	52	3.5	0.5	0.25	5	35	6	56	6	0	0	6	45	7	61	7	0	0	7	46	8	62	8	0	0	8	77	10	98	10	0	0	9	33	5	40	2	3	9	10	57	9	69	9	0	0	Total						15.50	Sample	Petiole length (mm)	Rank	Leaf width (mm)	Rank	d	d ²	1	28	9	52	7.5	1.5	2.25	2	30	8	55	6	2	4	3	17	10	31	10	0	0	4	31	7	52	7.5	-0.5	0.25	5	35	5	56	5	0	0	6	45	4	61	4	0	0	7	46	3	62	3	0	0	8	77	1	98	1	0	0	9	33	6	40	9	-3	9	10	57	2	69	2	0	0	Total						15.50	2	AO 2.8	ALLOW 15.5 1 mark for both rank columns correct OR any correct column for d OR d ² (also allowing ECF for incorrect rankings)
Sample	Petiole length (mm)	Rank	Leaf width (mm)	Rank	d	d ²																																																																																																																																																																								
1	28	2	52	3.5	-1.5	2.25																																																																																																																																																																								
2	30	3	55	5	-2	4																																																																																																																																																																								
3	17	1	31	1	0	0																																																																																																																																																																								
4	31	4	52	3.5	0.5	0.25																																																																																																																																																																								
5	35	6	56	6	0	0																																																																																																																																																																								
6	45	7	61	7	0	0																																																																																																																																																																								
7	46	8	62	8	0	0																																																																																																																																																																								
8	77	10	98	10	0	0																																																																																																																																																																								
9	33	5	40	2	3	9																																																																																																																																																																								
10	57	9	69	9	0	0																																																																																																																																																																								
Total						15.50																																																																																																																																																																								
Sample	Petiole length (mm)	Rank	Leaf width (mm)	Rank	d	d ²																																																																																																																																																																								
1	28	9	52	7.5	1.5	2.25																																																																																																																																																																								
2	30	8	55	6	2	4																																																																																																																																																																								
3	17	10	31	10	0	0																																																																																																																																																																								
4	31	7	52	7.5	-0.5	0.25																																																																																																																																																																								
5	35	5	56	5	0	0																																																																																																																																																																								
6	45	4	61	4	0	0																																																																																																																																																																								
7	46	3	62	3	0	0																																																																																																																																																																								
8	77	1	98	1	0	0																																																																																																																																																																								
9	33	6	40	9	-3	9																																																																																																																																																																								
10	57	2	69	2	0	0																																																																																																																																																																								
Total						15.50																																																																																																																																																																								
2	(a)	ii	$r_s = 0.9061$ ✓✓	2	AO2	ALLOW ECF from Q2ai <i>Answer must be given to 4dp (refer to table in Q2aiii)</i> ALLOW one mark if calculated correctly but not given to 4dp																																																																																																																																																																								

H422/03

Mark Scheme

November 2020

2	(a)	iii	<p><u>reject the null hypothesis because:</u></p> <p>(degrees of freedom is 10 so) critical value (at $p=0.05$) = 0.6485 ✓</p> <p>calculated value is greater than the critical value, so correlation significant (at 0.05 level) ✓</p> <p>correlation is, a weak positive ✓</p> <p>results are not due to chance ✓</p>	max 2	AO 2.8	<p>Candidates should use $n = 10$ and critical value at $p=0.05$ / 95% confidence level</p> <p>ALLOW ECF for correct interpretation of incorrect calculation of r_s from Q2aii</p> <p>No mark for stating 'reject null hypothesis' without explanation</p> <p>ALLOW '(relatively) strong'</p>																
2	(b)		<table border="1"> <thead> <tr> <th data-bbox="327 943 577 975">Adaptation</th> <th data-bbox="577 943 745 975">Behavioural</th> <th data-bbox="745 943 913 975">Physiological</th> <th data-bbox="913 943 1081 975">Anatomical</th> </tr> </thead> <tbody> <tr> <td data-bbox="327 975 577 1082">Stomata open only at night</td> <td data-bbox="577 975 745 1082">✓</td> <td data-bbox="745 975 913 1082"></td> <td data-bbox="913 975 1081 1082"></td> </tr> <tr> <td data-bbox="327 1082 577 1254">Stem becomes more rounded with fewer folds when water is available</td> <td data-bbox="577 1082 745 1254"></td> <td data-bbox="745 1082 913 1254">✓</td> <td data-bbox="913 1082 1081 1254"></td> </tr> <tr> <td data-bbox="327 1254 577 1361">Stomata are located in sunken pits</td> <td data-bbox="577 1254 745 1361"></td> <td data-bbox="745 1254 913 1361"></td> <td data-bbox="913 1254 1081 1361">✓</td> </tr> </tbody> </table>	Adaptation	Behavioural	Physiological	Anatomical	Stomata open only at night	✓			Stem becomes more rounded with fewer folds when water is available		✓		Stomata are located in sunken pits			✓	3		
Adaptation	Behavioural	Physiological	Anatomical																			
Stomata open only at night	✓																					
Stem becomes more rounded with fewer folds when water is available		✓																				
Stomata are located in sunken pits			✓																			
2	(c)	i	Control (group), for /to allow, comparison ✓	1	AO 3.1																	

2	(c)	(ii)*	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p><i>In summary:</i> <i>Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.) Using a ‘best-fit’ approach based on the science content of the answer, first decide which of the level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.</i> <i>Then, award the higher or lower mark within the level, according to the Communication Statement (shown in italics):</i></p> <ul style="list-style-type: none"> ○ <i>award the higher mark where the Communication Statement has been met.</i> ○ <i>award the lower mark where aspects of the Communication Statement have been missed.</i> <p>• The science content determines the level. • The Communication Statement determines the mark within a level.</p>			
			<p>Level 3 (5–6 marks) Balanced, detailed evaluation with both supporting and undermining statements using information from Fig. 2.2a and Fig. 2.2b/c <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) Evaluation with both supporting and undermining statements using information from Fig. 2.2a and Fig. 2.2b/c <i>There is a line of reasoning presented with some structure. The information presented is in the most-part relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) Limited evaluation with basic descriptive statements that may not include reference to Fig. 2.2a and Fig. 2.2b/c <i>The information is basic and communicated in an unstructured way. The information is supported by limited evidence and the relationship to the evidence may not be clear.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p>	6	AO3.2 AO3.3	<p>Indicative scientific points may include (not exhaustive): ALLOW ORA to shade species throughout</p> <p><i>Supporting statements:</i></p> <ul style="list-style-type: none"> • chloroplast from <i>M.o</i> (2.2a) shows <u>more</u> similar ultrastructure to <i>M. g</i> chloroplast in sun conditions (2.2b) • chloroplast from <i>M.o</i> (2.2a) and chloroplast from <i>M.g</i> in sun conditions have similar sized grana / thylakoid stacks (2.2b) • chloroplast from <i>M.o</i> (2.2a) and chloroplast from <i>M.g</i> in sun conditions (2.2b) have similar numbers of grana • chloroplast from <i>M.o</i> (2.2a) and chloroplast from <i>M.g</i> in sun conditions (2.2b) have similar numbers of thylakoids per granum • chloroplast from <i>M.o</i> (2.2a) don't need as many thylakoids / grana for light capture as they are in high light intensity • fewer thylakoids in both chloroplasts from <i>M.o</i> (2.2a) and chloroplasts from <i>M.g</i> in sun conditions (2.2b) than chloroplast from <i>M.g</i> in shade conditions (2.2c)

H422/03

Mark Scheme

November 2020

						<p><i>Undermining statements:</i></p> <ul style="list-style-type: none">• only have one drawing of a chloroplast from each micrograph• student's drawings may be inaccurate• chloroplasts / leaves from extinct species may have been damaged• images / electron micrographs may have been poor quality• methods of obtaining the leaf samples may have been different• more data required to draw this conclusion• there (maybe) different numbers of chloroplasts in different species• there (maybe) different numbers of leaves in different species
--	--	--	--	--	--	--

H422/03

Mark Scheme

November 2020

Question			Answer	Mark	AO	Guidance
3	(a)	(i)	Line measured as $112\text{mm} = 28.0\ (\mu\text{m})$ and $114\text{mm} = 28.5\ (\mu\text{m})$ 28.0 to 28.5 (μm) ✓✓	2	AO 2.8	Only allow values within the range (using image size 112 to 114) ALLOW one mark as ECF for incorrect measurement provided there is evidence of rearranging formula AND showing working AND answer given to 3 sf i.e. = $\frac{\text{incorrect measured value}}{4000}$ = ECF value to 3sf
3	(a)	(ii)	iodopsin ✓	1	AO1.1	
3	(a)	(iii)	MARK FIRST TWO REPOSSES procedure is more technical / requires more advanced practical skills / AW ✓ further detail of skill required e.g. complex staining process needed to prepare specimens ✓ artefacts may occur ✓	2 max	AO 2.7	IGNORE Specimens must be placed in a vacuum and so must be dehydrated / dead as image 3.1 is a <u>section</u> of tissue IGNORE reference to black and white images as this is not related to the preparation of the image IGNORE references to cost

H422/03

Mark Scheme

November 2020

3	(b)	<p>✓✓✓</p> <table border="1" data-bbox="331 228 1126 715"> <thead> <tr> <th>Label</th> <th>Name</th> <th>Function</th> </tr> </thead> <tbody> <tr> <td>A</td> <td><i>ciliary muscle</i></td> <td>alter shape of lens</td> </tr> <tr> <td>B</td> <td>iris</td> <td><i>Control amount of light entering the eye</i></td> </tr> <tr> <td>C</td> <td>lens</td> <td><i>Focusses light rays</i></td> </tr> <tr> <td>D</td> <td><i>cornea</i></td> <td><u>Refracts</u> light (to retina)</td> </tr> <tr> <td>E</td> <td><i>retina</i></td> <td>Contains photoreceptors / converts light energy to action potentials</td> </tr> <tr> <td>F</td> <td>choroid</td> <td><i>Pigmented layer to prevent internal reflection</i></td> </tr> </tbody> </table>	Label	Name	Function	A	<i>ciliary muscle</i>	alter shape of lens	B	iris	<i>Control amount of light entering the eye</i>	C	lens	<i>Focusses light rays</i>	D	<i>cornea</i>	<u>Refracts</u> light (to retina)	E	<i>retina</i>	Contains photoreceptors / converts light energy to action potentials	F	choroid	<i>Pigmented layer to prevent internal reflection</i>	3	AO 1.1	<p>ALL six rows correct 3 marks Four or five rows correct 2 marks Two or three rows correct 1 mark</p> <p>One row correct 0 marks</p>
Label	Name	Function																								
A	<i>ciliary muscle</i>	alter shape of lens																								
B	iris	<i>Control amount of light entering the eye</i>																								
C	lens	<i>Focusses light rays</i>																								
D	<i>cornea</i>	<u>Refracts</u> light (to retina)																								
E	<i>retina</i>	Contains photoreceptors / converts light energy to action potentials																								
F	choroid	<i>Pigmented layer to prevent internal reflection</i>																								
3	(c)	<p><i>Only allow 2 marks maximum from any one area to ensure candidates address both parts of the question</i></p> <p><i>Equipment</i></p> <ul style="list-style-type: none"> use scissors, to cut away fatty tissue ✓ use scalpel, to remove, (rectus) muscles / fine sections of fat / make an incision in <u>sclera</u> ✓ use blunt seeker, to separate lens ✓ <p><i>Safe working</i></p> <ul style="list-style-type: none"> (prevent) contamination from tissue or fluid, by wearing gloves / using mat / disinfecting instruments / washing hands / use of biological waste bin ✓ (prevent) injury from scalpel / scissors, by cutting away from body ✓ (prevent) allergic reaction, by assessing before starting dissection ✓ 	3 max	AO 1.1	<p>Marks for equipment must give name of equipment AND use for each mark</p> <p>Marks for safe working points must be linked to <u>preventative</u> action</p>																					

H422/03

Mark Scheme

November 2020

3	(d)	i	<p>histogram drawn (with bars touching), with appropriate bar widths for each age category ✓</p> <p>X axis labelled as “age / years ” AND Y axis labelled as ‘Frequency Density’ AND plot area covers 50% of the available space ✓</p> <p>all data plotted correctly ✓</p>	3	AO 2.8	<p>Do not award mp1 if there is a line of best fit also plotted through histogram</p> <p>ALLOW +/- 0.5 small square</p>
3	(d)	ii	(total = 198 + 540 =) 738 ✓✓	2		<p>69-63 = 6 x 33 = 198 81-69 = 12 x 45 = 540</p> <p>View of 198 or 540 gains 1 mark</p>
3	(d)	iii	<p><i>large sample size:</i></p> <p>is more representative of the (actual) population OR gives a more <u>accurate</u> mean / is more likely to lie close to the true mean OR reduces the impact of anomalous results (on the mean) ✓</p>	1		
3	(d)	iv	<p>regional differences in incidence may relate to regional differences, in the organisation / delivery, of screening programmes ✓</p> <p>uptake of screening and (as a result) opportunities for diagnosis, may be lower in rural versus urban areas (due to decreased accessibility of screening services) ✓</p> <p>challenges in identifying diabetic retinopathy, including communication with screening services / communication with patients ✓</p>	2 max	AO 3.4	

Question	Answer	Mark	AO	Guidance
4 (a)	<p><i>Plan should <u>only</u> show tissue regions and no cellular detail</i></p> <p>Entire specimen drawn AND 4 distinct regions shown AND drawn to appropriate scale AND covering a minimum of 50% of the box ✓</p> <p>Sharp, clear and continuous lines drawn for each region AND label lines are drawn with a ruler and do <u>not</u> have arrow heads ✓</p> <p>the 4 <u>specified</u> tissues labelled correctly ✓</p> <p><u>any</u> 4 tissues annotated correctly ✓</p>	4	AO 2.3	<p><i>There should not be any shading or other detail within the plan</i></p> <p>DO NOT ALLOW (mp1) if cells drawn DO NOT ALLOW (mp1) if the diagram has clearly just been traced</p> <p>DO NOT ALLOW (mp2) if label lines are not ruled or if the label lines have arrowheads</p> <p>Examples of suitable labels and annotations</p> <ul style="list-style-type: none"> • grey matter = dark(er) pink/purple • white matter = light(er) pink/purple • central canal = white/central, void/area • meninges = red/purple exterior band /AW <p>Additional tissues that could be identified by the candidate</p> <ul style="list-style-type: none"> • dura matter = peripheral / outer, band / layer • posterior/dorsal, horn(s) = narrow(er) area • anterior/ventral, horn(s) = wide(r) area • lateral horn(s) = bulbous / pointed / AW • dorsal/ventral rootlets = pink/purple 'lobed' areas under dura / AW • ventral median fissure = thin, dark red/purple line • grey commissure = above central canal • white commissure = below central canal
4 (b)	<p>(Fig 4.3 is an electron micrograph and has) <u>higher / greater, resolution</u> ✓</p>	1	AO 1.2	<p>IGNORE 'better' resolution</p>

H422/03

Mark Scheme

November 2020

4	(c)	Parasympathetic nervous system	Sympathetic nervous system	2	AO 1.1	
		acetylcholine ✓				
			ganglion is close to <u>spinal cord</u> ✓			

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored