

GCE

Biology

Unit F215: Control, Genomes and Environment

Advanced GCE

Mark Scheme for June 2014

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2014

June 2014

These are the annotations, (including abbreviations), including those used in scoris, which are used when marking

| Annotation | Meaning of annotation |
|------------|---|
| BP | Blank Page – this annotation must be used on all blank pages within an answer booklet (structured or unstructured) and on each page of an additional object where there is no candidate response. |
| | Tick |
| × | Cross |
| ? | Unclear |
| BOD | Benefit of doubt |
| EE | Effective evaluation |
| L1 | Level 1 |
| L2 | Level 2 |
| L3 | Level 3 |
| L4 | Level 4 |
| NAQ | Not answered question |
| OFR | Own figure rule |
| SEEN | Noted but no credit given |
| TV | Too vague |
| ^ | Omission |

| C | Quest | ion | Expected Answer | Mark | Additional Guidance |
|---|-------|------|---|------|--|
| 1 | (a) | (i) | | | Mark the first answer on each prompt line. If an additional answer is given that is incorrect or contradicts the correct answer, then = 0 marksNote:Suggestions must relate to visible characteristics of the frogs, |
| | | | <i>discontinuous</i> gender / male and female / eye colour ; <i>continuous</i> size / length / mass ; | 2 | ACCEPT sex IGNORE skin colour (as stated in Q) CREDIT example of a <i>measurable</i> characteristic (e.g. leg length, surface area, height, weight) |
| 1 | (a) | (ii) | <i>idea of</i> no / little , environmental effect for , (named example of) discontinuous variation / example given for discontinuous variation in (i) as ecf ; some / large , environmental effect for , (named example of) continuous variation / example given for continuous variation in (i) as ecf ; | | IGNORE examples of environmental factors ACCEPT discontinuous variation is <i>only</i> , genetic / due to alleles present Note: A comparative statement (e.g. ' environment has a great <u>er</u> effect on continuous variation') = 2 marks |
| | | | 3 gender may be affected by , temperature / atrazine exposure ; | 2 | (mps 1 & 2) e.g ' no environment effect for discontinuous variation but it does affect continuous variation' = 2 marks (mps1 &2) |

| C | Quest | ion | | Expected Ans | wer | | Mark | Additional Guidance |
|---|-------|-------|--------|---|----------------------------|------|-------|--|
| 1 | (a) | (iii) | 1 2 | <i>idea that</i> offspring visibly different to show that the offspring produce | | nor; | | ACCEPT brown frog for A2 'to show that cloning is successful' is not enough |
| | | | 3 | to show / identify , (genetic) pare | | | 2 max | Note: 'To show that the offspring were clones as they are not the same as A.' = 2 marks (mps 1 & 2) |
| 1 | (b) | (i) | | Genetic fingerprint number | Letter of frog | 1 | | Mark the first answer in each box. If an additional answer is given that is incorrect or contradicts the correct answer, then = 0 marks If no letters in the table <u>at all</u>, look at the diagram and award marks if the profiles are identified correctly. |
| | | | | 1 | D | ; | | |
| | | | | 2 | А | ; | | |
| | | | | 3 | В | ; | 3 | |
| 1 | (b) | (ii) | | | | | | If frog not identified correctly = 0 marks |
| | | | cyt | cytoplasm / mitochondria , came from A | | | | Must refer specifically to frog A |
| | | | or | | | | | |
| | | | mit | tochondria / (mitochondrial) DNA , | in cytoplasm of A ; | | 1 | Must refer specifically to frog A |

| (| Questi | ion | Expected Answer | Mark | Additional Guidance |
|---|--------|-----|---|------|--|
| 1 | (c) | (i) | | | Note that the question refers to the use of cloned or uncloned mice in testing – and NOT to humans. |
| | | | | | ACCEPT ora throughout |
| | | | | | IGNORE large numbers of clones produced IGNORE ref to animal welfare / religious objections IGNORE ref to validity |
| | | | <i>advantage</i> (genetically identical so) all react the same | | |
| | | | or | | |
| | | | genetic variable controlled ; | | ACCEPT 'no genetic diversity to affect results' |
| | | | disadvantage | | |
| | | | expensive (to produce) | | |
| | | | Or den't and veried reasons to drug like in real nonulations | | ACCEPT 'rara allergias / adverse reactions |
| | | | don't see varied response to drug like in real populations (of mice) | | ACCEPT 'rare allergies / adverse reactions , won't be seen' |
| | | | or | | |
| | | | <i>idea that</i> clones (of mice) may have unknown health issue (which would affect responses); | | |
| | | | | 2 | |

| C | Question | | Ex | pected Answer | | Mark | Additional Guidance |
|---|----------|------|------------------------|------------------------------------|-------|------|--|
| 1 | (c) | (ii) | | | | | IGNORE ref research into disease (as given in Q) IGNORE ref to cost |
| | | | 1 idea to produce, eli | te / best , animals ; | | | 1 ACCEPT example / desirable characteristics |
| | | | 2 idea to save / prese | rve , endangered animals ; | | | 2 ACCEPT recreating extinct animals |
| | | | 3 grow / produce (spa | re) , stem cells / tissues / orgar | ns; | | 3 ACCEPT ref to named example of , tissue / organ |
| | | | 4 AVP ; | | | | 4 e.g. pet cloning / cloning GM animals / animals for xenotransplantation |
| | | | | | | 2 | |
| 1 | (d) | | | | | | Mark the first answer in each box. If an additional |
| | | | Individuals | % of alleles shared | | | answer is given that is incorrect or contradicts the correct answer, then = 0 marks |
| | | | David and John | 100 | ; | | |
| | | | Anne and Lisa | 50 | ; | | |
| | | | Sarah and Lisa | 50 | ; | | |
| | | | | · | | 3 | |
| | | | | | Total | 17 | |

| C | Quest | ion | Expected Answer | Mark | Additional Guidance |
|---|-------|-----|---|-------|--|
| 2 | (a) | | (belong to the) same <u>genus</u> ; | 1 | |
| 2 | (b) | (i) | not much / little / some , competition / niche overlap ; reasons for little competition use / feed on , different sized flowers / different depth of flowers ; | | This mark is for a stand alone statement DO NOT CREDIT no competition IGNORE competition unqualified / inter / intra 2 CREDIT correct comparative description or use of data e.g. <i>B. pratorum feed</i> on , bigger / longer / deeper , flowers or <i>B. pratorum</i> 7.4(mm) <u>and</u> <i>B. terrestris</i> 6.3(mm) |
| | | | 3 vary in proportions of pollen <u>and</u> nectar they collect ; | | 3 CREDIT correct description e.g. <i>B. pratorum</i> mostly pollen and nectar <u>and</u> <i>B. terrestris</i> mostly nectar only or comparison of 2 species using table data IGNORE 'different amounts' of pollen and nectar |
| | | | 4 fly / live / active / feed / visit flowers , at different times ; | | CREDIT correct description of difference e.g. <i>B. pratorum</i> peak in June <u>and</u> <i>B. terrestris</i> in July or <i>B. pratorum</i> appear in earli<u>er</u> in the year or comparison of 2 species using graph data |
| | | | reason for competition idea that fly / live / active / feed / visit flowers , overlaps there must be competition ; AVP ; | | 5 CREDIT correct description from data e.g. both compete for food between May and September / both collect pollen only from same % flowers 6 e.g. use / feed on , different species of flowers |
| | | | 0 AVF, | 4 max | 6 e.g. use / feed on , different <u>species</u> of flowers |

PMT

F215

| June | 2014 |
|------|------|
|------|------|

| 0 | Quest | ion | | Expected Answer | Mark | | Additional Guidance |
|---|-------|------|---|---|-------|-----|--|
| 2 | (b) | (ii) | 1 | idea of isolation / isolating mechanism / barrier; | | | |
| | | | 2 | seasonal (difference) / temporal (difference) / males and queens (in different populations) produced in different months / breeding (in different populations) in different months ; | | 2 | CREDIT example of seasonal / temporal (e.g. <i>B. pratorum</i> has its peak number of workers in June and <i>B. terrestris</i> in July) |
| | | | 3 | <pre>behavioural (difference) / visit different (types of) flowers / feed at different times / feed on different food types ;</pre> | | 3 | CREDIT 'different mating rituals' |
| | | | 4 | different flower locations / different (micro)habitats; | | | |
| | | | 5 | <i>idea that</i> gene flow restricted / no gene flow (between populations) ; | | 5 1 | must refer to gene /allele |
| | | | 6 | different adaptations / specialisation / niche partitioning ; | | 6 | IGNORE speciation (as implied in Q) - can be mistaken for specialisation |
| | | | | | 3 max | | |

June 2014

Mark Scheme

| C | Quest | ion | Expected Answer | | | Additional Guidance |
|---|-------|------|---|--|-------|--|
| 2 | (c) | (i) | Observation | Type of behaviour | | Mark the first answer in each box. If an additional answer is given that is incorrect or contradicts the |
| | | | The time taken for a worker bee to collect food from a flower decreases with practice. | learned (behaviour) / learning / operant conditioning / trial and error ; | | correct answer, then = 0 marks |
| | | | All bumble bees start at the bottom of a vertical spike of flowers and work upwards. | innate / instinctive ; | 2 | ACCEPT taxis / example of taxis eg chemotaxis IGNORE inherited / genetically determined DO NOT CREDIT kinesis |
| 2 | (c) | (ii) | Idea that better / more efficient , at , | finding / getting , food ; | | ACCEPT more food can be collected less, time / energy, spent looking for food easier to find food |
| | | | AVP ; | | 1 max | e.g. ref to reduces competition from other colonies |
| 2 | (d) | (i) | | | | Mark the first answer. If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = 0 marks |
| | | | reverse transcriptase ; | | 1 | DO NOT CREDIT DNA (reverse) transcriptase |

| Q | uesti | ion | | Expected Answer | Mark | Additional Guidance | |
|---|-------|-------|---|---|-------------|---|--|
| 2 | (d) | (ii) | 1 | <u>mRNA</u> binds to , (gene) probes / cDNA / ssDNA , by complementary base pairing ; | | 1 DO NOT CREDIT in the context of the gene probe binding to DNA | |
| | | | 2 | <i>idea that</i> the <i>more</i> active the gene the <i>more</i> mRNA produced ; | | | |
| | | | 3 | during transcription ; | | 3 IGNORE translation | |
| | | | 4 | <i>more</i> fluorescence indicates <i>more</i> mRNA (bound) ; | 3 max | | |
| 2 | (d) | (iii) | 1 | dopamine linked to , ADHD / addiction / risk-taking / adventurous behaviour / hyperactivity / erratic behaviour (in humans) ; | | 1 IGNORE ref to schizophrenia / Parkinson's This mark is for the effect of the <i>chemical</i> dopamine, not the dopamine receptors alone. | |
| | | | 2 | <i>idea of</i> common mechanism in bees and humans (for adventurous behaviour) ; | | 2 e.g. <i>both</i> have , DRD4 / dopamine receptors e.g. dopamine has the same effect in <i>both</i> | |
| | | | 3 | <i>idea that</i> as they are different organisms the mechanisms may not be comparable (even though apparently similar) ; | | | |
| | | | 4 | AVP; | | 4 e.g. other genes also involved in , bee / human , behaviour | |
| | | | | | | Note: 'both have dopamine receptors which are linked to adventurous behaviour' = 1 mark (mp 2 only) 'both have dopamine receptors and dopamine is linked to adventurous behaviour' = 2 marks (mps 2 & 1) | |
| | | | | Total | 3 max 18 | | |

| C | Question | | Expected Answer I | | Additional Guidance |
|---|----------|-----|--|-------|---|
| 3 | (a) | (i) | seedlings / coleoptiles have same S1 age ; S2 height / length ; S3 mass ; S4 genotype / genome ; | | Mark the first answer on each prompt line. If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = 0 marks S2 IGNORE size / surface area / width S3 IGNORE size / weight S4 ACCEPT same genetic makeup IGNORE same genes |
| | | | <pre>S5 species ; procedure has same P1 same volume of solution applied ;</pre> | | For all P points IGNORE light <i>direction</i> (as this is an independent variable) P1 IGNORE ref to concentration of solution ACCEPT <i>idea of</i> consistency in application of J and K |
| | | | P2 (named) feature of growth medium ; | | P2 e.g. type / pH / fertiliser (applied) / minerals / ions IGNORE nutrients |
| | | | P3 watering regime ; | | P3 e.g. volume of water / time of watering |
| | | | P4 light , intensity / wavelength / duration ; | | P4 e.g. distance from light source |
| | | | P5 temperature ; | 3 max | |

| C | Questi | ion | Expected Answer | Mark | Additional Guidance |
|---|--------|-------|--|-------|---|
| 3 | (a) | (ii) | <i>idea that</i> shows the response without treatment or | | IGNORE improves validity / fair test (as an explanation is required) 'to show the effects of J and K' is not enough |
| | | | <i>idea that</i> allows the , effect of the treatment / results / groups , to be , compared ; | 1 | CREDIT 'observations' for treatments |
| 3 | (a) | (iii) | ONLY CREDIT mark points in context of results, and not in context of general roles of auxin and giberellin J is auxin because | | J must be identified correctly for A marks to be awarded K must be identified correctly for G marks to be awarded |
| | | | A1 inhibition of development of (lateral) buds (in group 2); A2 growth of, coleoptiles / group 5, towards light; <i>K</i> is gibberellin because | | A1 CREDIT (group2) results show apical dominance A2 CREDIT (group 5) results show positive phototropism IGNORE plant (as all are plants) |
| | | | G1 greater increase in , height / stem length (in group 3); G2 causes growth of (lateral) buds (in group 3); | 3 max | G1 CREDIT greater elongation G2 CREDIT (group 3) results do not show apical dominance |
| 3 | (b) | (i) | protein ; | 1 | ACCEPT glycoprotein IGNORE polypeptide / channel / carrier / transport |
| 3 | (b) | (ii) | (synaptic) <u>cleft</u> ; | 1 | IGNORE gap IGNORE neuromuscular |
| 3 | (b) | (iii) | acetylcholine esterase / ACh esterase ; | 1 | ACCEPT phonetic spelling and ignore upper/lower case IGNORE AChE |

| (| Questi | ion | Expected Answer | | Mark | Additional Guidance |
|---|--------|-----|--|-------|------|--|
| 3 | (c) | | | | | Mark the first answer on each prompt line. If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = 0 marks |
| | | | mitochondria ; | | | ACCEPT mitochondrion DO NOT CREDIT mitochondrial matrix |
| | | | oxidative phosphorylation ; | | | IGNORE electron transport chain (as not a stage) |
| | | | lactate ; | | | ACCEPT lactic acid |
| | | | creatine phosphate / phosphocreatine ; | | | DO NOT CREDIT creatinine |
| | | | (cross-)bridge / (cross-)link ; myosin (head) ; | | 6 | DO NOT CREDIT bond ACCEPT phonetic spelling |
| | | | | Total | 16 | |

| C | Questi | ion | Expected Answer | Mark | Additional Guidance |
|---|--------|-------|---|-------|---|
| 4 | (a) | (i) | 3; | 1 | IGNORE triplet |
| 4 | (a) | (ii) | $ \begin{array}{c} 4^{3} \\ \text{or} \\ 4 \times 4 \times 4 \\ \text{or} \\ 4 \times 4^{2}; \end{array} $ | 1 | |
| 4 | (a) | (111) | Several, triplet(s) / codon(s) , code for one amino acid ; (some are used as) start / stop / termination ; | | Must be clear that base combination is a group of 3 bases IGNORE degenerate DO NOT CREDIT makes/ produces/ creates , amino acids |
| | | | <i>idea that</i> mutation may , not result in change in amino acid / have a neutral effect / result in silent mutation ; | 2 max | DO NOT CREDIT deletion / insertion (as would create frame shift) |
| 4 | (a) | (iv) | adenine / A | | Mark the first <u>3</u> answers. If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = 0 marks DO NOT CREDIT adenosine |
| | | | and cytosine / C and guanine / G ; | | DO NOT CREDIT cysteine DO NOT CREDIT glycine |
| | | | | 1 | |

| 4 (b) Image: construction in the text of the text of text | Question | Expected Answer | Mark | Additional Guidance |
|---|----------|--|------|---|
| 8 anticodon(s), match / pair with / bind to, codons; = 2 marks (mps 7 & 8) 9 specific / correct, amino acid attached to tRNA; 10 DO NOT CREDIT dipeptide / polypeptide, bond 10 formation of peptide bond between amino acids; 6 max 10 DO NOT CREDIT dipeptide / polypeptide, bond QWC; 1 Award QWC if two mps from 1 – 5 have been awarded before two mps from 6 – 10 Place a tick or a cross alongside the pencil icon to indicate whether or not the QWC mark has been | | transcription 1 DNA / gene, copied / transcribed, into mRNA; 2 free / activated, (RNA) nucleotides / (RNA) nucleoside triphosphates; 3 (line up by) complementary base-pairing / described; 4 (to) one / template / reference / sense, (DNA) strand; 5 (catalysed by) RNA polymerase; | Mark | Marks may be awarded from an annotated diagram 1 IGNORE 'used to make' 2 DO NOT CREDIT DNA nucleotides 3 CREDIT 'A-T, C-G and A - U' 4 ACCEPT 'non-coding' for 'template' 5 DO NOT CREDIT in context of breaking H bonds 6 CREDIT translation occurs at ribosomes |
| Total 12 | | 8 <u>anticodon(s)</u>, match / pair with / bind to, codons; 9 specific / correct, amino acid attached to tRNA; 10 formation of <u>peptide</u> bond between amino acids; QWC; | 1 | = 2 marks (mps 7 & 8) 10 DO NOT CREDIT dipeptide / polypeptide , bond Award QWC if two mps from 1 - 5 have been awarded before two mps from 6 - 10 Place a tick or a cross alongside the pencil icon to indicate whether or not the QWC mark has been |

| C | Questi | ion | | Expected Answer | Mark | Additional Guidance |
|---|--------|-----|---|---|-------|---|
| 5 | (a) | (i) | | | | IGNORE explanations ACCEPT 'the population grows' or 'it grows' (rather than increase) DO NOT CREDIT 'yeast grow(s)' |
| | | | 1 | lag phase / slow increase (in , population / number / percentage) , at start / initially / day 0 - 1 / during day 1 ; | | 1 ACCEPT days 0 - 0.9 ACCEPT lasts 1 day |
| | | | 2 | log phase / exponential increase / rapid increase , day 1 - 3 ; | | 2 ACCEPT days 0.9 - 3.5 |
| | | | 3 | <u>rate of increase</u> , slows / less steep , days 3 - 4 / during day 3 ; | | 3 ACCEPT days 3.3 - 3.6 |
| | | | 4 | stationary phase / population levels off / population stays at 100%, at end / finally / remaining days / days 4 - 6; | | 4 ACCEPT after day 3.5 - 4 |
| | | | 5 | comparative figures quoted with 2 x-y readings; | | 5 Each unit must be quoted at least once |
| | | | | | | Time (days) Yeast (% final population) 0 24 1 32 3 90 3.5 - 6 100 |
| | | | | | 4 max | Take care to distinguish between an increase in percentage (by either quoting the figures for the days or by calculating the difference) and a <i>percentage increase</i> . |

| C | Questi | ion | Expected Answer | Mark | Additional Guidance |
|---|--------|-------|---|-------|--|
| 5 | (a) | (ii) | | | CREDIT glucose / maltose / maltotriose for 'sugar' |
| | | | sugar converted to ethanol; in <u>anaerobic respiration</u>; sugar, undergoes glycolysis / converted to pyruvate; pyruvate, loses carbon dioxide / decarboxylated / forms ethanal; | | 2 IGNORE fermentation |
| | | | 5 reduced NAD giving hydrogen to <u>ethanal</u>; 6 <i>idea of</i> NAD being , regenerated / recycled , (so) glycolysis continues ; 7 correct ref to , | | 5 CREDIT NADH ₂ / NADH (+H ⁺) / red NAD |
| | | | pyruvate decarboxylase / ethanol dehydrogenase ; | 3 max | |
| 5 | (a) | (iii) | <i>ethanol is</i> produced in , all yeast growth phases / all of the time or production of ethanol increases as yeast population increases or <i>idea that</i> ethanol is a normal (metabolic waste) product | | IGNORE ref to ethanol not being a secondary product CREDIT 'produced during normal growth' CREDIT follows growth curve for yeast IGNORE waste unqualified |
| | | | (of yeast) ; | 1 | |

| C | Questi | ion | | Expected Answer | Mark | Additional Guidance |
|---|--------|------|---|---|--------|---|
| 5 | (a) | (iv) | 1 | sugar <u>conc</u> entration falls too low ; | | 1 ACCEPT very low sugar concentration / sugar concentration decreases as used up |
| | | | 2 | pH falls too low / conditions become too acidic / decrease in pH causes enzymes to denature ; | | 2 ACCEPT very low pH / very acidic DO NOT CREDIT 'falls and rises' |
| | | | 3 | high ethanol <u>conc</u> entration, damages / poisons / inhibits,yeast; | 2 max | 3 ACCEPT high ethanol <u>concentration</u> kills yeast |
| 5 | (b) | | | | 2 1110 | ACCEPT 'monosaccharide' for glucose and 'disaccharide' for maltose and 'trisaccharide' for maltotriose throughout |
| | | | 1 | glucose can , be used / enters glycolysis , directly / without being broken down (first) ; | | 1 IGNORE ref to glucose being used first / at start / immediately (as stated in Q) |
| | | | 2 | maltose, must , be <u>hydrolys</u> ed / have <u>glycosidic</u> bonds broken ; | | |
| | | | 3 | enzyme / maltase , only made when , needed / maltose present / glucose running out ; | | |
| | | | 4 | enzyme induced / gene(s) switched on ; | | |
| | | | 5 | transcription <u>and</u> translation / protein synthesis, takes time; | | |
| | | | 6 | maltotriose requires, more (2) <u>hydrolysis</u> (reactions) / breaking of more (2) <u>glycosidic</u> bonds or enzyme to break down maltotriose made last ; | 3 max | |

| Question | Expected Answer | Mark | Additional Guidance |
|----------|--|-------------------|---|
| 5 (C) | advantages of using yeast A1 less energy required; A2 does not need, high temperature / 300°C / high pressure; A3 can use waste material (as a substrate); A4 substrate is, sustainable / grown each year; A5 process does not use up, oil reserves / fossil fuels; A6 product is carbon neutral / no carbon footprint; A7 AVP; | | CREDIT statements relating to yeast method only IGNORE statements relating to chemical method IGNORE ref to cost A2 ACCEPT works well at low , temperatures / pressures A3 CREDIT example e.g. sugar cane waste A6 IGNORE ref to global warming / greenhouse gases A7 e.g. yeast is readily available / easily accessible / yeast is in plentiful supply / yeast has simple growth requirements / process is less hazardous |
| | disadvantages of using yeast D1 time consuming / takes several days ; D2 needs , downstream processing / purification of product ; D3 is killed by product ; D4 can (only) use batch method ; D5 aseptic / sterile , conditions required ; D6 AVP ; QWC ; | <u>5 max</u> 1 | D1 ACCEPT slower rate of reaction D2 ACCEPT need to separate ethanol from yeast D3 ACCEPT is inhibited by product D5 ACCEPT more likely to become contaminated D6 e.g. concentration of ethanol produced is limited Award if 2 A marks and 2 D marks have been awarded Place a tick or a cross alongside the pencil icon to indicate whether or not the QWC mark has been awarded. |
| | Total | 19 | |

| Question | Expected Answer | | | | Additional Guidance | |
|----------|--|--------|---|---|--|--|
| 6 (a) | | | | | Mark the first answer in each box. If the answer is correct and an additional answer is given that is incorrect or contradicts the correct answer then = 0 | |
| | Explanation | Letter | | | marks | |
| | One gene with two alleles. The alleles show codominance. | Α | ; | | | |
| | One gene with two alleles, located on an autosome (gene not sex linked). One allele is dominant and the other is recessive. | E | ; | | | |
| | Two genes for two different characteristics on two different chromosomes. | D | ; | | | |
| | A sex linked gene with a dominant and a recessive allele. | В | ; | | | |
| | Epistasis, where two genes interact to affect one phenotypic character. | с | , | | | |
| | | | | | | |
| | | | | | | |
| | | | | 5 | | |

| C | Questio | on | Expected Answer | Mark | Additional Guidance |
|---|---------|------|---|------|---|
| 6 | (b) | (i) | | | Correct answer (0.5) = 3 marks even if no working shown |
| | | | $q^2 = 15 \div 60 \text{ or } 0.25;$ | | No mark for incorrect q ² value but apply ecf afterwards |
| | | | q = $\sqrt{0.25}$ or 0.5; | | ALLOW ecf from candidates q ² value (likely to be 0.87 or 0.9 (if candidate's q ² = 0.75)) |
| | | | (p =) 0.5 ; | | ALLOW ecf for p from candidate's calculated q value, (if q value between 0 and 1) |
| | | | | 3 | IGNORE % values given for p (e.g. 50 % for 0.5) |
| 6 | (b) | (ii) | in the pet shop population is , small / not (sufficiently) large ; not all members of the population are breeding ; idea that mating is not random ; idea that migration / emigration / immigration , is occurring ; idea that the non-brown rabbits could be colours other than white ; | 2 | IGNORE ref to (natural) selection / mutation (as these do not apply to the 'artificial' population in the pet shop) IGNORE 'albinos are infertile' |
| | | | Total | 10 | |

F215

| C | Quest | ion | | Expected Answer | Mark | Additional Guidance | |
|---|-------|-----|---|--|---------------------------------------|--|--|
| 7 | (a) | | | | Note: All mark points are comparative | | |
| | | | 1 | pioneers arrive, <i>before</i> climax / <i>earlier</i> ; ora | | 1 CREDIT pioneers arrive first / climax arrive last | |
| | | | 2 | pioneer communities subject to , greater / more , change / succession / replacement; ora | | | |
| | | | 3 | pioneer community (usually) has , <i>less / lower</i> , biodiversity; ora | | | |
| | | | 4 | <i>idea that</i> pioneer community is (often) <i>less</i> , stable / self-sustaining; ora | | | |
| | | | 5 | pioneer community has <i>lower</i> biomass; ora | | | |
| | | | 6 | AVP; | | e.g. species in pioneer community better adapted to (named) abiotic factor(s) <u>and</u> those in climax community better adapted to (named) biotic factor(s) | |
| | | | | | 2 max | | |

| C | Questi | ion | | Expected Answer | Mark | Additional Guidance |
|---|--------|-----|---|---|-------|---|
| 7 | (b) | | 1 | decomposition is break down , dead matter / waste or decomposition is conversion of <u>organic</u> matter to inorganic ; | | IGNORE putrefication CREDIT for inorganic: carbon dioxide / CO₂ / water / H₂O / ammonium compounds / ammonium ions / NH₄⁺ IGNORE ammonia / NH₃ |
| | | | 2 | denitrification is conversion of <u>nitrates</u> to nitrogen (gas) ; | | 2 CREDIT correct formulae (NO ₃ ⁻ and N ₂) DO NOT CREDIT nitrogen oxides |
| | | | 3 | decomposition increases , mineral / <u>nitrate</u> , supply and denitrification reduces , mineral / <u>nitrate</u> , supply ; | 2 max | 3 CREDIT decomposition returns , mineral / <u>nitrate</u> , to soil and denitrification removes mineral / <u>nitrate</u> , to soil |
| 7 | (c) | | 1 | conservation maintains , ecosystem / biodiversity / species / habitats or conservation involves , active / sustainable , management of , ecosystem / resource / habitat ; | | IGNORE environment for MP1 and 2 ACCEPT named resource |
| | | | 2 | preservation leaves , ecosystems / habitats , undisturbed ; | | ACCEPT unchanged/ not disrupted / no physical intervention |
| | | | | | 2 | IGNORE ref to preservation in any context other than that of conservation/preservation |

| (| Questi | ion | E | xpected Answer | Mark | | Additional Guidance |
|---|--------|-----|---|--|--------|----------|---|
| 7 | (d) | | nitrogen into | the conversion of (atmospheric) , onium compounds / ammonium ion | s; | 1 | CREDIT N ₂ / NH ₃ / NH ₄ ⁺ |
| | | | 2 nitrification is the c ammonia / ammoniu | onversion of , m compounds /ammonium ions , into nitrite / nitrate | e; | 2 | CREDIT NH_3 / NH_4^+ CREDIT NO_2^- / NO_3^- DO NOT CREDIT nitrate to nitrite |
| | | | 3 correct ref to micro | oorganisms involvement in both processes | | 3 | e.g. nitrogen fixation involves , <i>Rhizobium /</i> <i>Azotobacter / Nostoc</i> and nitrification involves , <i>Nitrosomonas /</i> <i>Nitrobacter</i> |
| | | | | | 2 max | <u> </u> | |
| | | | | Тс | otal 8 | | |

PMT

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627 Email: <u>general.gualifications@ocr.org.uk</u>

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office Telephone: 01223 552552 Facsimile: 01223 552553 PART OF THE CAMBRIDGE ASSESSMENT GROUP



© OCR 2014