


**Q1.**

Guppies are small fish. Female guppies are dull in colour. Male guppies can be bright or dull in colour.

Scientists investigated the effect of female brain size on choosing a mate. They used laboratory-bred female guppies with large brains and with small brains.

They set up a fish tank as shown in the diagram below.



They observed each female for 10 minutes and recorded which male they were attracted towards. They repeated this with 45 large-brained females and 45 small-brained females.

(a) Suggest **three** possible limitations of this investigation.

- 1 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
- 2 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_
- 3 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**(3)**

Guppies with large brains are better at identifying predators.

The scientists found that **only** female guppies with large brains were attracted to male guppies bright in colour.

(b) Suggest and explain the advantage of this behaviour to the population of guppies.

\_\_\_\_\_

---

---

---

---

---

---

---

---

---

---

---

(3)

- (c) Describe how the behaviour of female guppies could result in sympatric speciation.

---

---

---

---

---

---

---

---

---

---

---

(3)

(Total 9 marks)

**Q2.**

Lactose is the main sugar in milk and is hydrolysed by the enzyme lactase. Lactase is essential to newborn mammals as milk is their only source of food. Most mammals stop producing lactase when they start feeding on other food sources. Humans are an exception to this because some continue to produce lactase as adults. The ability to continue producing lactase is known as lactase persistence (LP) and is controlled by a dominant allele. A number of hypotheses based on different selection pressures have been put forward to explain LP in humans.

- (a) One hypothesis for LP in humans suggests that the selective pressure was related to some human populations farming cattle as a source of milk.

Describe how farming cattle as a source of milk could have led to an increase in LP.

---



---



---



---



---



---



---



---



---



---



---

(4)

- (b) Use the information provided to explain why the number of people showing LP would **rapidly** increase once selection for this condition had been established.

---



---



---



---



---



---

(2)

**Q3.**

- (b) Lord Howe Island in the Tasman Sea possesses two species of palm tree which have arisen via sympatric speciation. The two species diverged from each other after the island was formed 6.5 million years ago. The flowering times of the two species are different.

Using this information, suggest how these two species of palm tree arose by sympatric speciation.

---

---

---

---

---

---

---

---

---

---

---

---

---

---

(5)

**Q4.**

Alzheimer’s disease (AD) is a non-reversible brain disorder that develops over a number of years. At the start of 2014 the number of Americans with AD was estimated to be 5.4 million. Every 30 seconds another person in America develops AD.

- 5 In the brain of a person with AD there is a lower concentration of acetylcholine. This affects communication between nerve cells and initially results in memory loss and confusion. Some of the symptoms of AD that are associated with communication between nerve cells are reduced by taking the drug donepezil. Donepezil inhibits the enzyme acetylcholinesterase.
  
- 10 A gene mutation called E280A found on chromosome 14 causes early-onset AD at a mean age of 49 years. The age at which the E280A mutation is expressed to cause AD varies.  
 Yaramul is a town in a historically isolated region of the Andes Mountains. The population of this town has the highest frequency of the E280A mutation in the world. The origin of the E280A mutation in this population has been traced back to a common ancestor in the 17th century. Natural selection has not reduced the frequency of the E280A mutation in the population.
  
- 15 This autosomal dominant mutation involves a change in triplet 280 from GAA to GCA. Scientists analysed chromosome 14 from 102 individuals from Yaramul.
  
- 20 They recorded a sample size of 204 and detected 75 E280A mutations but only 74 potential AD cases. The scientists identified individuals with the mutation by whole genome sequencing. They had decided that a DNA probe would not be a suitable method to detect the E280A mutation.

- (a) Assuming no one with AD died in 2014, calculate the annual percentage increase in AD cases in America for 2014 (lines 2–4).

Answer = \_\_\_\_\_ %

(2)

- (c) Suggest and explain **two** reasons why there is a high frequency of the E280A mutation in Yaramul (lines 13–15).

1. \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

2. \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

(2)

- (d) Explain why natural selection has **not** reduced the frequency of the E280A mutation in the population (lines 16–17).

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

(2)


**Q5.**

To reduce the damage caused by insect pests, some farmers spray their fields of crop plants with pesticide. Many of these pesticides have been shown to cause environmental damage.

Bt plants have been genetically modified to produce a toxin that kills insect pests. The use of Bt crop plants has led to a reduction in the use of pesticides.

Scientists have found that some species of insect pest have become resistant to the toxin produced by the Bt crop plants.

The figure below shows information about the use of Bt crops and the number of species of insect pest resistant to the Bt toxin in one country.



(a) Can you conclude that the insect pest resistant to Bt toxin found in the years 2002 to 2005 was the same insect species? Explain your answer.

---



---

(1)

(b) One farmer stated that the increase in the use of Bt crop plants had caused a mutation in one of the insect species and that this mutation had spread to other species of insect. Was he correct? Explain your answer.

---



---



---



---



---



---



---



---



---



---

(4)

- (c) There was a time lag between the introduction of Bt crops and the appearance of the first insect species that was resistant to the Bt toxin. Explain why there was a time lag.

---



---



---



---



---



---

(3)

(Total 8 marks)

**Q6.**

There are nine subspecies of giraffe. These subspecies evolved when populations of giraffe were separated for long time periods. Each subspecies has distinct coloured skin markings. Some biologists have suggested that up to six of these subspecies should be classified as different species.

- (a) Explain how different subspecies of giraffe may have evolved from a common ancestor. Use information from the passage in your answer.

---



---



---



---



---



---



---



---



---



---



---



---



---



---

(5)

- (b) Biologists compared the mitochondrial DNA of the different subspecies of giraffe. They used the results from comparing this DNA to conclude that six of the nine subspecies are separate species.

Suggest how they came to this conclusion.

---

---

---

---

---

(2)

(Total 7 marks)