ı ep	15111 IS	s an enzyme that digests protein loods in the manimalian stomach.			
(a)	Pro	Protein molecules are made from chains of amino acids.			
	(i)	Name the covalent bond between two adjacent amino acids in a chain of amino acids.			
		[1]			
	(ii)	Name the type of reaction involved in breaking this bond and describe what happens in this reaction.			
		[2]			
(b)	Des	scribe how an enzyme, such as pepsin, breaks down a substrate.			
		[5]			

- (c) A student investigated how changing the pH affected the activity of pepsin.
 - He used a blender to make a suspension of egg white (protein) in water.
 - At the start of the investigation the suspension was cloudy.
 - He prepared fixed concentrations of egg white suspension, acid and pepsin to add to each of six test-tubes.
 - He removed 0.1 cm³ of the mixture from each test-tube and used universal indicator to measure the pH of each mixture.
 - He incubated each test-tube in a water bath at 35 °C and timed how long it took for the egg white suspension in each tube to clear.
 - He prepared a table in which he recorded his results (Table 1.1).

Tube	Volume of egg white suspension	Volume of acid added (cm³)	Amount of pepsin added (cm ³)	Measured pH	Time for suspension to clear (m)
1	5	2.0	3.0	1	
2	5	1.5	3.0	2	
3	5	1.0	3.0	3	
4	5	0.5	3.0	4	
5	5	0.0	3.0	5	
6	5	2.0	0.0	1	

Table 1.1

(i)	Identify three errors the student made in the preparation of his table before he recorded his results.					
	1					
	2					
	3					
	[3]					

(11)	validity of the investigation.	
(iii)	State the term that best describes the purpose of tube 6 .	
		[1]
(iv)	Another student suggested that he should repeat the investigation at least twice.	
	How would this have improved the investigation?	
		[2]

(d) Fig. 1.1 shows the effect of increasing the substrate concentration on the rate of activity of pepsin.




Fig. 1.1

(i) Pepstatin is a competitive inhibitor of pepsin.

On Fig. 1.1, draw a line to represent the effect of adding a fixed concentration of pepstatin on the rate of pepsin activity over the whole range of substrate concentrations.

 This should be answered on Fig. 1.1	[21
 This should be allowered out ing. This	

(ii) Pepstatin acts as a competitive inhibitor of pepsin.

What can you conclude about the structure of pepstatin?

[Total: 19]

2 Lipids are a group of fatty or waxy compounds.

Triglyceride, phospholipid and cholesterol are examples of lipid compounds that are important in living organisms.

(a) Table 7.1 lists a number of statements that could apply to these compounds.

Complete the table by indicating with a tick (\checkmark) which of the compounds applies to each statement.

You may use more than one tick in a row.

Statement	Triglyceride	Phospholipid	Cholesterol
Contains only the elements carbon, hydrogen and oxygen			
Insoluble in water			
Contains glycerol			
Contains ester bonds			
Important in membrane structure			
Contains fatty acids			

[6]

Table 7.1

b) D	escribe how to do the emulsion test for lipids and how a positive result would be identified.
	[2]
	pids form an essential part of a balanced diet. Some food, such as mycoprotein, is produced microorganisms.
Н	ow might the lipid content of mycoprotein differ from food that comes from animals?
	[2]
	[Total: 10]

- 3 Proteins are important biological molecules.
 - (a) Protein structure can be represented at four levels: primary, secondary, tertiary and quaternary.Below is a set of features that may be used when describing the structure of a protein such as haemoglobin.

Features	Letter
hydrogen bonds	Α
peptide bonds	В
α and β subunits	С
the sequence of amino acids	D
the initial folding of the polypeptide chain	E
the overall 3D shape	F
ionic bonds	G

Select the letters of the features that describe the primary level of protein structure.
[1]
Select the letter or letters of the feature(s) found in the secondary level of protein structure that are not present in the primary structure.
[1]
Select the letter or letters of the feature(s) that are found in the tertiary level of protein structure that are not present in the primary and secondary structures.
[1]
Select the letter or letters of the feature(s) found only in the quaternary level of protein structure.
[1]

(b)	Hyc	lrogen bonds also form between water molecules.
	(i)	Describe the formation of a hydrogen bond between two molecules of water and explain why water can form these bonds.
		[3]
	(ii)	Hydrogen bonds allow water to act as a solvent.
		Why is the ability of water to act as a solvent important for the survival of organisms?
		[3]
		[Total: 10]

(a)	A 111	ino acids form part of the structure of proteins.	
	(i)	State the name given to the sequence of amino acids in a protein molecule.	
		[[1]
	(ii)	Draw the general structure of an amino acid molecule in the space below.	
			[3]
(b)	Col	lagen is an important fibrous protein which forms part of the wall of blood vessels.	
	(i)	State one property of collagen that makes it a useful component of blood vessel walls.	
	.,	· · · · · · · · · · · · · · · · · · ·	
	(ii)	Describe the structure of the collagen molecule.	•
	(,		
			.
		·	[6]

Another protein that is important in mammals is haemoglobin.	
(i)	State one function of haemoglobin.
	[1]
(ii)	Haemoglobin contains a prosthetic group known as haem.
	Collagen does not contain a prosthetic group.
	Describe three other ways in which the structure of haemoglobin differs from that of collagen.
	1
	2
	3
	[3]
	[Total: 15]
	f