		razil. The last remaining male bird continued to live in the wild for a further six years. This d, having lost its partner, mated with a Blue-winged Macaw, <i>Propyrrhura maracana</i> .
(a)	Exp	plain why eggs produced by this mating did not hatch.
		[2]
(b)		x's Macaws became endangered because the birds were illegally trafficked to collectors in er parts of the world. This is against the CITES agreement.
	(i)	State what the abbreviation CITES stands for.
		[1]
	(ii)	State two of the aims of the CITES agreement.
		1
		2
		[2]
(c)		ce it was realised that the Spix's Macaws were in danger of becoming extinct, the collectors e "invited" to allow their macaws to take part in a breeding programme.
	_	gest two factors to be taken into consideration when selecting individuals for this breeding gramme.
		[01

On Christmas Eve 1987, the last female Spix's Macaw, Cyanopsitta spixii, was removed from the

(d)	Finally, a captive bred female Spix's Macaw was released into the original male's territory.						
	What could be done to try to ensure the success of this release programme?						
	[3]						
	[Total: 10]						

- 2 Part of the Cairngorms National Park in the Scottish Highlands is at an altitude of approximately 1000 metres. It presently supports a range of plants and animals including some that are normally found in sub-arctic conditions.
 - Table 3.1 shows the breeding success of a number of bird species between 1970 and 2000. Specialist sub-arctic species are marked with an asterisk *.

Table 3.1

anasias	number of young raised per year						
species	1970	1980	1990	2000			
snow bunting *	78	69	36	2			
Lapland bunting *	7	3	0	0			
ptarmigan *	1280	1134	960	876			
red grouse	890	920	933	962			
wheatear	209	240	190	231			
meadow pipit	23	45	48	82			
ring ouzel	23	21	29	26			
dotterel *	45	43	39	35			

^{* =} specialist sub-arctic specie

(a)	(i)	Using the data in Table 3.1, compare the breeding success of the sub-arctic species and the non sub-arctic species between 1970 and 2000.
		[3]

	(ii)	Suggest two reasons for the trends described.
		[2]
(b)		tudy of insects was carried out in the same area of the Cairngorms National Park to ermine species richness.
	(i)	What is meant by species richness?
		[1]
	(ii)	The insects were sampled using a sweep net method. Fig. 3.1 shows a sweep net being used. With this method, a net is swept through the vegetation. Insects are removed, identified and counted.
		The state of the s
		Fig. 3.1
		Describe three ways in which the sampling procedure could be designed to try to make sure that a representative sample was obtained.

(iii)	Species evenness also contributes to the measurement of biodiversity.
	Explain the importance of species evenness in determining the biodiversity in a habitat.
	[3]
	[6]
	[Total: 12]

3	(a)		ore any major development can take place, an Environmental Impact Assessment (EIA) ds to be carried out.
			e such development is the proposed extension to the M27 motorway in Hampshire. This ension would cut through an important heathland ecosystem.
			gest three aspects of this development that would need to be considered when carrying the EIA.
			[3]
	(b)	An	ecologist carried out a survey of butterfly species on the heathland.
		The	ecologist walked along a marked path on four different days in June. She counted
		•	the number of butterfly species the number of individual butterflies of each species.
		(i)	Suggest how this method of collecting data could be improved.
			[3]

(ii) The ecologist's results are shown in Table 6.1.

These results can be used to calculate the Simpson's Index of Diversity (D) for butterflies in this heathland using the formula:

$$D = 1 - [\Sigma (n/N)^2]$$

where n = number of individuals of a species in the sample N = total number of individuals of all species in the sample

Complete the table by filling in the **three** missing values.

Table 6.1

species	n	n/N	(n/N)²
Grayling (<i>Hipparchia semele</i>)	3	0.0968	0.09370
Large Heath (Coenonympha tullia)	11	0.12588	
Gatekeeper (Pyronia tithonus)	6	0.1935	0.03744
Green Hairstreak (Callophrys rubi)	2	0.0645	0.00416
Silver-studded Blue (<i>Plebeius argus</i>)	2	0.0645	0.00416
Small Heath (Coenonympha pamphilus)	7	0.2258	0.05099
		Sum (Σ)	
		1 – Σ	D =

(iii)	Suggest the implications of a high value of Simpson's Index of Diversity on planning decisions.

.....[2]

[3]




Fig. 6.1

(c) (i) The six species of butterfly identified by the ecologist in the survey are shown on the insert in Fig. 6.1.

The ecologist used a dichotomous key to identify these butterflies. This key is shown below:

Key: Question 1	Round spots on the under wing	yes no	go to question 2 go to question 4
Question 2	Orange upper wing	yes no	go to question 3 Silver-studded Blue
Question 3	One spot on upper wing	yes no	Gatekeeper Large Heath
Question 4	Spots on upper wing	yes no	go to 5 Green Hairstreak
Question 5	One spot on upper wing	yes no	Small Heath Grayling

Identify the butterflies shown in Fig. 6.1 using the key.

Complete Table 6.2 below. One butterfly has been identified for you.

Table 6.2

species	letter
Grayling (<i>Hipparchia semele</i>)	
Large Heath (Coenonympha tullia)	
Gatekeeper (<i>Pyronia tithonus</i>)	
Green Hairstreak (Callophrys rubi)	
Silver-studded Blue (<i>Plebeius argus</i>)	
Small Heath (Coenonympha pamphilus)	Е

eart of their scientific	share	both	butterflies	Heath	Large	Heath and	Small	State why name.	(ii)
[2]									
[Total: 18]									

1	esti	n India, the population of the white-backed vulture, <i>Gyps bengalensis</i> , has fallen by 97% to an estimated 4 000 vultures. This vulture is now considered to be 'critically endangered'. Reasons for he decline in numbers include:						
		•	vultures feed on carcasses including those from farm animals.					
		•	these farm animals may have been treated with a pain killer. This particular pain killer causes kidney failure in the vultures.					
		•	the use of this pain killer is being phased out. However, many farmers continue to use up their stocks of the drug.					
		•	this pain killer is not easily biodegradable and will remain in the environment for many years.					
	(a)	(Suggest what is meant by critically endangered.					
			[1]					
		(ii)	Calculate the original population of the white-backed vulture.					
			Show your working.					
			Answer = [2]					
	(b)	In an effort to save the white-backed vulture, a captive breeding programme has been set up.						
			Three centres in India have been built, each housing up to 40 individuals. These vultures have been collected from different areas of the Indian subcontinent.					
		(i)	Explain why the decision was made to conserve the species in captivity (ex situ) rather than in the wild (in situ).					

			••••
			[4]
	(ii)	Explain why the white-backed vultures in the captive breeding programme were, collected from several different areas housed in three separate centres.	
			[3]
(c)	Outl	ine three reasons why the conservation of the white-backed vulture is important.	
	1		
	2		
	3		
	- ****		
			[3]
			ျ

d) Suggest three measures that could be taken in the long term to preserve the numbers white-backed vultures, once the captive bred individuals have been released into the wild.	of
	•••
[3]
[Total: 1	6]

5	In the first half of the nineteenth century, a large proportion of the population of Ireland relied on potatoes as their main source of food.						
		5, almost the whole of the Irish potato crop became infected with a disease known as potato which ruined the crop and led to widespread starvation.					
	varieties of potato plants, including wild types growing in South America, are unaffected by ease.						
(a) Genetic variation in the Irish potato plant population was very low following ye breeding and asexual reproduction.							
	(i)	Suggest why this lack of genetic variation might have contributed to the rapid spread of the disease.					
		[1]					
	(ii)	Suggest why, despite the low genetic variation, the average yield of potato plants varied from year to year.					
		[2]					
	(iii)						
		State the most likely cause of this genetic variation. [1]					
		[']					

(b)	Describe how it is possible to use selective breeding to improve the overall disease resistance of a crop, such as potatoes, in both the short and long term.								
		In your disease	answer y susceptik	ou shou oility does	ıld include s not becc	e precautions me a problen	that should n in the futur	d be taken e.	to ensure
	•••••	•••••							
								•••••	
		•••••							
		•••••							
		•••••		•••••					[7]

[Total: 11]