

General Certificate of Secondary Education

Additional Science 4408 / Biology 4401

BL2HP Unit Biology 2

Mark Scheme

2012 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the students' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2012 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered schools / colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools / colleges to photocopy any material that is acknowledged to a third party even for internal use within the school / college.

Set and published by the Assessment and Qualifications Alliance.

MARK SCHEME

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- 2.1 In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of or. (Different terms in the mark scheme are shown by a /; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Student	Response	Marks awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*, 8	0

Example 2: Name two planets in the solar system. (2 marks)

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars,	0
	Moon	

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

Quality of Written Communication and levels marking

In Question 3(b) students are required to produce extended written material in English, and will be assessed on the quality of their written communication as well as the standard of the scientific response.

Candidates will be required to:

- use good English
- organise information clearly
- use specialist vocabulary where appropriate.

The following general criteria should be used to assign marks to a level:

Level 1: Basic

- Knowledge of basic information
- Simple understanding
- The answer is poorly organised, with almost no specialist terms and their use demonstrating a general lack of understanding of their meaning, little or no detail
- The spelling, punctuation and grammar are very weak.

Level 2: Clear

- Knowledge of accurate information
- Clear understanding
- The answer has some structure and organisation, use of specialist terms has been attempted but not always accurately, some detail is given
- There is reasonable accuracy in spelling, punctuation and grammar, although there may still be some errors.

Level 3: Detailed

- Knowledge of accurate information appropriately contextualised
- Detailed understanding, supported by relevant evidence and examples
- Answer is coherent and in an organised, logical sequence, containing a wide range of appropriate or relevant specialist terms used accurately.
- The answer shows almost faultless spelling, punctuation and grammar.

question	answers	extra information	mark
1(a)(i)	any three from:	if diet given as answer = max 2	3
	age (of athlete)		
	• gender (of athlete)		
	starting concentration of glycogen		
	type / intensity of exercise		
	length of exercise period	if none of these points gained amount of exercise = 1 mark	
	• number of training sessions		
	 time interval between exercise sessions 		
	exercise at same time of day	if last four points not awarded allow time (for exercise) for 1 mark ignore references to amount of energy ignore they are both athletes	
1(a)(ii)	any two from:		2
	intensity of exercise		
	 amount of exercise between sessions 		
	 <u>starting</u> concentration of glycogen 		
	fitness / health		
	 metabolic rate / respiration rate 		
	 amount / mass of <u>muscle</u> / physique 		
	 aspects of diet qualified, eg amount of food eaten 	do not accept amount of carbohydrate	
		if no other marks awarded allow height / mass / weight for 1 mark	

1(a)(iii)	(B has) less glycogen	he = B	1
	or (B's glycogen) fell more	accept use of approximate figures	
	or (B's glycogen) built up less	allow other correct observations from graph eg A is lower at end of first session	
		ignore rate of fall	
1(b)	athlete A (no mark)	to gain full marks 'more' must be given at least once	
	athlete A had more glycogen / B has less (only if A chosen to complete marathon)	accept converse argument for B	1
	(glycogen / glucose) used in respiration	ignore anaerobic	1
	(more) energy released / available in athlete A	allow 'energy made'	1
	<pre>and either energy used for movement / muscle action / to run or (extra) glycogen → (more) glucose</pre>		1
Total			10

question	answers	extra information	mark
2(a)(i)	makes / produces / synthesises protein / enzyme		1
2(a)(ii)	plant cell has nucleus / vacuole / chloroplasts / chlorophyll or plant cell is much larger	'It' = plant cell allow correct reference to DNA or chromosomes allow plant cell has fewer ribosomes allow cellulose (cell wall)	1
2(b)(i)	200	correct answer with or without working gains 2 marks if answer incorrect, allow 1 mark for $2 \times 50,000$ or $100,000$ or 100	2
2(b)(ii)	bacterial cell is too small / bacterial cell about same size as a mitochondrion / 'no room'	ignore references to respiration	1
Total			5

question		answers	extra inform	ation	mark
3(a)(i)	(white) clove	er			1
3(a)(ii)	reed sweet-	grass	allow reed		1
			allow grass		
3(a)(iii)	aquatic zone	in swamp <u>and</u> es or <u>only</u> found in esn't grow in marsh	ignore wet conditions	:	1
3(b)	Marks awarded for this answer will be determined by the Quality of Written Communication (QWC) as well as the standard of the scientific response. Examiners should also refer to the information on page 2, and apply a 'best-fit' approach to the marking.				6
	0 marks	Level 1 (1-2 marks)	Level 2 (3-4 marks)	Level 3 (5-6	marks)
	No relevant content.	There is a basic description which describes how a quadrat or a metre tape could be used to collect data	There is a clear description of how a quadrat and a metre tape could be used to collect data along a line	There is a cle logical and d description of method that produce valid repeatable re across / at in along the str	ear, etailed f a will d, esults tervals
	examples of	procedural points ma	de in the response:		
	 use of tap 	pe measure to produce	transect		
	 placing o 	f quadrats			
	• transect	placed across stream			
	 score pre 	esence of each plant sp	ecies		
	use quadrat at regular intervals along tape				
	 repeat tra 	ansect several times (≥	3)		
	 along stream 	eam			
	at randor	m or regular intervals			
Total					9

question	answers	extra information	mark
4(a)(i)	mitosis	correct spelling only	1
4(a)(ii)	replicates / doubles / is copied / duplicates	accept cloned ignore multiplied / reproduced	1
4(b)	fertilisation occurs / fusion (of gametes)	accept converse for asexual, eg none in asexual / just division in asexual	1
	so leading to mixing of genetic information / genes / DNA / chromosomes	genes / DNA / chromosomes / genetic information comes from 1 parent in asexual ignore characteristics	1
	one copy (of each allele / gene / chromosome) from each parent or gametes produced by meiosis or meiosis causes variation	meiosis must be spelt correctly	1
Total			5

Question 5

question	answers	extra information	mark
5(a)	LHS: carbon dioxide AND water	in either order	1
		accept CO ₂ and H ₂ O allow CO2 and H2O if names given ignore symbols	
		do not accept CO ² / H ² O / Co / CO ignore balancing	
	RHS: sugar(s) / glucose / starch / carbohydrate(s)	accept C ₆ H ₁₂ O ₆ allow C6H12O6 do not accept C ⁶ H ¹² O ⁶	1
5(b)(i)	light is needed for photosynthesis		1
	or		
	no photosynthesis occurred (so no oxygen produced)		
5(b)(ii)	oxygen is needed / used for	full statement	2
	(aerobic) respiration	respiration occurs or oxygen is needed for anaerobic respiration gains 1 mark	
5(c)(i)	(with increasing temperature) rise then fall in rate		1
	use of figures, ie max. production at 40 °C or maximum rate of 37.5 to 38		1

Question 5 continues on the next page . . .

Question 5 continued

question	answers	extra information	mark
5(c)(ii)	either faster movement of particles / molecules / more collisions or particles have more energy / enzymes have more energy or temperature is a limiting factor over this range		1
	40 – 50 °C denaturation of proteins / enzymes	ignore denaturation of cells ignore stomata	1
5(d)	above 35 °C (to 40 °C) – little increase in rate or >40 °C – causes decrease in rate		1
	so waste of money or less profit / expensive because respiration rate is higher		1
	at >35 °C or respiration reduces the effect of photosynthesis		'
Total			12

question	answers	extra information	mark
6(a)	fossil is (remains / impression of) organism that lived a long time ago	if numbers, ≥ 1000s years	1
	fossils show changes over time or older fossils simpler or fossils simpler than present-day species		1
	fossils have similar features to present-day species	allow fossils allow us to compare old species with present-day species	1
6(b)	isolation / separation / splitting		1
	by geographical barrier / sea	ignore other examples	1
	there was variation (in these isolated populations) / different alleles	accept mutation	1
	different environmental conditions or example eg climate / predators / food		1
	natural selection acted on the isolated populations	accept became adapted <u>in each</u> <u>area</u>	1
	OR		
	only certain allele(s) passed on to offspring / different alleles passed on in different environments	allow genes	
	so <u>differences</u> lead to inability to interbreed	allow differences described – eg mismatch of genitalia / different courtship displays / different breeding seasons	1
Total			9

Question 7

question	answers	extra information	mark
7(a)(i)	(alternative) forms / types of <u>a</u> / the same gene		1
7(a)(ii)	only expressed if 2 copies inherited or not expressed if other allele present	allow over ruled / over powered by the other allele	1
7(b)(i)	Nn	ignore heterozygous	1
7(b)(ii)	genetic diagram including:	accept alternative symbols, if defined	
	gametes: N and n from both parents	accept alternative symbols if correct for answer to (b)(i)	1
	correct derivation of offspring genotypes: NN Nn Nn nn	allow if correct for candidate's parental genotypes / gametes	1
	identification of nn as having cystic fibrosis		1

Question 7 continues on the next page . . .

Question 7 continued

question	answers	extra information	mark
7(c)	Argued evaluation		
	any four from:		4
	PGD <u>higher</u> financial cost	accept CVS only costs £600	
	 PGD occurs before pregnancy / implantation 	accept detected at <u>earlier</u> stage so less unethical / less trauma	
	 PGD does not involve abortion so less trauma / less pain / ethical comparison 		
	 PGD higher incidence of false positive / use of numbers so higher risk of destroying healthy embryo 	accept PGD has (surplus) embryos so some destroyed / unethical	
	PGD no chance of miscarriage whereas CVS does or PGD less chance of miscarriage		
Total			10

UMS Conversion Calculator www.aqa.org.uk/umsconversion