

Please write clearly in	n block capitals.
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	I declare this is my own work.

# GCSE BIOLOGY

Н

Higher Tier Paper 2H

Friday 7 June 2024

Afternoon

Time allowed: 1 hour 45 minutes

#### Materials

For this paper you must have:

- a ruler
- a scientific calculator.

#### Instructions

- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
8			
9			
TOTAL			



Answer all questions in the spaces provided.	
Evolution of new species occurs by mutation and natural selection.	
What is a mutation?	[1 mark]
Describe the process of natural selection.	[3 marks]
Which scientists suggested the theory of evolution by natural selection?  Tick (✓) one box.  Alexander Fleming and Carl Woese  Alfred Wallace and Alexander Fleming  Alfred Wallace and Charles Darwin  Charles Darwin and Carl Woese	[1 mark]
	Evolution of new species occurs by mutation and natural selection.  What is a mutation?  Describe the process of natural selection.  Which scientists suggested the theory of evolution by natural selection?  Tick (✓) one box.  Alexander Fleming and Carl Woese  Alfred Wallace and Alexander Fleming  Alfred Wallace and Charles Darwin



3 Do not write outside the 0 1 . 4 The hoverfly and the wasp are insects with bright yellow and black markings. Figure 1 shows a hoverfly and a wasp. Figure 1 Hoverfly Wasp The wasp has a sting to defend itself against predators. The hoverfly does **not** have a sting. Hoverflies and wasps live in the same habitat. Explain how having yellow and black markings helps the **hoverfly** survive. [3 marks]

Turn over for the next question




0 2

Peat bogs are estimated to contain twice as much carbon as all the world's forests.

**Figure 2** shows a section through part of a peat bog.

Figure 2



Layer A contains a lot of air.

#### Layer B:

- contains the dead remains of plants
- has a low pH
- contains very little oxygen
- contains carbon dioxide and methane.



0 2 . 1	Explain why most of the dead remains of plants in layer <b>B</b> do <b>not</b> decay.  [3 marks]	Do not write outside the box
0 2 . 2	The peat bog in <b>Figure 2</b> is a stable community.	
	The moss produces biomass at a rate of 340 g/m²/year.	
	What is the approximate biomass of the moss that becomes biomass in primary consumers?	
	Tick (✓) one box. [1 mark]	
	0.34 g/m²/year	
	3.4 g/m²/year	
	34 g/m²/year	
	340 g/m²/year	
	Question 2 continues on the next page	



	The sundew plant shown in <b>Figure 2</b> on page 4 has leaves with sticky hairs that trap and digest insects.  Digestion of the insects releases phosphates and simple compounds of nitrogen that
	are used by the sundew plant.
0 2 . 3	What substance can the sundew plant make using the <b>phosphates</b> ?
0 2 . 0	[1 mark]
	Tick (✓) <b>one</b> box.
	Cellulose
	DNA
	Glycerol
	Starch
0 2.4	What substance can the sundew plant make using the <b>nitrogen</b> ?
	Tick (✓) one box. [1 mark]
	Fatty acid
	Glucose
	Lactic acid
	Protein



0 2 . 5

Humans have destroyed large areas of peat bog to collect peat.

The peat provides fuel and provides compost for gardeners to use.

The peat comes from layer B in Figure 2 on page 4.

### Layer B:

- contains the dead remains of plants
- has a low pH
- contains very little oxygen
- contains carbon dioxide and methane.

Figure 3 shows the removal of peat from a peat bog.

Figure 3

Peat is dug out and cut into 'bricks' that are left to dry




Explain how the destruction	of peat bogs ar	nd the use o	f peat affects	the temperature	е
of the Earth's atmosphere.					

10



[4 marks]







		_
0 3	Frogs are animals that lay their eggs in water. The eggs hatch as tadpoles.  Students investigated the number of tadpoles in a pond for 8 weeks.	Do not write outside the box
	This is the method used.	
	1. Collect 10 dm <sup>3</sup> of pond water in a bucket.	
	2. Count the number of tadpoles collected.	
	3. Put the tadpoles back into the pond.	
	4. Repeat steps 1 to 3 another three times in different parts of the pond.	
	5. Repeat steps 1 to 4 at intervals for 8 weeks.	
0 3.1	Suggest <b>one</b> improvement to the method.  [1 mark]	
	Question 3 continues on the next page	



Table 1 shows the results.

Table 1

Sample	Number of tadpoles in each sample					
number	0 weeks	1 week	2 weeks	3 weeks	5 weeks	8 weeks
1	11	17	8	9	5	0
2	15	11	12	7	0	5
3	23	16	14	10	7	3
4	11	14	16	х	4	4
Totals	60	58	50	32	16	12

	Calculate value X.	[1 mark]
0 3.2	Value <b>X</b> is the number of tadpoles in sample 4, at 3 weeks.	



Do not	write
outside	e the
bo	X

0 3 . 3


Complete **Figure 4** to show how the **total** number of tadpoles changed over the 8 weeks.

[4 marks]

You should:

- · label the x-axis
- use a suitable scale for the x-axis
- plot the data for the total numbers of tadpoles from Table 1
- draw a line of best fit.

Figure 4



**0 3**. **4** After 0 weeks, no more tadpoles hatched in the pond.

Calculate the percentage of the tadpoles that would still be found in the pond at 4 weeks compared with 0 weeks.

Use information from Figure 4.

[3	mar	KSJ	
----	-----	-----	--

Percentage of tadpoles found at 4 weeks = %



0 3.5	After 4 weeks many of the tadpoles had died.	Do not write outside the box
	Suggest <b>two</b> reasons why the tadpoles died.  [2 marks]	
	1	
	2	11



Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED




0 4

A student investigated the effect of gravity on the growth of bean seedlings.

The student put ink marks on the root of each bean seedling.

Figure 5 shows a bean seedling with ink marks.


Figure 5



The student set up apparatus **A** and apparatus **B**.

Figure 6 shows both sets of apparatus.

Figure 6



The student left both sets of apparatus in a dark cupboard for 24 hours.



0 4.1	Give the reason why the student placed both sets of apparatus in the dark.  [1 mark]
0 4.2	What are <b>two</b> reasons for surrounding the seedlings with damp blotting paper?  [2 marks]
	Tick (✓) <b>two</b> boxes.
	To prevent photosynthesis in the roots
	To prevent the growth of mould on the roots
	To prevent water affecting the direction of root growth
	To provide enough water for root growth
	To provide the roots with mineral ions
0 4.3	Apparatus <b>B</b> is a control.
	Explain why apparatus <b>B</b> is needed.  [2 marks]
	Question 4 continues on the next page






0 4 . 4

**Figure 7** shows one seedling from apparatus **A** at the start of the investigation and after 24 hours.

The drawing of the seedling after 24 hours is **not** complete.

Figure 7



Complete Figure 7 to show:


- the appearance of the root after 24 hours
- the ink marks on the root after 24 hours.

[3 marks]



Figure 6 is repeated below.

Figure 6



The student left both sets of apparatus in a dark cupboard for 24 hours.

0 4 . 5	Describe how a root from apparatus <b>B</b> would look different from the root you in Question <b>04.4</b> .	drew [1 mark]
0 4.6	Auxin is a plant hormone.  Explain how auxin causes the results in apparatus <b>A</b> .	2 marks]

Question 4 continues on the next page



	Farmers can use plant hormones to control the growth of plants.	Do not write outside the box
0 4.7	Give <b>two</b> uses of auxin. [2 marks]	
	1	
	2	
0 4 . 8	A farmer sprayed an apple tree with gibberellin.	
	Suggest <b>two</b> reasons why the farmer sprayed the apple tree with gibberellin.  [2 marks]	
	1	
	2	15



Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED



Do not	write
outside	e the
box	X

0 5

The human body has two coordination systems:


- the nervous system
- the endocrine system.
- 0 | 5 | . 1 Two students investigated human reaction time.

Student A held a metre rule above student B's hand.

Student **A** then released the metre rule and student **B** caught the rule as quickly as possible.

Figure 8 shows the method used.

Figure 8



Suggest **two** ways to improve the students' method for measuring human reaction time.

[2	m	а	rl	ks	
12		•		<b>n</b>	

2			
_			




0 5.2	Student <b>B</b> 's reaction is coordinated by the nervous system.		Do no outsi b
	Give <b>two</b> ways that coordination by the endocrine system is different from coordination by the nervous system.	[2 marks]	
	1		
	2		
	Question 5 continues on the next page		



Figure 9 shows endocrine glands in a female.

Figure 9



0 5.3	Name <b>one</b> hormone produced by gland <b>A</b> .	[1 mark]
0 5.4	Name <b>one</b> hormone produced by gland <b>B</b> .	[1 mark]
0 5.5	The adrenal gland produces the hormone adrenaline.  Describe <b>two</b> effects of adrenaline on the human body.	[2 marks]
	2	



0 5 . 6	Hormones can be used for controlling human reproduction.
	Explain the use of hormones in:
	• contraception
	the treatment of infertility.
	[6 marks]

Turn over for the next question




Turn over ►

IB/H/Jun24/8461/2H

14

	24	
0 6	Some human disorders are inherited.	Do not write outside the box
	Polydactyly is an inherited disorder.	
	<ul> <li>A person with polydactyly has extra fingers or toes.</li> </ul>	
	Polydactyly is caused by a dominant allele.	
0 6.1	What is a dominant allele?  [1 mark]	
	Figure 10 shows the inheritance of polydactyly in one family.	
	Figure 10	





	In questions <b>06.2</b> and <b>06.3</b> , use the following symbols:	
	<b>D</b> = allele for having polydactyly	
	d = allele for not having polydactyly.	
0 6 . 2	Person 1 is heterozygous.	
	Explain how Figure 10 shows that person 1 is heterozygous.	[2 marks]
		[Z IIIai KS]
0 6 . 3	Persons 6 and 7 are expecting a fourth child.	
	A doctor states that the probability of having a child with polydactyly is 0.5	
	Explain how the doctor determined this probability.	[4 marks]
		[4 IIIai KS]
	You should:	
	draw a Punnett square diagram	
	• give the genotype of person 6 and the genotype of person 7	
	• identify all the offspring that will have polydactyly.	
	Question 6 continues on the next nage	

2 5

		D
0 6.4	Cystic fibrosis (CF) is another inherited disorder caused by a mutation.	Do not write outside the box
	The mutation occurs in a gene called CFTR.	
	For the CFTR gene, one <b>allele</b> in every 50 in the UK population is the cystic fibrosis allele.	
	Explain why only one person in 2500 in the UK population has cystic fibrosis.  [4 marks]	
		11



0 7	Farmers can increase the growth rate of farm animals by controlling the animals' diets.
	A farmer has 1000 chickens.
	The farmer feeds the chickens on seeds from maize plants.
	• 1 hectare of land produces 16.4 tonnes of maize seeds.
	The maize seeds have an energy content of 16 MJ per kg.
	Chickens can use 80% of the energy in maize seeds.
	• Each chicken needs 46 MJ of energy to grow to full size.
0 7.1	Calculate the area of land needed to provide enough energy from maize seeds for 1000 chickens to grow to full size.
	Give your answer in m <sup>2</sup> .
	Give your answer to 3 significant figures.
	1 hectare = $10\ 000\ m^2$
	1 tonne = 1000 kg [5 marks]
	Area of land (3 significant figures) = m <sup>2</sup>
	Question 7 continues on the next page

2 7

0 7.2 Another farmer produced 4200 kg of maize seeds in a field.

The farmer fed the maize to 1000 chickens.

At full size, the mean mass of one chicken was 2.2 kg.


Complete **Figure 11** to show a pyramid of biomass for the food chain from the maize seeds to 1000 chickens.

[3 marks]

You should:

- label the x-axis
- use a suitable scale.

Figure 11





		Do not write outside the
0 7 . 3	Calculate the ratio of chicken biomass to maize seed biomass.	box
	Use data from Question 07.2.	
	Give your answer in its simplest form.	
	[2 marks]	
	Ratio = :	
0 7 . 4	Chickens can use 80% of the biomass from the maize seeds they eat for respiration and growth.	
	What happens to the remaining 20% of the biomass in the maize seeds?	
	[1 mark]	
	Question 7 continues on the next page	



Protein is an important part of a chicken's diet.

- Proteins contain 20 different types of amino acid.
- A chicken can make many of the 20 amino acids from other substances in the diet.
- Essential amino acids are amino acids the chicken cannot make.
- Essential amino acids must be included in the diet.

Maize seeds contain protein but the proportion of some essential amino acids is low.

Scientists have produced a type of maize called Quality Protein Maize (QPM).

**Table 2** compares the proportions of seven essential amino acids in normal maize seeds and in QPM seeds.

Table 2

Amino acid	Mass of amino acid in protein in g/kg		
	Normal maize	Quality protein maize (QPM)	
Leucine	122.2	88.1	
Lysine	28.9	41.9	
Methionine	19.9	18.1	
Phenylalanine	49.4	40.9	
Threonine	34.5	36.5	
Tryptophan	7.3	16.3	
Valine	45.9	51.2	



0 7.5	Which amino acids are found in significantly higher proportions in the QPM seeds?  [1 mark]  Tick (✓) one box.  Lysine and tryptophan  Lysine and valine  Threonine and tryptophan  Threonine and valine	Do not write outside the box
0 7.6	Table 2 shows that 1 kg of QPM contains less leucine than 1 kg of normal maize.  Suggest why a diet containing less leucine does <b>not</b> slow down the growth of chickens.  [1 mark]	13
	Turn over for the next question	



marks]
marks]



0 8 . 3	Explain how ADH affects the production and concentration of urine by the kidneys.  [4 marks]	Do not write outside the box
		10
	Turn over for the next question	




		Do not write outside the
0 9	Glyphosate is a herbicide used in agriculture.	box
	Soya bean plants have been genetically modified (GM) to be resistant to glyphosate.	
	A farmer can increase the yield of soya beans by:	
	growing GM soya bean plants	
	spraying glyphosate on the field.	
0 9 . 1	Explain how the use of GM soya bean plants and glyphosate can increase the yield	
	of soya beans. [6 marks]	



0 9.2	Suggest <b>two</b> reasons why some people are concerned about the use of GM soya bean plants.	Do not wri outside th box
	Do <b>not</b> refer to ethical concerns or religion in your answer.  [2 marks]	
	1	
	2	8

## **END OF QUESTIONS**







Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************
	***************************************



Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	3
	***************************************



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after

each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2024 AQA and its licensors. All rights reserved.



