



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/32

Paper 3 Extended October/November 2011

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
Total	


This document consists of 19 printed pages and 1 blank page.



1 Heart surgeons may stop the heart beating during operations. While this happens blood is pumped through a heart-lung machine that oxygenates the blood.

For Examiner's Use

Fig. 1.1 is a diagram showing a heart-lung machine in use.



(a)) Name	the struc	tures la	belled A	A to	D.
-----	--------	-----------	----------	----------	-------------	----

D	[4]
С	
В	
Α	••••

(b) Name the blood vessels E and F.

E	
F	[2]

(c)		schine is used so that surgeons can operate on the arteries supplying se arteries may be diseased.	For Examiner's Use
	Name these arterio	es and explain how they may become diseased.	
	name of arteries		
	explanation		
		[0]	
	••••••	[3]	
(d)	Suggest why a pat	tient is put on a heart-lung machine during such an operation.	
		rol	
		[2]	
	nans have a doubl ssure circulation.	e circulation system. There is a low pressure circulation and a high	
(e)	Explain how the sidifferent pressures	tructure of the heart enables it to pump blood into two circulations at s.	
		F.41	
		[4] [7] [7] [7] [7] [7] [7] [7] [7] [7] [7	
		110181, 121	1

2 (a) Movement is a characteristic of living organ	nisms
--	-------

	[1]
Define the term <i>movement</i> .	

When the hand is stimulated by a hot object a reflex action occurs in which the fore-arm is raised.

Fig. 2.1 shows the muscles and the neurones involved in the reflex action.

The arrows show where there are nerve impulses during the reflex action.




Fig. 2.1

(b) (i) State the name for the action of two opposing muscles, such as the biceps and the triceps.

_____[1

© UCLES 2011 0610/32/O/N/11

For Examiner's Use

	(ii)	Explain how two opposing muscles bring about movement at the elbow joint.	For Examiner's
			Use
		[3]	
(c)	(i)	Describe the function of neurone J .	
		[2]	
	(ii)	Explain why there are impulses in motor neurone ${\bf G}$, but not in motor neurone ${\bf H}$.	
		[2]	
(d)		action shown in Fig. 2.1 is an involuntary reflex action. The muscles can also be d for voluntary actions.	
	Exp	lain how muscles are controlled during voluntary actions.	
		[2]	

[Total: 11]

3 The sweet potato plant, *Ipomoea batatas*, has fibrous roots and storage roots. Fibrous roots absorb water and ions from the soil. Storage roots store insoluble carbohydrates.

For Examiner's Use

Fig. 3.1 shows the growth of these roots on a sweet potato plant.




Fig. 3.1

(a)	Explain, using the term water potential, how fibrous roots absorb water.
	[3]

The membranes of root hair cells contain proteins for the absorption of ions.

For
Examiner's
1100

(b)	Describe how root hair cells are adapted for the absorption of ions.
	[3]

Sweet potato plants produce flowers to reproduce sexually. Sweet potato plants also reproduce asexually when shoots grow from the storage roots to form new plants.

Fig. 3.2 shows the life cycle of sweet potato. The diploid number of this species is 90.




Fig. 3.2

(c) Complete Fig. 3.2 by writing the number of chromosomes in the three boxes. [2]

(d)	State two adva	intages and one disadvantage of asexual reproduction for plants, such	E
	advantage 1		
	advantage 2		
	disadvantage		
		[3]	
		[Total: 11]	

4

Proteins in the blood are involved in protection of the body.				
Three p	Three proteins found in the blood are			
• thr	tibodies ombin rinogen			
(a) (i)	Name the type of white blood cell that produces antibodies.			
(ii)	Outline how antibodies protect the body.			
	[2]			
(b) Thrombin is an enzyme that catalyses the reaction:				
(b) Th	rombin is an enzyme that catalyses the reaction:			
(b) Th	rombin is an enzyme that catalyses the reaction: fibrinogen fibrin			
(b) Th				
	fibrinogen ──► fibrin			
	fibrinogen → fibrin State when this reaction occurs.			
(i)	fibrinogen → fibrin State when this reaction occurs. [1]			
(i)	fibrinogen → fibrin State when this reaction occurs. [1]			
(i)	fibrinogen → fibrin State when this reaction occurs. [1] Explain how fibrin protects the body.			
(i)	fibrinogen → fibrin State when this reaction occurs. [1] Explain how fibrin protects the body.			
(i)	fibrinogen → fibrin State when this reaction occurs. [1] Explain how fibrin protects the body.			

An investigation was carried out to determine the effect of different temperatures on the activity of thrombin. The results are shown in Fig. 4.1.

For Examiner's Use




Fig. 4.1

(c) (i)	Explain why thrombin functions slowly at 5 °C and does not function at all at 70	°C.
	5°C	
		•••••
	70°C	
		[3]

(ii)	Suggest how the activity of thrombin was determined.	For Examiner's Use
	[1]	
(iii)	State two conditions that would have been kept constant during the investigation.	
	1	
	2 [2]	
	[Total: 13]	

5 Reed warblers are small birds that migrate over long distances between western Africa and northern Europe.

For Examiner's Use

Fig. 5.1 shows a reed warbler, Acrocephalus scirpaceus.



Fig. 5.1

(a)	State three ch	haracteristic	features of bir	rds that are	visible in	Fig. 5.1.
-----	----------------	---------------	-----------------	--------------	------------	-----------

1	
2	
3	[3]

A study was carried out in Sweden into the effects of natural selection on wing length in reed warblers.

The wings of young reed warblers reach their maximum length a few days after leaving the nest.

At this age the wing length in millimetres of each bird was recorded. Each bird was identified by putting a small ring around one of its legs.

When the birds were caught in net traps as adults, the information on the rings was used to identify specific birds and their ages.

The length of time between ringing and trapping was recorded for each bird that was identified before it was released.

For Examiner's Use

The mean age at trapping was calculated for birds with each wing length.

The results are shown in Table 5.1.

Table 5.1

wing length at ringing / mm	number of birds trapped	mean age at trapping / days
63 or less	24	253
64	72	256
65	130	297
66	183	346
67	167	349
68	106	270
69	66	237
70 or more	23	199
	total = 771	

(b) (i)	Explain why wing length is an example of continuous variation.
	[2]
(ii)	Suggest a feature of reed warblers, other than wing length , that shows continuous variation.
	[1]

(c)	The researchers concluded that reed warblers with a wing length of 66-67 mm had the best chance of survival.		
	(i)	Describe the evidence from Table 5.1 that supports this conclusion.	
		[4]	
	(ii)	The researchers also suggested that more evidence was needed to make this conclusion.	
		Suggest what other evidence would show that birds with wings 66-67 mm in length have the best chance of survival.	
		[3]	

(d)	Scientists have discovered that genes are responsible for wing length in reed warblers. The most common length of wing has been 66-67 mm for many generations of these birds.	Fo. Examii Use
	Explain how natural selection may be responsible for maintaining the mean wing length of reed warblers at 66-67 mm.	
	[4]	

or iner's

6 Sewage disposal involves the removal of human waste in pipes from houses to sewage treatment works.

For Examiner's Use

Fig. 6.1 is a diagram that shows how sewage is treated.




Fig. 6.1

(a) During stage 5 microorganisms break down organic matter consisting of cellulose, starch, protein and lipid (fat). The microorganisms multiply during this stage and are recycled.

For Examiner's Use

Complete Fig. 6.2 by writing in the boxes the names of the enzymes used to catalyse the reactions shown. The first box has been completed for you.




Fig. 6.2 [3]

(b)	State why it is important that sewage is treated.
	[1]
(c)	At stage 5 in Fig. 6.1, oxygen and microorganisms are added.
	Explain why oxygen is bubbled through the tank at this stage.
	[4]
(d)	Suggest and explain the advantage of recycling microorganisms from stage 6 to stage 5 as shown in Fig. 6.1.
	[3]

plain why chlorine is added at stage 7 .	
	 [2]
	<u>.</u> ∠]
[Total: 1	3]

20

BLANK PAGE

Copyright Acknowledgements:

Figure 5.1 © http://www.naturephoto-cz.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.