

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER		CANDIDATE NUMBER
*	BIOLOGY		0610/32
4 5			
4	Paper 3 Extende	ed	October/November 2013
3 2			1 hour 15 minutes
9	Candidates answ	wer on the Question Paper.	
1 3	No Additional Ma	aterials are required.	
7 *			

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used. You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.


This document consists of 18 printed pages and 2 blank pages.



For Examiner's Use

1 Molluscs are important animals in many aquatic and terrestrial ecosystems.

Fig. 1.1 shows four species of mollusc that live in the sea.



For

Examiner's Use

(c) The edible mussel, *Mytilus edulis*, is attached to rocks that are exposed to the air at low tide.

Use Fig. 1.1 to suggest how an edible mussel is adapted to attach to rocks and survive when exposed to the air.

[2]

(d) The zebra mussel, *Dreissena polymorpha*, is a freshwater mussel that originates from rivers in southern Russia.

The mussel was introduced into the Great Lakes of North America and has increased in huge numbers with serious effects on the food webs of the lakes.

Explain why an introduced species, such as the zebra mussel, can have serious effects on the populations of the species that are already living in the area.

[3]

For

Examiner's Use

(e) The freshwater mussel, *Pletholophus swinhoei*, was used in a project to monitor water pollution by chemical waste in northern Vietnam.

This was done by regularly counting the number of mussels in the river.

Suggest the advantages of using freshwater mussels to monitor the pollution of water instead of carrying out chemical analysis of the water.

[2]

(f) Non-biodegradable plastics are a serious problem in many aquatic ecosystems.

Explain the harm that non-biodegradable plastics may cause to organisms in aquatic ecosystems.


[3]

[Total: 14]

For Examiner's Use

2 (a) Fig. 2.1 shows a reflex action that involves the eye.

> A shows an eye in dim light. B shows the same eye when a bright blue light is shone into it.



bright blue light



- (i) Identify the:
 - stimulus to which the eye responds; •
 - receptor cells that detect the stimulus; •
 - effector; .
 - response that the eye makes. •

Write your answers in Table 2.1.

Table 2.1

stimulus	
receptor cells	
effector	
response	

[4]

(ii) Describe how the nervous system coordinates the response shown in Fig. 2.1.

For Examiner's Use

'		5	1	0
		•••••	 ••••••	
		•••••	 ••••••	
				[4]
	•••••		 	

(b) Adrenaline is secreted by the adrenal glands to prepare the body for dangerous situations.

Extreme sports, such as bungee jumping shown in Fig. 2.2, are an example of such a dangerous situation.





Explain how	adrenaline	prepares	the	body	for	an	extreme	sport,	such	as	making a	
bungee jump).											E

For Examiner's Use

	[5]
(c)	The response shown in Fig. 2.1 is involuntary.
	Bungee jumping is a voluntary action.
	Describe two ways in which involuntary actions differ from voluntary actions.
	[2]
	[Total: 15]

For

Examiner's Use

3 (a) The production of yoghurt involves the fermentation of milk by two types of bacteria that use the protein and sugar (lactose) in milk.

Lactobacillus bulgaricus breaks down proteins into short chains of amino acids.

Streptococcus thermophilus uses the chains of amino acids to make formic acid.

L. bulgaricus then uses lactose and formic acid to make lactic acid.

The flow diagram in Fig. 3.1 shows the production process.




Fig. 3.1

(i)	Explain why the milk is sterilised at the start of the process.	For Examiner's
		Use
	[2]	
(ii)	Explain why the bacteria are incubated at 45 °C.	
	[2]	
(iii)	State and explain what happens to the populations of the bacteria during the yoghurt-making process.	
	[5]	


	(iv)	Explain why yoghurt cannot be made by using only one of the types of bacteria.	For Examiner's Use
		[2]	
(b)	At t	the end of the fermentation, food additives may be added to the yoghurt.	
	Sta	te three types of food additive that may be used in producing yoghurt.	
	1		
	2		
	3	[3]	
		[Total: 14]	

For Examiner's Use

- **4** This question is about transport in plants.
 - (a) Two pea plants, **D** and **E**, were supplied with substances containing the radioactive isotopes, carbon-14 (¹⁴C) or phosphorus-32 (³²P), as shown in Fig. 4.1.

A leaf of plant **D** was exposed to radioactive carbon dioxide.

Plant E was placed into a solution containing radioactive phosphate ions.



After several hours the plants were analysed for the presence of the radioactive isotopes.

Sucrose containing ¹⁴C was found throughout plant **D**.

Compounds containing 32 P were found throughout plant **E**.

Complete Table 4.1 to show:

- the tissue in which each substance is transported;
- **one** possible sink for each substance.

Table 4.1

pea plant	D	E
substance transported	sucrose	phosphate ions
transport tissue		
sink		

[4]

(b)	State one substance, other than sucrose , that is produced in leaves and translocated to other parts of the plant.	For Examiner's Use
	[1]	
(c)	Outline how sucrose is produced from carbon dioxide in pea plants.	
	[3]	
(d)	State two uses of sucrose within a pea plant.	
	1	
	2 [2]	
(e)	Explain how ions, such as phosphate ions, are absorbed by plant roots.	
	[3]	
	[Total: 13]	

BLANK PAGE

5	(a)	The production of human gametes involves the type of nuclear division known as meiosis.	For Examiner's
		State two reasons why meiosis is suitable for gamete production.	Use
		1	
		2	
		[2]	
		[4]	
	(b)	The sex of a human fetus is determined by the sex chromosomes, X and Y.	
		Fig. 5.1 shows the determination of sex in four different examples.	
		Examples 3 and 4 show sex determination in twins.	
		example gametes zygote cell from a fetus	
		$1 \overbrace{X} + \overbrace{X} \rightarrow \overbrace{XX} \rightarrow \overbrace{XX}$	
		$2 \qquad \qquad X + (Y) \rightarrow (XY) \rightarrow (XY)$	
		$3 \qquad \underbrace{(X)}_{X} + \underbrace{(X)}_{X} \rightarrow \underbrace{(XX)}_{XX} \underbrace{(XX)}_{XX}$	
		$4 \xrightarrow{(X) + (X)} \xrightarrow{(XX)} \xrightarrow{(XX)} \xrightarrow{(XX)}$	
		$(X) + (X) \longrightarrow (XX) \longrightarrow (XX)$	
		Fig. 5.1	

	(i)	Use 5.1 to explain how the sex of a fetus is determined.	For Examiner's Use
		[[2]
	(ii)	Examples 3 and 4 show two ways in which twins are formed.	
		The twins in example 3 are identical.	
		Use Fig. 5.1 to explain why.	
		[[2]
(c)	Dur	ing the development of a fetus, different genes are expressed at different times.	
	Exp	plain what is meant by the term <i>development</i> .	
		[[2]

 X^H represents an X chromosome with the dominant allele for normal blood clotting. X^h represents an X chromosome with the recessive allele which causes the blood to clot slowly. The Y chromosome is small and does not have the gene for blood clotting. Here is a list of four genotypes. X^HX^H, X^HX^h, X^HY, X^hY Choose the genotype from the list that matches each of the following: gives a phenotype of long clotting time; is heterozygous; is homozygous. [3] (e) Haemophilia is a rare genetic condition in which the blood clots very slowly. In the USA, haemophilia affects 1 in 5000 male births each year. In some cases these births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family. 	(d)		For Examiner's
clot slowly. The Y chromosome is small and does not have the gene for blood clotting. Here is a list of four genotypes. X ^H X ^H , X ^H X ^h , X ^H Y, X ^h Y Choose the genotype from the list that matches each of the following: • gives a phenotype of long clotting time; • is heterozygous; • is heterozygous. [3] (e) Haemophilia is a rare genetic condition in which the blood clots very slowly. In the USA, haemophilia affects 1 in 5000 male births each year. In some cases these births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family.		X^H represents an X chromosome with the dominant allele for normal blood clotting.	
 Here is a list of four genotypes. X^HX^H, X^HX^h, X^HY, X^hY Choose the genotype from the list that matches each of the following: gives a phenotype of long clotting time; is heterozygous; is homozygous. (a) Haemophilia is a rare genetic condition in which the blood clots very slowly. In the USA, haemophilia affects 1 in 5000 male births each year. In some cases these births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family. 			
X ^H X ^H , X ^H X ^h , X ^H Y, X ^h Y Choose the genotype from the list that matches each of the following: • gives a phenotype of long clotting time; • is heterozygous; • is homozygous. [3] (e) Haemophilia is a rare genetic condition in which the blood clots very slowly. In the USA, haemophilia affects 1 in 5000 male births each year. In some cases these births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family.		The Y chromosome is small and does not have the gene for blood clotting.	
Choose the genotype from the list that matches each of the following:		Here is a list of four genotypes.	
 gives a phenotype of long clotting time; is heterozygous; is homozygous. [3] (e) Haemophilia is a rare genetic condition in which the blood clots very slowly. In the USA, haemophilia affects 1 in 5000 male births each year. In some cases these births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family. 		$X^{H}X^{H}$, $X^{H}X^{h}$, $X^{H}Y$, $X^{h}Y$	
 is heterozygous; is homozygous. [3] (e) Haemophilia is a rare genetic condition in which the blood clots very slowly. In the USA, haemophilia affects 1 in 5000 male births each year. In some cases these births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family. 		Choose the genotype from the list that matches each of the following:	
 is homozygous. [3] (e) Haemophilia is a rare genetic condition in which the blood clots very slowly. In the USA, haemophilia affects 1 in 5000 male births each year. In some cases these births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family. 		• gives a phenotype of long clotting time;	
 (e) Haemophilia is a rare genetic condition in which the blood clots very slowly. In the USA, haemophilia affects 1 in 5000 male births each year. In some cases these births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family. 		• is heterozygous;	
In the USA, haemophilia affects 1 in 5000 male births each year. In some cases these births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family.		• is homozygous. [3]	
births occur in families where the condition has not occurred before. Explain how boys can have haemophilia when the condition has not previously existed in their family.	(e)	Haemophilia is a rare genetic condition in which the blood clots very slowly.	
in their family.			
[2]			
		[2]	

[Total: 13]

6 Fig. 6.1 shows Soay sheep on St. Kilda, a group of small remote islands off the coast of Scotland. These islands experience extreme conditions of cold, wind and rain.

For Examiner's Use

Sheep were introduced to the islands thousands of years ago and the Soay sheep are descended from them.

The islands of St. Kilda have been uninhabited by people since 1930. The sheep are now left unfarmed and in their natural state.



Fig. 6.1

(a) The populations of Soay sheep on St. Kilda show much more variation in their phenotype than modern breeds of sheep.

Explain, by using an example from Fig. 6.1, what is meant by variation in their phenotype.

[2]


For

Examiner's Use

(b) Scientists have recorded the numbers of Soay sheep and lambs on St. Kilda for many years.

Each year between 1985 and 1996, the lambs (young sheep) were caught, marked and weighed. In some years, the total number of sheep on St. Kilda was lower than in other years.

Fig. 6.2 shows the frequency of lambs of different body mass in years when the total number of sheep was low and years when the total number was high.



low population years

Fig. 6.2

For Examiner's Use

	(i)	Population size has a great effect on the survival of lambs on St. Kilda.
		Describe the evidence from Fig. 6.2 that supports this statement.
	<i>(</i>)	[2]
	(11)	Suggest an explanation for the effect that you have described.
		101
		[3]
(c)	Soa	
	000	y sheep are adapted to the extreme conditions experienced on St. Kilda.
		ly sheep are adapted to the extreme conditions experienced on St. Kilda. Iain how natural selection could account for the adaptive features of Soay sheep.
	Exp	
	Exp	lain how natural selection could account for the adaptive features of Soay sheep.
	Exp	lain how natural selection could account for the adaptive features of Soay sheep.
	Exp	lain how natural selection could account for the adaptive features of Soay sheep.
	Exp	lain how natural selection could account for the adaptive features of Soay sheep.
	Exp	lain how natural selection could account for the adaptive features of Soay sheep.

BLANK PAGE

Figure 1.1 ©	Buccinum undatum; http://www.glaucus.org.uk/Buckie.htm. Octopus vulgaris; http://animaldiversity.ummz.umich.edu/site/resources/Grzimek_inverts/Cephalopoda/Octopus_vulgaris.jpg/view.html. Tagelus plebeius;
Figure 4.1 © Figure 6.1 ©	R D Barnes; Invertebrate Zoology; Saunders; 1968. Bungee jumping; matejmm IStock 1935273, mayo5 iStock 10138655. R Fosbery et al; Revise AS Biology for OCR; Heinemann; 2001. Soay sheep on St Kilda, Scotland; Gannet77 iStock 2094245. J M Milner et al; Journal of Animal Ecology; 1999; http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2656.1999.00299.x/full.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.