Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

BIOLOGY 0610/51

Paper 5 Practical Test

October/November 2020

1 hour 15 minutes

You must answer on the question paper.

You will need: The materials and apparatus listed in the confidential instructions

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 40.
- The number of marks for each question or part question is shown in brackets [].

For Examiner's Use			
1			
2			
Total			

This document has 12 pages. Blank pages are indicated.

1 The enzyme lipase catalyses the break-down of fats into fatty acids and glycerol.

You are going to investigate how the concentration of lipase affects the break-down of fat in milk. An increase in the concentration of fatty acids will change the pH of the milk.

You are going to use the pH indicator bromothymol blue to determine the pH of the milk and lipase solution during the investigation.

Table 1.1 shows the colour of bromothymol blue indicator at different pH values.

Table 1.1

рН	6	7	8
colour	yellow	green	blue

Read all the instructions but DO NOT CARRY THEM OUT until you have drawn a table for your results in the space provided in Question 1(a)(ii).

You should use the safety equipment provided while you are carrying out the practical work.

(a) Step 1 Label four test-tubes L1, L2, L3 and L4.

Step 2 Make solutions containing different concentrations of lipase.

Use the volumes of 2% lipase solution and distilled water as shown in Table 1.2.

Table 1.2

test-tube	volume of 2% lipase/cm ³	volume of distilled water/cm ³	percentage concentration of lipase solution	
L1	3.00	0.00	2.0	
L2	1.50	1.50	1.0	
L3	0.75	2.25		
L4	0.00	3.00	0.0	

(i) Calculate the percentage concentration of lipase solution in test-tube L3 using the information in Table 1.2.

Space for working.

.....% [1]

- Step 3 Label another four test-tubes M1, M2, M3 and M4.
- Step 4 To each of test-tubes M1, M2, M3 and M4 add:
 - 5 drops of bromothymol blue indicator
 - 2 cm³ of sodium carbonate solution
 - 2 cm³ of milk.
- Step 5 Raise your hand when you are ready for warm water to be put into the beaker labelled **water-bath**.
- Step 6 Put all eight test-tubes into the water-bath and leave for five minutes.
- Step 7 After five minutes remove test-tubes **M1** and **L1** from the water-bath and place in a test-tube rack.
- Step 8 Pour the solution in test-tube **M1** into test-tube **L1**. Start a stop-clock.
- Step 9 Observe the colour of the bromothymol blue indicator in test-tube **L1** and record the time at which it becomes yellow.

If the colour has not changed to yellow in five minutes, stop observing and record the result as >300.

Step 10 Repeat steps 7, 8 and 9 for test-tubes M2 and L2, M3 and L3, M4 and L4.

Record your results in the table you have prepared in 1(a)(ii).

You should record your results in seconds.

(ii) Prepare a table to record your results.

4

(iii)	State a conclusion for your results.
	[1]
(b) (i)	Identify the control in this investigation and explain why a control was used.
	control
	explanation
	[2]
(ii)	Using the information in Table 1.1 and your results, estimate the pH values in test-tube L1 and test-tube L4 at the end of the investigation.
	L1
	L4[1]
(iii)	State two variables that were kept constant in this investigation.
	1
	2
	[2]
(iv)	Suggest why all of the test-tubes were placed into a water-bath for five minutes, in step 6, before mixing their contents.
	[41]
(11)	State the notantial source of error in stan 0
(v)	State the potential source of error in step 9.
	[11]

(c)	Describe how you would safely test lipase for the presence of protein and state the result of a positive test.						
	method						
	positive result						
	safety precaution						
	[3]						
(d)	The average temperature of the human body is 37°C. Humans produce lipase for fat digestion. A student thought that lipase would work best at human body temperature.						
	Plan an investigation to find out if 37 °C is the optimum (best) temperature for lipase activity.						
	[6]						

[Total: 22]

[3]

2 (a) Fig. 2.1 is a labelled diagram of the parts of a flower.




Fig. 2.1

Fig. 2.2 is a photograph showing the parts of a flower that have been separated.




Fig. 2.2


Complete Table 2.1 using the information in Fig. 2.1 and Fig. 2.2 by stating the:

- names of flower parts A, B and C
- number of each of the flower parts A, B and C visible in Fig. 2.2.

Table 2.1

letter on Fig. 2.2	name of flower part	number visible
Α		
В		
С		

(b) Fig. 2.3 shows a photograph of a germinating pollen grain.



magnification ×350

Fig. 2.3

(i) Make a large drawing of the germinating pollen grain shown in Fig. 2.3.Label the pollen tube.

(ii) Measure the length of line XY on Fig. 2.3.

length of line XY mm

Calculate the actual length of the pollen grain in Fig. 2.3 using the formula.

magnification =
$$\frac{\text{length of XY on Fig. 2.3}}{\text{actual length of XY}}$$

Include the unit.

Space for working.

....[3]

(c) Some students collected pollen from the anthers of flowers to investigate the effect of two different solutions, **S1** and **S2**, on the germination of pollen.

Two microscope slides were prepared.

Slide **one** had 210 pollen grains and two drops of solution **S1**.

Slide **two** had 250 pollen grains and two drops of solution **S2**.

Every 10 minutes the students counted and recorded the number of pollen grains that had germinated.

The percentage of pollen grains that had germinated was calculated.

Fig. 2.4 shows a drawing of the pollen grains as seen with a light microscope.




Fig. 2.4

The results of the investigation are shown in Table 2.2.

Table 2.2

	percentage g			germinat	ion	
time/minutes	10	20	30	40	50	60
solution S1	5	18	26	38	51	51
solution S2	3	8	18	28	36	51

(i)	State two conclusions for these results.	
	1	
	2	
		[2
		LZ.
(ii)	The results in Table 2.2 are shown as percentages rather than as the actual number germinated pollen grains.	∍r o
	Explain why this enables a valid comparison to be made between the results for and S2 .	· S 1
		[1]
(iii)	Describe how the percentage germination in Table 2.2 was calculated.	
		[2

(d) The students prepared another three slides using solutions A, B and C and left them for 60 minutes. They measured the length of the pollen tubes in 20 germinated pollen grains.


The results are shown in Table 2.3.

Table 2.3

solution	average length of pollen tube/μm
Α	190
В	220
С	265

Fig. 2.5 shows the grid that the students used to plot a graph of their results.

average length of pollen tube/µm



solution

Fig. 2.5

Use the information in Table 2.3 to complete the graph in Fig. 2.5 by:

- adding the scale for the *y-axis*
- plotting the bars for solutions **B** and **C**.

[2]

[Total: 18]

12

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.