Questions are for both separate science and combined science students


Ω	
w	١.

Plants contain many different tissues.

(a)	Complete the sentences.	
	The leaf tissue that contains the most chloroplasts is	
	the	
	The leaf tissue that contains many air spaces is	
	the	
	The plant tissue that can differentiate throughout the life of the plant is	
	the	
		(3)
(b)	Xylem tissue transports water through a plant.	
	The walls of xylem cells contain cellulose.	
	Name one other substance that strengthens xylem tissue.	
		(1)
(c)	Phloem tissue transports dissolved sugars around a plant.	
	Name the process that transports dissolved sugars around a plant.	
		(1)

(1)

The figure below shows two plant cells.



)	Name part Y in the figure above.
)	The phloem tissue transports sugars to other parts of the plant.
	The concentration of dissolved sugars in the phloem cell in above figure is higher than in cell ${\bf X}$.
	Explain how sub-cellular structures help to move dissolved sugars from cell ${\bf X}$ into the phloem cell.

Describe **one** change in structure that occurs when an unspecialised cell differentiates to form a phloem cell.

Use the above figure.


(1) (Total 12 marks)

1	`	7	
•	ĸ	4	

Water and	carbon	dioxide	are exc	hanged	between	leaves	and t	the at	mospl	nere
through po	res calle	ed stoma	ata.							

r	moves through a plant in the transpiration strea	m.
	Describe two differences between the transpirati translocation.	on stream and
	1	
	2	
-		
		rate of transpiration to be
	greatest in a plant?	rate of transpiration to b
	Which environmental conditions would cause the greatest in a plant? Tick (✓) one box. Cold with low humidity	rate of transpiration to be
	greatest in a plant? Tick (✓) one box.	rate of transpiration to be
	greatest in a plant? Tick (✓) one box. Cold with low humidity	rate of transpiration to be
	greatest in a plant? Tick (✓) one box. Cold with low humidity Cold with high humidity	rate of transpiration to be

The figure below shows information about the mean width of the stomata in a plant.



(d) The changes in the mean width of the stomata in **normal conditions** are an advantage to the plant.

Explain how.			

(e) The changes in the mean width of the stomata in low atmospheric carbon dioxide are different from the changes in normal conditions.

Explain how the difference helps the plant to survive in low atmospheric

carbon dioxide.			

(2)

(4)